

IN THE PERFECT HOME

ELECTRICAL RETAIL PRODUCT RANGE 2017



AFTER SALES SUPPORT / CUSTOMER CARE

WARRANTY

AEG appliances come with a 12 month warranty from date of purchase. When you register your new appliance your warranty will be extended to 2 or 5 years (depending on model). During your warranty period you are protected against the cost of parts, call-out and labour charges. All work is carried out by our national network of approved AEG engineers.

You can register your appliance by completing the warranty registration card enclosed with your appliance, calling our dedicated warranty registration phone number printed on the card, or online at www.aeg.co.uk



For additional peace of mind you have the option to extend your guarantee even further with our AEG Protection Plan. You'll be protected against damage caused by accident from the moment you join and if one of our approved engineers can't fix it, you could receive a brand new replacement. This coverage is provided by our specialist insurers Domestic and General.

To find out more visit www.aeg.co.uk or call 0800 479 0775

CUSTOMER SERVICE

Should you need to contact us about your product we have a dedicated AEG customer service team to help. Our team is based in the AEG UK head office and can be contacted by phone on 03445 611 611 or via www.aeg.co.uk

LOCAL SERVICE, NATIONWIDE

Our national network of Service Force agents provide product maintenance, genuine parts and repairs for all AEG Major Appliances. Genuine AEG parts ensure you continue to experience the excellent performance you expect from your AEG product.

If you require a visit from one of our agents for your Major Appliance please call our Service Force team on 03445 616 616.

SERVICE FORCE

AEG Major Appliances Addington Way Luton LU4 9QQ Telephone: 03445 611 611

AEG Major Appliances is a division of Electrolux plc. Registered in England, No. 2331516. Registered Office, Addington Way, Luton LU4 9QQ

AEG Major Appliances Electrolux Group Ireland Ltd Suite 7 & 8 Westland House, Westland Business Park, Nangor Road, Dublin 12 D12 TR98

Tel: 00353 (0)818 543000

Registered in Ireland No 9118. Registered office: Nangor Road, Dublin 12 D12 TR98

Part number: 506011257009

IN THE PERFECT HOME, YOU'RE IN COMPLETE CONTROL

Welcome to AEG's kitchen and laundry range. Inside every appliance, you'll find intelligent technology and responsive design, guaranteeing you exceptional performance and results time after time. You'll discover that one touch redefines what's possible at home.

We innovate so that you can elevate what you do to new heights every day.

WE ARE PIONEERS WITH A VISION

We thrive upon innovation designed to give you the ultimate feeling of mastery in your home and laundry care. We see your needs of today.

And foresee the ones of tomorrow. So that you can achieve results that don't just meet your standards, but exceed them.

We believe in intelligent technology and exceptional performance, helping you to take anything you do at home to the next level, every day.

We are proud of our distinctive engineering and responsive design, guaranteeing you the performance you expect and deserve.

We are a brand that people turn to for intelligent and exciting new ways to guarantee their outcome.

This has been our passion for over 125 years, and continues to be our passion today.

We are AEG.

And together with you, we are always an idea ahead.



CONTENTS

KITCHEN		LAUNDRY	
Flavour. Conducted your way.	06	Unprecedented Care	98
Refrigeration	08	Laundry Design Highlights	100
Ovens	32	Washing Machines	
Induction Hobs	62	9000 Series Washing Machines	102
Gas Hobs	70	8000 Series Washing Machines	106
Hoods	74	7000 Series Washing Machines	108
Dishwashers	84	6000 Series Washing Machines	110
		Tumble Dryers	114
		Washer Dryers	122

FLAVOUR. CONDUCTED YOUR WAY.

The new Mastery Range from AEG works with you in unique ways to take your cooking to the next level. Every appliance ready to play their part, working in harmony and instantly responding to your second-by-second commands.

Now, for the first time, you can even tell the oven how you want your dish cooked – using just the words you would in a restaurant – rare, medium, well done. Or play with a hob where the entire surface follows every pan you move, no matter how big or small. It's time to expect more from the way you cook. Step into the world's most responsive cooking experience.

MAESTRO, YOUR KITCHEN IS WAITING.





REFRIGERATION

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But how do you want your fridge arranged? Our solution lets you decide. Everything and anything fits in perfectly for long-lasting flavour.



... Energy efficiency

Take care of the environment and your household budget.

REFRIGERATION WHAT'S NEW

Create your own perfectly organised fridge with the CustomFlex® storage system. This unique and practical innerdoor storage system allows you to arrange shelves, clips and compartments in all shapes and sizes in hundreds of different layouts, so there's always one that works best for you at any time.

ADAPTABLE FOR EVERY TASTE







CustomFlex®

CustomFlex® enables you to move and rearrange compartments quickly and easily to maximize storage space.





Retractable lower shelf for flexible storage.

Self-closing door

An elegant solution, with no risk of slamming. Automatically closes from an opening angle of 25–30 degrees.





High Efficiency LED lighting ensures a good spread of light, shining downwards in the fridge. An intelligent fan function prevents warm areas in the upper part of the fridge and creates an even temperature in all fridge levels.



Did you know?

Our appliances are leaders in energy performance, with the highest ratings of up to A+++ -20% energy saving.




Display

Touch controls with new white LED digital display.

REFRIGERATION WORTH KNOWING

Precision chilling for exceptional cooking. Carefully sourced ingredients need exact conditions to preserve their greatness. Our Zero Degree compartments make it possible to create different chilling conditions in each part of your refrigerator. Adjust each drawer's temperature at a touch.





Top:

Ripe vegetables.

Bottom:

Fish and meat that require more humidity and lower temperature.

Door:

Glass jars, cans and drinks.

Exceptions:

Potatoes and apples are best stored outside the fridge.




AEG TwinTech® technology

Unlike conventional fridge freezers that use cold, ultra-dry air from the freezer and recirculate it to cool the fridge, TwinTech® Plus units have two separate cooling systems. This provides the ideal humidity in each compartment, preventing food from drying out in the fridge and delivering frost-free storage in the freezer.

Nature's flavours in peak condition

When each ingredient and element of your cooking is carefully chosen, they need to remain at their best until you come to use them. With the TwinTech+ system, carefully selected temperature and humidity levels are maintained with minimal fluctuations. So, your produce is not subjected to the variations that cause its quality to deteriorate. Your ingredients are chilled in peak conditions – fruits and vegetables stay crisp and bursting with flavour, meat and fish stay vibrant. From the moment you choose them to the moment they reach your plate.



CUSTOMFLEX® | SCE81864TC

ADAPTABLE FOR EVERY TASTE

CustomFlex® a unique storage system that allows you to organise your fridge just the way you want. Move and rearrange compartments quickly and easily to maximise storage space. Keeping all your fresh ingredients to hand is key to creating fresh, delicious dishes. Clips for herbs, clear boxes for cheeses, secure shelves for dairy, sauces and condiments. All positioned exactly where you want them to be. Finally a fridge that adapts to your taste.







(HxWxD) in mm 1769 x 556 x 549

Door fixingDoor on door

Energy rating

aeg.co.uk/kitchen/cooling/fridge-freezers

KEY FEATURES



TwinTech®

The TwinTech® cooling system in the fridge prevents food from drying out ensuring your produce is stored at the optimum temperature and humidity levels, meaning fruit and vegetables stay crisp and fresh for longer.



Dynamic Air

DynamicAir technology maintains the airflow inside the fridge, ensuring a consistent temperature at every shelf level so that your ingredients stay fresh.



SCE81921TS

KEY FEATURES



SCE81911TS



SCE81824NC KEY FEATURES





















KEY FEATURES

Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more useful and much needed food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm

1842 x 540 x 552

Door fixing

Sliding hinge

Energy rating

(HxWxD) in mm

1842 x 540 x 552

Door fixing Sliding hinge

Energy rating

(HxWxD) in mm

1769 x 556 x 549

Door fixing Door on door



SCE81826NC

KEY FEATURES



SCE81824TS KEY FEATURES



SCE81827TS

KEY FEATURES



























SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer. keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm

1769 x 556 x 549

Door fixing

Door on door

Energy rating

A++

(HxWxD) in mm

1772 x 540 x 549

Door fixing

Sliding hinge

Energy rating

(HxWxD) in mm 1772 x 540 x 549

Door fixing Sliding hinge



SCE81812NS

KEY FEATURES



SCE81816TS

KEY FEATURES



SCB61811LS

KEY FEATURES



























LED Lighting

controls

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer. keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value. Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker. more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Our simple to use electronics, with Frostmatic function, ensures that you can set the fridge freezer to your desired temperature.

(HxWxD) in mm

1772 x 540 x 549

Door fixing

Sliding hinge

Energy rating

(HxWxD) in mm

1772 x 540 x 549

Door fixing

Sliding hinge

Energy rating

(HxWxD) in mm

1772 x 540 x 549

Door fixing

Sliding hinge



SCB61812LS

KEY FEATURES



SCB51421LS

KEY FEATURES



ABE68216NF

KEY FEATURES



























LED

controls

shelf

Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Our simple to use electronics, with Frostmatic function, ensures that you can set the fridge freezer to your desired temperature.

Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.

*Image for illustration purposes only.

(HxWxD) in mm 1772 x 540 x 549

Door fixing Sliding hinge

Energy rating

(HxWxD) in mm 1441 x 540 x 549

Door fixing Sliding hinge

Energy rating

(HxWxD) in mm 815 x 596 x 550

Door fixing Door on door



ABE68221AF

KEY FEATURES





ABB68211AF

KEY FEATURES





SFB58211AF

KEY FEATURES









Frostmatic - ideal for freezing fresh

food quickly, preserving the flavour,

colour, texture and nutritional value.

You can safely freeze a quantity of

fresh food and store frozen food

If the temperature rises too high a

visible and audible alarm alerts you.

safely for up to one year.



















sliding shelf

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you. Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.

(HxWxD)	in	mm
815 x 596	x 5	550

Door fixing Door on door

Energy rating

 $\Delta + +$

(HxWxD) in mm 815 x 596 x 550

Door fixing

Door on door

Energy rating

(HxWxD) in mm 815 x 596 x 550

Door fixing Door on door



SFE58221AF

KEY FEATURES





SKB58211AF





SKE58221AF KEY FEATURES













sliding shelf



shelf

KEY FEATURES





sliding shelf

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.

Adjustable feet for ease of installation.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.

Adjustable feet for ease of installation.

(HxWxD) in mm

815 x 596 x 550

Door fixing

Door on door

Energy rating

(HxWxD) in mm

815 x 596 x 550

Door fixing

Door on door

Energy rating

Α+

(HxWxD) in mm

815 x 596 x 550

Door fixing Door on door



ABS81826NC

KEY FEATURES





ABB81816NC

KEY FEATURES



ABB81216NF

KEY FEATURES



























Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value. Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you. Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you.

(HxWxD) in mm

1769 x 556 x 549

Door fixing

Door on door

Energy rating

 $\Delta + +$

(HxWxD) in mm

1769 x 556 x 549

Door fixing Door on door

Energy rating

(HxWxD) in mm

1224 x 556 x 549

Door fixing Door on door



ABE81226NC

KEY FEATURES





ABE68821LS

KEY FEATURES





SFE81821DC KEY FEATURES



























LED Lighting

drawer

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value. Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.

(HxWxD) in mm

1224 x 556 x 549

Door fixing

Door on door

Energy rating

(HxWxD) in mm

873 x 540 x 549

Door fixing Sliding hinge

Energy rating

Α+

(HxWxD) in mm 1772 x 540 x 549

Door fixing

Sliding hinge



SKS81826ZC

KEY FEATURES



SKS81821DC

KEY FEATURES



SKB81811DC

KEY FEATURES





























LED Lighting

Lighting

The LongFresh feature is a zero degree compartment with adjustable temperature settings & separate humidity. To maintain the deep blushing crimson of a fillet of beef, to ensure the sweet freshness of a lobster tail, or to hold the ultimate flavour of fresh fruit they must be treated and chilled with precision. The two Zero Degree compartments in the AEG refrigerator allow you to choose and adjust the humidity and temperature settings in each drawer. Ensure that each element is at peak condition, by chilling them in unique conditions.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm

1769 x 556 x 549

Door fixing

Door on door

Energy rating

(HxWxD) in mm

1769 x 556 x 549

Door fixing

Door on door

Energy rating

(HxWxD) in mm

1769 x 556 x 549

Door fixing

Door on door



SKE81221AC

KEY FEATURES





SKB81211AF

KEY FEATURES





KEY FEATURES

















SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.





Lighting

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm 1219 x 556 x 550

Door fixing Door on door

Energy rating

(HxWxD) in mm 1219 x 556 x 550

Door fixing Door on door

Energy rating Α+

(HxWxD) in mm 873 x 540 x 549

Door fixing Sliding hinge



SKE68811AS

KEY FEATURES





RXE75911TM **KEY FEATURES**



RXE75411NM

KEY FEATURES



















Lighting







Lighting

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm

873 x 540 x 549

Door fixing

Sliding hinge

Energy rating

 $\Delta + +$

(HxWxD) in mm 1855 x 1110 x 583

Door fixing N/A

Energy rating

(HxWxD) in mm 1855 x 1100 x 583

Door fixing N/A



RMB76111NX

KEY FEATURES





RMB76311NX

KEY FEATURES





RCB53724MX/MW

KEY FEATURES



























The indoor ice and chilled water dispenser offers chilled filtered water and ice - up to 120 ice cubes per 24 hours.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

With a fully integrated water dispenser, you can enjoy a supply of fresh and chilled water.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

The Multiairflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

(HxWxD) in mm 1780 x 912 x 758

Colour

Energy rating

Α+

(HxWxD) in mm 1776 x 912 x 765

Colour

Stainless steel

Energy rating

Α+

(HxWxD) in mm 2005 x 595 x 647

Colour

Stainless steel: RCB53724MX White: RCB53724MW

Energy rating

A++



RCB53324MX/MW

KEY FEATURES





RCB83724MX/MW

KEY FEATURES





ATB81011NX/NW

KEY FEATURES



























The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

The Multiairflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Keeping all your fresh ingredients to hand is key to creating fresh, delicious dishes. Now the Customflex refrigerator from AEG lets you organise your fridge storage just the way you want.

The Multiairflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with guicker. more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.

(HxWxD) in mm

1845 x 595 x 647

Colour

Stainless steel: RCB53324MX White: RCB53324MW

Energy rating

A++

(HxWxD) in mm

2000 x 595 x 647

Colour

Stainless steel: RCB83724MX White: RCB83724MW

Energy rating

(HxWxD) in mm 850 x 595 x 635

Colour

Stainless steel: ATB81011NX White: ATB81011NW



ATB81121AX

KEY FEATURES





RTB81521AX/AW

KEY FEATURES





A72710GNX0/WO

KEY FEATURES













Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.







lighting



Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you. Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm 850 x 595 x 635

Colour

Stainless steel

Energy rating

(HxWxD) in mm

850 x 595 x 635

Colour

Stainless steel: RTB81521AX White: RTB81521AW

Energy rating

A++

(HxWxD) in mm 1850 x 595 x 668

Colour

Stainless steel: A72710GNX0 White: A72710GNW0

Energy rating

A++



NO FROST CABINET FREEZER

A72020GNX0/WO

KEY FEATURES



CABINET LARDER FRIDGE

S74010KDX0/WO



CABINET LARDER

S73320KDX0/WO

KEY FEATURES



KEY FEATURES



preservation.





ouch Frostma

Never defrost your freezer again. No

frost freezers also offer efficient and

effective freezing with guicker, more

instant feedback, are easy to use and

Frostmatic - ideal for freezing fresh

food quickly, preserving the flavour,

colour, texture and nutritional value.

even freezing for better food

Intuitive touch controls provide

look sleek in the kitchen.





look sleek in the kitchen.



lighting









lighting



Intuitive touch controls provide Intuitive touch controls provide instant feedback, are easy to use and ins

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf

so that your ingredients stay fresh.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.

(HxWxD) in mm

1544 x 595 x 668

Colour

Stainless steel: A72020GNX0 White: A72020GNW0

Energy rating

A++

(HxWxD) in mm

1850 x 595 x 668

Colour

Stainless steel: S74010KDX0 White: S74010KDW0

Energy rating

A++

(HxWxD) in mm

1544 x 595 x 668

Colour

Stainless steel: S73320KDX0 White: S73320KDW0

Energy rating

A++



SWE66001DG **KEY FEATURES**



SWE63001DG **KEY FEATURES**



SWE61501DG

KEY FEATURES























Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.

(HxWxD) in mm

820 x 595 x 565

Colour

Black glass

(HxWxD) in mm

820 x 294 x 571

Colour Black glass (HxWxD) in mm 870 x 148 x 526


Colour Black glass

Energy rating

Energy rating

OVENS

However you like to cook and whatever your favourite dishes, there's an AEG oven that's just right for you. Featuring our intelligent technology, every oven makes it effortless and enjoyable to create great tasting food, exactly the way you like it.



OVENS WHAT'S NEW

The latest furniture trends are becoming more linear and we have designed our products in line with that. We've also included more glass and less stainless steel for a seamless finish.

Command wheel

12:30

An innovative Command Wheel removes the need for a busy dashboard and makes the cooking experience simple and streamlined for perfection on a plate, every time.




Humidity sensor

Our unique humidity sensor automatically ensures you introduce the exact amount of steam into your dishes for perfect taste and texture.



LCD display

With just a touch, your current cooking settings appear immediately on the clear colour LCD display for at-a-glance monitoring of your meal, making adjustments exact and precise.



OVENS WORTH KNOWING

For the first time, you can trust that your oven understands the result you want, just from the words you choose.

Why steam?

- Prevents flavour exchange
 Stops flavour exchange
 between different dishes.
- Food stays moist
 Prevents food from drying out.
- Preserves nutrients
 Preserves nutrients,
 vitamins and minerals.
- Evenly cooked

 Cooks food more evenly from surface to core.
- More efficient
 Delivers heat more efficiently
 to the food than dry, hot air, so
 the temperature can be lower.

MASTER A NEW LEVEL OF FLAVOUR. JUST ADD STEAM TO HEAT.

By adding steam to traditional heat, our range of ovens ensures your dishes are cooked to your exact preference. The combination of heat and steam delivers crisp and golden on the outside and juicy

and succulent on the inside – every single time. It's an uncomplicated and highly effective way of ensuring that everything you cook is packed with maximum flavour.


STEAMCRISP



STEAMBOOST



STEAMPRO



SURROUNDCOOK®



: SurroundCook® oven

The SurroundCook® oven ensures that every part of your dish is getting exactly the heat it needs. Evenly. Consistently. Wherever it's placed. Whether it's one dish or several. No more turning dishes halfway through cooking. Just the results that meet your expectations.

STEAM. YOUR NEW STANDARD FOR FLAVOUR.

SteamPro, with SousVide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.





(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A++

aeg.co.uk/kitchen/cooking/ovens

............

KEY FEATURES



SteamPro

SteamPro, with Sous Vide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.



Command wheel

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.



Humidity sensor

The unique Humidity Sensor controls steam level in the cavity to ensure food is perfectly cooked everytime.



BSE792320M KEY FEATURES



BSE882320M **KEY FEATURES**



BSE782320M KEY FEATURES

























SteamPro. with SousVide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

The unique Humidity Sensor controls steam level in the cavity to ensure food is perfectly cooked everytime.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxV	VxD) i	n mm

90 x 560 x 550

Colour

Stainless steel

Energy rating

A+

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel



BSE874320M

KEY FEATURES





BSE774320M

KEY FEATURES





BSE574221M **KEY FEATURES**





















timer







SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre. enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre. enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

Retractable rotary controls provide a flush finish for easy cleaning.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre. enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm 590 x 560 x 550

Colour Stainless steel

Energy rating

A+

(HxWxD) in mm

590 x 560 x 550

Colour Stainless steel

Energy rating

(HxWxD) in mm 590 x 560 x 550

Colour Stainless steel



BPE842720M **KEY FEATURES**



BPE742320M **KEY FEATURES**



BPE642020M

























runner

KEY FEATURES

SenseCook. Rare. Medium. Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Telescopic runners allow easy access to your dishes as well as the ability to leave them in the oven while running the pyrolytic cleaning program.

SenseCook. Rare. Medium. Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

SenseCook. Rare. Medium. Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

(HxWxD) in mm

590 x 560 x 550

590 x 560 x 550 Stainless steel

Colour

(HxWxD) in mm

Stainless steel

Energy rating

Energy rating

Colour



BPS552020M **KEY FEATURES**



BPS551020M KEY FEATURES



BPS351020M KEY FEATURES







timer















timer





every time.

residue to ash.

tasty crust.

The built in food probe measures

the precise cooking temperature

inside the food, for perfect results

Stay in control of your cooking with

A total self-cleaning function, that

heats up to 500°C and turns food

SteamBake[™] enhances your baking

results, by making the bakes soft and

tender inside, while the outside gets a

delicious golden colour and a perfect

the fully programmable timer.

SenseCook. Rare. Medium. Well done?

timer

perfect tasty crust.

SteamBake™ enhances your baking

results, by making the bakes soft and

tender inside, while the outside gets

a delicious golden colour and a

SteamBake™ enhances your baking

results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

Stay in control of your cooking with the fully programmable timer.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Stay in control of your cooking with the fully programmable timer.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm 590 x 560 x 550

Colour

Stainless steel

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel: BPS551020M

(HxWxD) in mm 590 x 560 x 550

White glass: BPS551020W Black glass: BPE552220B

Colour

Stainless steel

Energy rating

Energy rating

A+



BCS552020M

KEY FEATURES





BCS551020M

KEY FEATURES





BES351010M

KEY FEATURES



























every time.

timer

SenseCook. Rare. Medium. Well done?

The built in food probe measures

the precise cooking temperature

inside the food, for perfect results

Stay in control of your cooking with

catalytic lining which activates at high

temperatures, assisting to remove

SteamBake[™] enhances your baking

results, by making the bakes soft and

tender inside, while the outside gets a

delicious golden colour and a perfect

grease on hard accessable areas.

the fully programmable timer.

The Fan Cover is coated with a

timer

perfect tasty crust.

SteamBake™ enhances your baking

results, by making the bakes soft and tender inside, while the outside gets

Stay in control of your cooking with the fully programmable timer.

a delicious golden colour and a

The Fan Cover is coated with a catalytic lining which activates at high temperatures, assisting to remove grease on hard accessable areas.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

SteamBake[™] enhances your baking results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

Stay in control of your cooking with the fully programmable timer.

Diamond glazed enamel interior, durable and easy to clean.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm

tasty crust.

590 x 560 x 550

Colour

Stainless steel

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

(HxWxD) in mm 590 x 560 x 550

Colour

Stainless steel: BES351010M Black: BEB351010B White: BFB351010W

Energy rating

Energy rating



DCE731110M **KEY FEATURES**





DCS431110M **KEY FEATURES**



DES431010M

KEY FEATURES































function

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result in both ovens.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Diamond glazed enamel interior, durable and easy to clean.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm

888 x 594 x 548

Colour

Stainless steel

(HxWxD) in mm 888 x 594 x 548

Colour

Stainless steel

Energy rating

A/A

(HxWxD) in mm 888 x 594 x 548

Colour

Stainless steel

Energy rating



DCB331010M **KEY FEATURES**



DEB331010M

KEY FEATURES





DUE731110 M KEY FEATURES

























desired result.

Catalytic

controls function

Catalytic

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Diamond glazed enamel interior, durable and easy to clean.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result in both ovens.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm

888 x 594 x 548

(HxWxD) in mm 888 x 594 x 548

Colour

Stainless steel: DEB331010M Black glass: DEE431010B

(HxWxD) in mm 715 x 594 x 548

Colour

Stainless steel

Energy rating

Stainless steel

A/A

Colour

Energy rating

A/A

Energy rating A/A



DUE 431110 M

KEY FEATURES



DUB331110M

KEY FEATURES



















Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm

Colour

Stainless steel

Energy rating

(HxWxD) in mm

715 x 594 x 548

Colour

Stainless steel

MULTIFUNCTION COMPACT STEAM OVEN | KSE882220M

COMPACT OVENS

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.







(HxWxD) in mm

Colour Stainless

Stainless stee

Energy rating

4+

eg.co.uk/kitchen/ovens

KEY FEATURES



Command wheel

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process



SenseCook

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.



Soft Motion

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.











MULTIFUNCTION COMPACT STEAM OVEN

KSE782220M

KEY FEATURES

PYROLYTIC COMPACT OVEN

KPE842220M

KEY FEATURES

PYROLYTIC COMPACT OVEN WITH PROSIGHT

KPE742220M

KEY FEATURES

























Steam Boost

Toucl

h SenseCoo

Soft Mot

SenseCook (

Command wheel

Pyrolytic

Soft Motio

nseCook Tou

Touch

olytic Soft

Soft Motio

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm

455 x 594 x 520

Colour Stainless steel

Energy rating

Α+

(HxWxD) in mm

455 x 594 x 520

Colour

Stainless steel
Energy rating

Α+

(HxWxD) in mm

455 x 594 x 520

Colour Stainless steel

Energy rating

A+



KME861000M

KEY FEATURES





KME761000M

KEY FEATURES





KME561000M

KEY FEATURES





























timer

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up

to half the time with CombiQuick.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time with CombiQuick.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time with CombiQuick.

Retractable rotary controls provide a flush finish for easy cleaning.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

(HxWxD) in mm

455 x 594 x 520

Colour

Stainless steel

(HxWxD) in mm

455 x 594 x 520

Stainless Steel

Colour

(HxWxD) in mm 455 x 594 x 520

Colour

Stainless steel



KME721000M

KEY FEATURES





KKE884500M

KEY FEATURES











Authentic Italian coffee





coffee

heans



Quick start

Have authentic Italian coffee at home at the touch of a button.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Uses fresh coffee beans for an authentic taste.

Fully automatic preprogrammed machine offering a selection of coffee including automatic cappuccino function.

and grill

The Microwave Oven gives you faster delicious results with microwave and grill combination.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A 1900W grill to crisp and brown dishes, for fantastic results.

(HxWxD) in mm

455 x 594 x 520

Colour

Stainless steel

(HxWxD) in mm

455 x 594 x 361

Colour

Stainless Steel



KDE912922M



KDE911422M

KEY FEATURES



KEY FEATURES









Full steel warming drawer, with a twelve place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C. hot liquids will not cool down as quickly when served in pre-warmed Full steel warming drawer, with a twelve place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed

(HxWxD) in mm

295 x 595 x 535

Colour

Stainless Steel

(HxWxD) in mm

131 x 595 x 535

Colour

Stainless steel

HIGH PERFORMANCE 17L DUO MICROWAVE | MBB1756D-M

MICROWAVES

The new AEG multifunctional microwave ovens come with a range of fully built-in and semi built-in options with a perfect design alignment with ovens. This fully built in microwave oven has an intuitive touchscreen control panel that features a simple, wipe-clean surface. The touch-sensitive panel lets you change functions and timings in seconds, too.

AEG





371 x 594 x 31

Colour

Black glass and stainless steel

aeg.co.uk/kitchen/cooking/microwaves

KEY FEATURES



Microwave Grill



50cm



17 Litres



MBB1756S-M

KEY FEATURES





MBE2658S-M

KEY FEATURES





MBE2658S-B

KEY FEATURES



























Our 17L solo microwaves with their

in many positions and any kitchen

with slim wall hanging cabinets.

30 cm built in depth can be installed

Our microwave ovens can be installed in all cabinets, non-ventilated or

ventilated kitchen cabinets, making

The new touch display does not only make it easier and more intuitive for

you to control your microwave, the

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one

surface is also easy to clean.

them perfect for replacements or

kitchen upgrades.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

.......

(HxWxD) in mm

single tool.

371 x 594 x 316

Colour

Black glass and stainless steel

(HxWxD) in mm

459 x 596 x 404

Colour

Black glass and stainless steel

(HxWxD) in mm


459 x 594 x 404

Colour

Black glass



MBE2658D-M



KEY FEATURES









900w

As well as being able to do all the things you expect from a microwave, this one also has a grill function making it possible to prepare even more delicious meals.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

(HxWxD) in mm

459 x 596 x 404

Colour

Black glass and stainless steel

INDUCTION COOKING

FREESTANDING COOKING WORTH KNOWING



SURROUNDCOOK®

The SurroundCook® oven ensures that every part of your dish is getting exactly the heat it needs. Evenly. Consistently. Wherever it's placed. Whether it's one dish or several. No more turning dishes halfway through cooking. Just the results that meet your expectations.

FOOD SENSOR

By precisely measuring the core temperature of your food, the Food Sensor lets you know when your rare, medium or well done meat is ready. As well as cooking fish, casseroles and vegetables just the way you like them.





XXL CAVITY

Our large main oven has more usable space which allows you to cook on all 5 levels simultaneously, which means you can bake 150 cookies at the same time.

CATALYTIC LINING

The Catalytic lining oxidises grease and dirt within both ovens, aiding oven cleaning.

INDUCTION COOKING | 49176IW-MN

FREESTANDING COOKING

Our MaxiSense® induction hob has flexible sections ensuring pots and pans have maximum space and choice of position. The 4 zones can be switched to 2 large cooking areas, ideal for large pans or fish kettles.

Stop + Go allows you to reduce all the hob zones to Keep Warm setting and back again - all at the touch of a button. Ideal for unexpected interruptions.

Touch controls for both hob and oven functionality offer precise operation, give a flush finish to the cooker and are easy to wipe clean.

To help you reach perfection the food probe measures the precise temperature deep inside the food.





(HxWxD) in mm 900 x 596 x 600

Colour Stainless steel

Energy rating

aeg.co.uk/kitchen/cooking/o

KEY FEATURES



DirekTouch



Catalytic Lining



Maxi Tray



Programmable oven

Freestanding Cookers 59



60CM WIDE MULTIFUNCTION COOKER

49176V-MN KEY FEATURES



60CM WIDE MULTIFUNCTION COOKER 43172V-MN

KEY FEATURES



MULTIFUNCTION COOKER 43102V-MN KEY FEATURES











CATALYTIC













Catalytic lining

ytic Direk

h Maxi Tra

Program-

lining

ool touch Maxi T ven door

Programmable ove

falyfic Cool fol ining oven do

ti Tray Pro

Programmable ove

Touch controls for both hob and oven functionality offer precise operation, give a flush finish to the cooker and are easy to wipe clean.

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Our large capacity main oven accommodates a large turkey whilst the SurroundCook system ensures mouth watering results are achieved.

Telescopic rails in the main oven aid the loading and unloading of heavy food items.

The front left zone has dual sizing, so can be used for 2 sizes of pan for efficient cooking.

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Our large capacity main oven accommodates a large turkey and our Hot Air cooking system ensures mouth watering results are achieved.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Stay in control of your cooking with the fully programmable main oven.

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A/A

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A/A

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A/A



60CM WIDE MULTIFUNCTION COOKER

47102V-MN KEY FEATURES



60CM WIDE GAS COOKER 17166GM-MN

KEY FEATURES











Catalytic





lining

IC

ool touch M even door

ay

ren

ning oven door

Our large capacity main oven accommodates a large turkey and our Hot Air cooking system ensures mouth watering results are achieved.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Stay in control of your cooking with the fully programmable main oven timer.

Large capacity top and bottom ovens offer total flexibility and space for cooking lots of dishes.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Large capacity top and bottom ovens offer total flexibility and space for cooking lots of dishes.

The clock with minute minder can be set to alert you to check food or end cooking.

(HxWxD) in mm

900 x 596 x 600

Co

Colour

Stainless steel

Energy rating

A/A

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A/A

90CM MAXISENSE® INDUCTION HOB WITH FLEXIBRIDGE | HK956600FB

TASTE HAS A NEW PLAYING FIELD

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

(WxD) in mm

910 x 520

Colour

Black glass

aeg.co.uk/kitchen/cooking/hobs

KEY FEATURES



MaxiSense⁶

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.



DirekTouch

DirekTouch controls for quick, precise heat level selection.



Stop+Go

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.



HKP85410FB

KEY FEATURES





HKP65410FB

KEY FEATURES





HK874400FB

KEY FEATURES

























DirektTouch 7ones

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch slide controls for guick, precise heat level selection.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

of the cross, the cooking zone will adapt to the size and shape of your cookware.

MaxiSense® Simply cover the centre

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch slide controls for quick, precise heat level selection.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm

780 x 520

Colour Black

(WxD) in mm 590 x 520

Colour Black

(WxD) in mm 780 x 520

Colour Black



60CM MAXISENSE® INDUCTION HOB

HK674400FB

KEY FEATURES





80CM MAXISENSE®

HKM85510FB

KEY FEATURES





80CM MAXISENSE® INDUCTION HOB

HK854401FB

KEY FEATURES

























MaxiSense®

9

Single Bridging

Rotary DirektTouch

p+Go

MaxiSense® Direkflouc

Stop+Go

to hood

MaxiSense® DirektTou

Stop+Go

Hot to ho

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm

590 x 520

Colour Black **Colour** Black

(WxD) in mm

780 x 520

(WxD) in mm

780 x 520

Colour Black



70CM MAXISENSE® INDUCTION HOB

HK764403FB

KEY FEATURES

your cookware.

cooking.





60CM MAXISENSE® INDUCTION HOB

HK654400FB

KEY FEATURES



80CM INDUCTION HOB

HKL85410FB

KEY FEATURES



(† † †)









your cookware.













MaxiSense

Double bridging zones

of the cross, the cooking zone

MaxiSense® Simply cover the centre

will adapt to the size and shape of

Bridge function links the two sections

creating a larger section for versatile

DirekTouch slide controls for quick,

Stop+Go reduces all zones to a keep

warm setting if cooking is interrupted.

When you return to cooking, Stop+Go

remembers the selected settings.

precise heat level selection.

ektTouch S

Stop+Go

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

MaxiSense® Single bridging zones

versatile cooking.

ingle DirektTouc dging

MaxiSense® Simply cover the centre

of the cross, the cooking zone

to hood

your cookware.

Bridge function links the two sections creating a larger section for

will adapt to the size and shape of

DirekTouch slide controls for quick, precise heat level selection.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm

710 x 520

Colour

Frameless: HK764403FB Stainless frame: HK764403XB (WxD) in mm

590 x 520

Colour

Frameless: HK654400FB Stainless frame: HK654400XB

......

(WxD) in mm

780 x 520

Colour

Black



HK854210FB

KEY FEATURES

HK6542H0FB

KEY FEATURES



HK654200FB

KEY FEATURES





precise heat level selection.





















DirekTouch slide controls for quick,

Stop+Go reduces all zones to a keep

warm setting if cooking is interrupted.

When you return to cooking, Stop+Go

remembers the selected settings.

OptiHeat control with 3 levels of

residual heat on each cooking zone.

Hob2Hood completely automates the

control of the cooker hood from the

hob. Turn the hob on and the hood

will turn on automatically, power boost on hob will put hood on

DirekTouch slide controls for quick. precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

OptiHeat control with 3 levels of residual heat on each cooking zone. DirekTouch slide controls for quick. precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

OptiHeat control with 3 levels of residual heat on each cooking zone.

AutoMax guickly brings the hob to the boil, then automatically reduces to the pre-selected power level.

(WxD) in mm 780 x 520

intensive speed.

Colour Black

(WxD) in mm

590 x 520

Colour Black

(WxD) in mm

590 x 520

Colour

Frameless: HK654200FB Stainless frame: HK654200XB



HK634200XB

KEY FEATURES



HK6042001B

KEY FEATURES





HK955070FB

KEY FEATURES







and are easy to wipe clean.





















Touch controls give a flush finish to

the hob, they offer precise operation

Stop+Go reduces all zones to a keep

warm setting if cooking is interrupted.

When you return to cooking, Stop+Go

remembers the selected settings.

OptiHeat control with 3 levels of

safety and prevent alteration to

cooking selection.

residual heat on each cooking zone.

Controls can be locked for additional

Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Ability to plug your induction hob into a domestic plug socket, thanks to the internal power management system.

OptiHeat control with 3 levels of residual heat on each cooking zone.

Controls can be locked for additional safety and prevent alteration to cooking selection.

DirekTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm

576 x 516

Colour Black

(WxD) in mm

590 x 520

Colour Black

(WxD) in mm

910 x 520

Colour Black



HK854080FB

KEY FEATURES





HK764070FB

KEY FEATURES





HK634060XB

KEY FEATURES



























DirekTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

DirekTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Optimized and efficient cooking possibilities with the extendable double zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm

780 x 520

Colour

Black

(WxD) in mm

710 x 520

Colour

Black

(WxD) in mm

576 x 516

Colour

Black



HK624010FB

KEY FEATURES





HRA64100CB

KEY FEATURES















Rotary side controls with 9 power levels for accurate control.

Optimized and efficient cooking possibilities with the extendable double zone.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Optimized and efficient cooking possibilities with the extendable double zone.

Controls can be locked for additional safety and prevent alteration to cooking selection.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm 590 x 520

Colour

Frameless: HK624010FB Stainless frame: HK624010XB (WxD) in mm

.......

590 x 520

Colour Black







HG995440NB

HG753431NB

HG653431NB

KEY FEATURES

KEY FEATURES



KEY FEATURES









supports







indicators



supports

cooking needs.

temperature.

5 burner gas hob, maximising the

different size burners for all your

the powerful triple crown burner

that get brighter the hotter the

Cast iron pan supports assure the

your food warmer for longer.

stability of your pans. These supports

hold the heat more efficiently, keeping

perfect for wok cooking.

usable cooking space, and a variety of

Maximum heat is generated through

Special LED heat intensity indicators

LED

supports

5 burner gas hob, maximising the

usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Special LED heat intensity indicators that get brighter the hotter the temperature.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Front controls with automatic integrated ignition for easy operation.

Special LED heat intensity indicators that get brighter the hotter the temperature.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm 880 x 510

Colour Black

(WxD) in mm 740 x 510

Colour Black

(WxD) in mm 590 x 520

Colour Black





HG956440SM

KEY FEATURES



HG755551SY

KEY FEATURES



























iron pan supports

Efficient

iron pan supports

Efficient

iron pan supports

6 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm

894 x 510

Colour

Stainless steel

(WxD) in mm

Stainless steel

744 x 510

Colour

(WxD) in mm

745 x 510

Colour

Stainless steel



HG745451SM

KEY FEATURES



HG65SY4551

KEY FEATURES





HG654351SM

KEY FEATURES





















iron pan

supports









supports

cooking needs.

20% energy.

5 burner gas hob, maximising the

usable cooking space, and a variety

of different size burners for all your

Maximum heat is generated through

Thanks to the design of the new high

efficiency burners, the flame goes

straight to the bottom of the pan

Easy clean enamel pan supports.

for faster cooking, saving up to

the powerful triple crown burner

perfect for wok cooking.

supports

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Front controls with automatic integrated ignition for easy operation.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm

744 x 510

Colour

Stainless steel

(WxD) in mm

Stainless steel

595 x 510

Colour

(WxD) in mm

595 x 510

Colour

Stainless steel



60CM GAS HOB WITH

HG644351SM

KEY FEATURES











4 hurners

ok Efficient ner burners

Cast iron pan supports

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm

595 x 510

Colour

Stainless steel

HOODS

Our cooking environments need to be fresh, bright and peaceful, enriching the time that we spend there. We use advanced technology to ensure that the design and build of our cooker hoods give you the optimum combination of high-end design and powerful functionality.



HOODS WHAT'S NEW

AEG



AEG's intelligent Hob²Hood System ensures your hood works in harmony with your hob as soon as you turn your hob on. A wireless signal is sent to the hood, switching on the lights and providing optimal visibility.



Our new premium and modern user interface combines super responsive capacitive touch buttons along with back lit white LED indicators. The LED turns red to show which feature is on or off.



Dimmable LED

Provides the possibility to adjust the intensity of the light according to your needs, creating the perfect ambient illumination in your kitchen.



SilenceTech

Our more advanced hood technology reduces the noise level down to the lowest number of decibels so that you can cook powerfully and enjoy the experience without loud sounds from the appliance.



Aligned across our range, your choice of hood will integrate seamlessly with any of our hob models. Our top line models feature our signature flow line for design harmony, together with a sophisticated white LED display on layered glass and metal.



Run it for less energy

Our hoods are highly efficient, using less energy than standard models. This is thanks to our brushless Inverter Technology. In fact, when you run the hood at its maximum speed, you'll use up to 40% less energy than standard models. And at the minimum setting, it needs less energy to run than a standard light bulb.

HOODS WORTH KNOWING

Depending on the model, our high-performance hoods filter air and either expel it outside or clean and recycle it back into the kitchen



EXTRACTION VERSUS RECIRCULATION

Almost all hoods can use a venting or recirculating setting.

Venting Hoods

Air is drawn in through the hood's fan and passes through its grease filter. The air is then directed outside through the exhaust duct in the roof. Fresh air must be supplied to prevent negative pressure.

Recirculating Hoods

In some homes, air cannot be expelled outdoors for structural reasons. If this is the case, it is particularly important that you have a high-quality hood with a reliable filtration system. Recirculating hoods draw in air that passes through a grease filter and a carbon filter, before being conveyed back into the kitchen. As this method includes no air from outside, it's important to ventilate the room briefly after cooking to prevent excess moisture building up.



MAINTENANCE

To ensure consistent performance, it's important to replace your hood's filters regularly. Hoods depending on installation (venting or filtering), have grease filters or grease and charcoal filters. The grease filter is in the bottom and is the first to filter the air. The charcoal filter is mounted on the motor. Grease filters must be cleaned once a month, charcoal filter every 3-4 months.

As an alternative to our standard or long life charcoal filter, you can choose AEG's high-performance, re-usable Ultra Charcoal Filter. This simply needs to be refreshed in the oven every 3-5 months (you'll find full instructions on how to do this in the user manual included with the filter).

Motor

Charcoal filter

Frame

Large grease filters





Ultra Charcoal Filter

A charcoal filter effectively reduces smells in the kitchen, with a fast odour dispersion time. This type of filter, with its distinct hexagonal shape, can 'regenerate' rather than needing to be replaced.

Once treated, it is easy to re-install.

HOODS | DBB5960HM

A FRESHER KITCHEN, HANDS FREE

The AEG **Hob²Hood** adapts to your cooking to keep your kitchen free of steam and vapours without you even having to touch it.

As you cook, the hood activates automatically, monitoring the fluctuating heat and steam of every simmer and boil, effortlessly maintaining the freshness of your kitchen. Your attention stays, as it should, on preparing, finessing and enjoying your dish.

A design hood that efficiently cleans the air in your kitchen, thanks to the powerful energy efficient motor. This hood is a chimney model and gives your kitchen a strong design statement.

WARANASINA HARRA BARRANA BARRA



Available in

DBB5760HM 70cm DBB5660HM 60cm

(HxWxD) in mm

1155 x 898 x 500

Colour

Stainless steel

aeg.co.uk/kitchen/cooking/cooker-hood

KEY FEATURES



Energy class

Great performance in lighting, air flow and performance matched with low energy consumption with this A rated product.



Hob2Hood

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.



SilenceTech

Our more advanced hood technology reduces the noise level down to the lowest number of decibels so that you can cook powerfully and enjoy the experience without loud sounds from the appliance.



DBB2160M

KEY FEATURES



DKB5960HM



DKB3950M

KEY FEATURES























Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Fast and efficient performance to clean your kitchen air thanks to the powerful motor.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

A design hood that efficiently cleans the air in your kitchen thanks to the powerful motor. This hood is a chimney model to give your kitchen a design statement.

LED lighting provides improved visibility and ambient lighting during the cooking process combined with low energy consumption.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

A design hood that efficiently cleans the air in your kitchen thanks to the powerful motor. This hood is a chimney model and gives your kitchen a design statement.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Easy to use controls for fast light and speed settings.

Available in

DBB2160M 100cm

(HxWxD) in mm

1230 x 1000 x 515

Colour

Stainless steel

Additional information

Standard carbon filter included.

Available in

DKB5960HM 90cm DKB5660HM 60cm

(HxWxD) in mm

1175 x 898 x 500

Colour

Stainless steel

Additional information

Standard carbon filter included. Ultra charcoal filter available as optional accessory: SUPCHARC-E

Available in

DKB3950M 90cm DKB3650M 60cm

(HxWxD) in mm

1090 x 898 x 500

Colour

Stainless steel

Additional information

Standard carbon filter included. Ultra charcoal filter available as optional accessory: SUPCHARC-E



DTB3650M



DVB3850M





DVB3850B

KEY FEATURES



















Perfect combination of stainless steel and glass to create a unique and professional style in your kitchen environment.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Easy to use controls for fast light and speed settings.

Attractive and unique design to perfectly match your kitchen style.

Easy to use controls for fast light and speed settings.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Reliable filtering performance with this standard grease filter.

Attractive and unique design to perfectly match your kitchen style.

Easy to use controls for fast light and speed settings.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Reliable filtering performance with this standard grease filter.

Available in

DTB3650M 60cm extending to 70cm or 80cm

(HxWxD) in mm

1092 x 598 x 452

Colour

Stainless steel

Additional information

Standard carbon filter included. Ultra charcoal filter available as optional accessory: SUPCHARC-E

Available in

DVB3850M 80cm DVB3550M 55cm

(HxWxD) in mm

477 x 800 x 457

Colour

Stainless steel

Additional information

Standard carbon filter included.

Available in

DVB3850B 80cm DVB3550B 55cm

(HxWxD) in mm

477 x 800 x 457

Colour

Black glass

Additional information

Standard carbon filter included.



STANDARD HOOD

DPB2920M

KEY FEATURES



DGB2750M

KEY FEATURES





DEB2630S

KEY FEATURES



MOTOR 320m³/h



Motor

Carbon filter included

A discreet hidden hood only visible when you need it. Just pull out the front to activate the hood when cooking.

Easy to use controls for fast light and speed settings.

Perfect visibility during your entire cooking process thanks to reliable performing light.

Reliable filtering performance with this standard grease filter.





Carbo

Carbon filter included

A hood visually hidden in the over head cabinet, giving full attention to your kitchen design.

Faster and higher aspiration performance to clean your kitchen air thanks to the powerful motor.

Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Reliable filtering performance with this standard grease filter





Motor

Carbon filter included

A discreet hood hidden in the over head cabinet, only visible when you need it. Just flip it open to activate the hood while cooking.

Great motor performance able to clean the kitchen air well thanks to the reliable motor

Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Reliable filtering performance with this standard grease filter

Available in

DPB2920M 90cm DPB2620M 60cm

(HxWxD) in mm 180 x 898 x 280

Colour

Silver

Additional information

Standard carbon filter included.

Available in

DGB2750M 72cm

(HxWxD) in mm

252 x 724 x 289

Colour

Stainless steel

Additional information
Standard carbon filter included.

Available in

DEB2630S 60cm

(HxWxD) in mm

400 x 598 x 270

Colour Silver

Additional information

Standard carbon filter included.

DISHWASHERS

It's not just about the food – the style of cutlery and plates affect our perceptions of what we eat. A dark chocolate dish looks best when served on an angular plate, while a round plate is better for cheesecake. So you need a range of tableware that complements your food presentation and can be cared for in the most efficient way.


: · Superior cleaning and drying : Unrivalled coverage, absolute clean and care. Adaptability Conveniently on time. ... Comfort

Lifts gentle to a new level.

DISHWASHERS WHAT'S NEW

ComfortLift® The ComfortLift® dishwasher - Lower rack lifting mechanism. is the first of its kind to reduces the need to bend loading and unloading your dishes. gently slide the lower basket - 25cm rack elevation compared to a standard dishwasher.* up for easy, ergonomic - Tested for 20.000 cycles with loading and unloading. full standard loads (18kg). Excluding height from floor 25см

WORLD'S FIRST



AirDry technology

Uses natural airflow to finish the drying. By automatically opening the door by 10cm in the last part of the cycle, you will get maximum drying performance while effectively reducing your energy costs – leaving your dishes spotless.



Delay time

Allows you to select when the machine should start.



Extra silent

Low noise and minimal disturbance.




TimeSaver

50% less time thanks to increased power speed and water pressure.



ComfortRails

Smoothly slide the basket into place without any rattle of the plates.
Always smooth to load and unload.
You never have to worry about any chips or cracks in your dishes.



Sliding hinges

Allows you to install the dishwasher with any door length without the need to cut the kitchen plinth. This is also suitable for plinthless kitchens. The best solution on the market – patented by AEG.

DISHWASHERS WORTH KNOWING

The multiple double rotation of the Satellite Spray Arm sprays from continuously varying angles, leaving your dishes and cookware gleaming.



Removable cutlery tray

Take your tray with you to the kitchen cutlery drawer for easy unloading. Best in class solutions for easy loading and unloading.







With SoftGrips and SoftSpikes®

Safer protection for delicate glasses

The SoftGrip mechanism is both secure and gentle while resting on the SoftSpikes®, so there's no need to hand-wash glasses any more.



Glass Care Programme

Special 45°C glass programme assures perfect washing results while protecting your most precious glass, crystal and china.

15 place settings

Our dishwasher is designed to offer far more capacity than a standard one, with the flexibility to fit all types of loads. The cutlery tray is placed in the top of the machine, rather than a cutlery basket placed on the lower rack, freeing up the bottom level to fit more in. Our new dishwasher can fit 15 place settings.



COMFORTLIFT® | FSS62800P

LIFTS GENTLE TO A NEW LEVEL

The AEG **ComfortLift®** dishwasher is equipped with a special lower rack lifting mechanism, ensuring less bending when unloading the dishes to make your life more comfortable.

Fully Integrated A++ energy rated 13 place setting ComfortLift dishwasher.

This ComfortLift dishwasher has a special lower rack lifting mechanism, making loading and unloading the dishwasher less of a chore.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

(HxWxD) in mm 818 x 596 x 550

Colour

N/A

aeg.co.uk/kitchen/dishwashing/dishwashers

agg co.uk/kitchen/dishwashing/dishwasher










KEY FEATURES















FSE83710P KEY FEATURES



FSS62700P **KEY FEATURES**



FSS62600P KEY FEATURES

























TimeBeam: Keeps you informed on the progress of the programme by projecting the remaining time on the floor.

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10 litres of space, more capacity for those irregular shaped items.

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning. whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10 litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

Achieve impeccable cleaning. whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

(HxWxD) in mm

818 x 596 x 550

Colour

Energy rating

(HxWxD) in mm

818 x 596 x 550

Colour

Energy rating

(HxWxD) in mm 818 x 596 x 550

Colour N/A

Energy rating



FSS52610Z **KEY FEATURES**



FSS52615Z **KEY FEATURES**



FSB41600Z KEY FEATURES

























up to 50%.

Sliding

Sliding

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

5 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

5 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The 30min 60° programme is perfect for washing lightly soiled loads that you need in a hurry.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.

With this dishwasher you can choose to install it normally above a plinth, or as it has a sliding hinge, it is perfect for plinthless kitchens or for installation above a small cupboard.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

818 x 596 x 550

Colour

Energy rating

A++

(HxWxD) in mm

818 x 596 x 550

Colour

Energy rating

 $\Delta + +$

(HxWxD) in mm

818 x 596 x 550

Colour

Energy rating



9 PLACE SETTING SLIMLINE DISHWASHER ESS63400P

FSS63400P KEY FEATURES



9 PLACE SETTING SLIMLINE DISHWASHER FSB51400Z KEY FEATURES



















Water

Noise

f mes

us

leve

No. of programm

Sliding

Achieve impeccable cleaning, whatever the load, with four spray levels and satellite spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

6 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Our TimeBeam technology keeps you informed of the progress of the programme by projecting the remaining time on the floor.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.

With this dishwasher you can choose to install it normally above a plinth, or as it has a sliding hinge, it is perfect for plinthless kitchens or for installation above a small cupboard.

*This model does not have the Quiet Mark award.

(HxWxD) in mm 818 x 446 x 550

. .

Colour N/A

Energy rating

(HxWxD) in mm 818 × 446 × 550

Colour N/A

Energy rating



13 PLACE SETTING SEMI INTEGRATED DISHWASHER

FEE62600PM KEY FEATURES



13 PLACE SETTING SEMI INTEGRATED DISHWASHER

FEB52600ZM KEY FEATURES











♦♦♦







Water

oise No. of evel programm

Double ulcrum hinge

age level

No. of ogrammes

Double fulcrum <u>h</u>inge

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

Run your dishwasher when it suits you thanks, to the up to 24 hour delay start function.

 st This model does not have the Quiet Mark award.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you thanks, to the up to 24 hour delay start function.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

For ease of installation, this model has a double fulcrum hinge, so no need to cut plinths.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

818 x 596 x 550

Colour

Stainless Steel

Energy rating

A++

(HxWxD) in mm

818 x 596 x 550

Colour

Stainless steel

Energy rating

A++



15 PLACE SETTING DISHWASHER

FFE83700PM

KEY FEATURES





15 PLACE SETTING DISHWASHER

FFE63700PM

KEY FEATURES





15 PLACE SETTING DISHWASHER

FFS62700PW

KEY FEATURES



























Width

Wate

Noise

No. of programm

۷idth

Wafer usage

Noise level

No. of programme

idth Wai usa

Nois leve

No. of programme

The bright Interior Light ensures that you can identify contents, organise and load your dishwasher easily.

This dishwasher has a deluxe interior, featuring stainless steel basket handles and practical knife rack holder.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

(HxWxD) in mm

850 x 596 x 610

Colour

Stainless steel

Energy rating

A+++

(HxWxD) in mm

850 x 596 x 610

Colour

Stainless steel: FFE63700PM White: FFE63700PW

Energy rating

A+++

(HxWxD) in mm

850 x 596 x 610

Colour

White

Energy rating

A++



FFE62620PW

KEY FEATURES





FFB53600ZM

KEY FEATURES





FFB41600ZW

KEY FEATURES

























Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

6 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

*This model does not have the Quiet Mark award.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

5 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits vou thanks, to the up to 24 hour delay start function.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

4 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Thanks to a high performance Auto sensor the temperature, water usage and time would be adjusted automatically based on the soil level of your load.

Run your dishwasher when it suits you thanks, to the up to 24 hour delay start function.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 596 x 610

Colour

White: FFE62620PW Stainless steel: FFE62620PM

Energy rating

A++

(HxWxD) in mm 850 x 600 x 625

Colour

Stainless steel: FFB53600ZM White: FFB53600ZW

Energy rating

A+++

(HxWxD) in mm 850 x 600 x 625

Colour

White

Energy rating

Α+



9 PLACE SETTING SLIMLINE DISHWASHER FFB62400PW KEY FEATURES











Width

ge lev

No. of programme

At only 45cm wide, this dishwasher is perfect for compact kitchens.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

6 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

*This model does not have the Quiet Mark award.

(Hx	W	X	D)	in	m	m
850	x	4	46	×	61	5

Colour White

Energy rating

A++





Imagine putting your precious sweater in the washer. Imagine trusting a silk dress to a dryer.

We've not only imagined it, we've done it. Washed the black dress time after time. Dried a soft wool sweater over and over. Every time they emerge without shrinking or fading, still vibrant and soft. Because AEG has redefined what a washer and dryer are. Protectors of fabric. Defenders of colour. Guardians of fibres.

Unprecedented care for the life of your clothes.

IMAGINE THAT.

DESIGNED WITH CARE

Our unique, innovative design is more than a pretty face. It also conveys superior quality and technical advancement. For our new range, we redefined the door's design for greater visibility and reinvented the control panel. Just turn the dial for an exceptional, first-touch experience.



Premium door finish Inspired by the electric turbines manufactured at the AEG Turbine Factory in Berlin.



Balanced designA symmetrical Germanic design with a central dial to balance the control panel.





Focus dial

Real stainless steel insert on the control panel and a premium metal coating on the dial with a distinct physical and auditory 'click' feedback.

9000 SERIES

MEET THE LITTLE BLACK DRESS GUARDIAN

While conventional washing machines need high temperatures to activate detergents and clean properly, the SoftWater Technology in AEG 9000 Series washing machines purifies and softens water before it enters the drum. So detergents can work at their best, even at the lowest temperatures.





8000 SERIES

MEET THE COMPLETE FIBRE GUARDIANS

Clean and care for every fibre and tumble dry every delicate stitch. Only the AEG 8000 Series with ÖKOMix Technology and AbsoluteCare® System delivers care so gentle it's like hand-washing and flat-drying your softest, most delicate garments – from woollens to high-performance outdoor gear, every time.

7000 SERIES

MEET THE GENTLE TEXTURE PROTECTORS

A sharp shirt immaculately washed and finished with steam to reduce wrinkles. A sheer blouse perfectly tumble dried with just half the temperature of a conventional dryer. AEG 7000 Series laundry Systems bring together ProSteam® and SensiDry® Technologies to protect texture and reduce wear, achieving impeccable results the gentlest way.





6000 SERIES

MEET THE EVERYDAY QUALITY PRESERVERS

Your everyday clothes look like new, for longer. The AEG 6000 Series laundry systems use ProSense® Technology to save energy and time with even the smallest load. Making sure your clothes are never overwashed, never over-dried. Preserving everyday quality, day in, day out.

9000 SERIES | WASHING MACHINE

PROOF POINTS

NO FADING, WASH AFTER WASH^{*}



Softer water, kinder to clothes

Because our advanced SoftWater Technology purifies and softens water before it enters the drum, detergents can work much more effectively at low temperatures, delivering 60°C cleaning performance at only 30°C. So colours will keep their intensity wash after wash, and black won't fade to grey.

All mains water contains minerals that can be harsh on fabrics.
These AEG washing machines are the first in the world with
SoftWater Technology to remove these impurities. The ion-exchange filtering system optimises the water entering the drum for detergents and softeners to work at maximum efficiency, even at the lowest temperatures. Gentle enough to keep fabrics feeling soft and colours looking their absolute best.



9000 SERIES | L9FEC966R

IT'S THE LITTLE BLACK DRESS GUARDIAN

No fading wash after wash*.

Imagine a washing machine that you can trust to keep your colours as vibrant and blacks as true as the day you bought them. Yet never compromising on cleaning performance. Washing deeply. Thoroughly. Every time. At last, there is no need to compromise performance for care.

While conventional washing machines need high temperatures to activate detergents and clean properly, the SoftWater Technology in AEG 9000 Series washing machines purifies and softens water before it enters the drum. So detergents can work at their best, even at the lowest temperatures. For the first time ever, you'll achieve the thorough clean of a 60 degree wash at just 30 degrees. Maintaining the colour, shape and feel of every garment. Wash after wash. It's more than a washing machine. It's the quardian of your clothes.



KEY FEATURES









(HxWxD) in mm 850 x 600 x 605

Specifications

Capacity: 9kg Spin speed: 1600rpm Energy rating: A+++ -65%

aeg.co.uk/care



AEG SoftWater

AEG SoftWater washing machines purify and soften water using a filter, before the water enters the drum.



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



ProSteam® Technology

Up to 30% less wrinkles and quickly refreshed clothes.



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.



L9FEC946R

KEY FEATURES











Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg Spoin speed: 1400rpm Energy rating: A+++ -70% 8000 SERIES | L8FEC966R

INTRODUCING THE DELICATE SHIRT DEFENDER

Every fibre protected.

Faultless fabric never goes out of style. Your delicate pieces need to be treated gently to ensure that their quality is timeless, no matter how often you wear them. To achieve this, AEG 8000 Series washing machines with advanced ÖKOMix Technology blend detergents and then softeners with water before they enter the drum. In other washing machines, less than half of the fibres are reached by softeners. ÖKOMix Technology guarantees that, for the first time ever, every fibre is cleaned and cared for, even with shorter cycles. Every thread, every stitch, every fibre. Expertly protected.



KEY FEATURES









(HxWxD) in mm 850 x 600 x 605

Specifications Capacity: 9kg Spin speed: 1600rp

Spin speed: 1600rpm Energy rating: A+++ -50%

aeg.co.uk/care



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



ProSteam® Technology

Up to 30% less wrinkles and quickly refreshed clothes.



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.



L8FEC946R

KEY FEATURES





L8FEC866R

KEY FEATURES





L8FEE965R

KEY FEATURES

















Refresh and deodorise your clothes guickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a stainless steel finish and large LED display.



Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a stainless steel finish and large LED display.





Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg Spin speed: 1400rpm Energy rating: A+++ -50%

·····

(HxWxD) in mm

850 x 600 x 571

Specifications

Capacity: 8kg Spin speed: 1600rpm Energy rating: A+++ -50%

Also available with same features as above:

L8FEC846R - 8kg 1400 rpm

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg Spin speed: 1600rpm Energy rating: A+++ -50%

Also available with same features as above:

L8FEE945R - 9kg 1400rpm L8FEE845R - 8kg 1400rpm (Woolmark Blue and Ariel and Lenor certified)

7000 SERIES | L7FEC146R

INTRODUCING THE SHARP SHIRT DEFENDER

Cuts creases by up to one third*.

Maintaining your professional look day to day should be effortless. AEG 7000 Series washing machines keep shirts looking sharp, whilst cutting down on ironing. ProSteam® Technology allows you to complete a washing cycle with steam to reduce wrinkles or use a separate steam programme to refresh clothes without washing them. Not only saving you time, but also reducing the need for dry cleaning. Less ironing means less wear and tear on fibres, maintaining their look and feel for longer. Keeps your clothes looking and feeling impeccable, every day.



KEY FEATURES









(HxWxD) in mm 850 x 600 x 605

Specifications

Capacity: 10kg Spin speed: 1400rpm Energy rating: A+++ -30%

aeg.co.uk/care



ProSteam® Technology

Up to 30% less wrinkles and quickly refreshed clothes.



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.



7000 SERIES WASHING MACHINE

L7FEE965R

KEY FEATURES



7000 SERIES WASHING MACHINE

L7FEE865R

KEY FEATURES







ProSteam

a third.

ProSense





ProSteam

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and

cut down your ironing time by up to

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg Spin speed: 1600rpm Energy rating: A+++ -30%

Also available with same features as above: L7FEE945R - 9kg 1400 rpm

(HxWxD) in mm 850 x 600 x 571

Specifications

Capacity: 8kg Spin speed: 1600rpm Energy rating: A+++ -30%

Also available with same features as above:

L7FEE845R - 8kg 1400 rpm

6000 SERIES | L6FBG142R

MEET THE EVERYDAY CLASSIC PRESERVER

Cares twice as effectively*.

Quality clothes are made to be worn, but everyday pieces need care to maintain their condition. In AEG 6000 Series washing machines, every load is measured to tailor each cycle and calculate just the right amount of water and energy the wash requires. Whether you wash one shirt or a full load, the washer will adjust accordingly, reducing wear and tear by taking the minimum amount of time necessary for a thorough clean. And reducing water, energy consumption and washing time for smaller loads. AEG washing machines keep clothes looking their best. Every wear, every wash.



KEY FEATURES









(HxWxD) in mm 850 x 600 x 630

Specifications

Capacity: 10kg Spin speed: 1400rpm Energy rating: A+++ -20%

aeg.co.uk/care



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.



6000 SERIES WASHING MACHINE

L6FBG942R

KEY FEATURES



6000 SERIES WASHING MACHINE

L6FBG862R

KEY FEATURES





6000 SERIES
WASHING MACHINE

L6FBG741R

KEY FEATURES





ProSense



ProSense



DroSonse

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

This control panel has a white coated finish with small LED display.

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotte n items, even when the programme has started.

This control panel has a white coated finish with small LED display.

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

This control panel has a white coated finish with small LED display.

(HxWxD) in mm 850 x 600 x 630

Specifications

Capacity: 9kg Spin speed: 1400rpm Energy rating: A+++ -20% (HxWxD) in mm 850 x 600 x 575

Specifications

Capacity: 8kg Spin speed: 1600rpm Energy rating: A+++ -20%

Also available with same features as above: L6FBG842R - 8kg 1400rpm

(HxWxD) in mm 850 x 600 x 575

Specifications

Capacity: 7kg Spin speed: 1400rpm Energy rating: A+++ -20%



L6FBI861N

KEY FEATURES



L6FBI741N

KEY FEATURES



L61470BI

KEY FEATURES







The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a white finish with small 3 digit LED digital display. The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a white finish with small 3 digit LED digital display.

*This model does not have the Quiet Mark award.

The Wool Plus programme features gentle drum movement and a special cut down phase to reduce the risk of shrinkage.

Easy Iron Plus adjusts the water level and spin speed to reduce creasing by up to 50%.

With a delay start of up to 20 hours, you can programme the machine to finish the cycle when it's most convenient for you.

Fully integrated machine to fit seamlessly into your kitchen.

*This model does not have the Quiet Mark award.

(HxWxD) in mm 850 x 600 x 520

Specifications

Capacity: 8kg Spin speed: 1600rpm Energy rating: A+++ -20% (HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 7kg Spin speed: 1400rpm Energy rating: A+++

(HxWxD) in mm 820 x 600 x 545

Specifications

Capacity: 7kg Spin speed: 1400rpm Energy rating: A++

Also available with same features as above: L6FBI841N - 8kg 1400rpm



8000 SERIES | T8DEC946S

IT'S THE WOOL SWEATER GUARDIAN

Never dared to tumble dry wool, silk or outdoor garments before? Now you can tumble dry everything you wash. From the softest wool sweater to the business shirt you wear every day. Dryers with the AbsoluteCare® System have tailored programming to control precisely the movement and temperature of the drying drum. Holding delicate fibres aloft so silks keep their shape and wrinkles are reduced.

AbsoluteCare® System: redefining tumble drying for every fabric in your wardrobe. You can also use the new Outdoor Programme to restore water protection of outdoor garments better than air drying. The intelligent wool programme adapts the rotation used for treating hand-wash woollens so there's no shrinkage.*



(HxWxD) in mm

(HxWxD) in mm 850 x 600 x 600

Specifications
Capacity: 9kg
Energy rating: A++
Steam

aeg.co.uk/care

KEY FEATURES



AbsoluteCare® System

Intelligent drum movements and temperature adjustments for ultimate care of your clothes.



SensiDry® Technology

Gentle and energy efficient drying at lower temperatures.



ProSense® Technology

Automatically adjusts time and energy consumption to suit any load size.



T8DEC946R

KEY FEATURES



T8DEE945R

KEY FEATURES





T8DBG842R

KEY FEATURES



















With the tailored wool programme. the fast drum speed ensures garments lay flat on the inside of the drum walls to replicate flat drying, preventing shrinkage or felting.

The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way to reduce wrinkles.

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a stainless steel finish and large LED display.

With the tailored wool programme. the fast drum speed ensures garments lay flat on the inside of the drum walls to replicate flat drying, preventing shrinkage or felting.

The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way to reduce wrinkles.

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a silver coated finish and medium LED display.





the fast drum speed ensures

preventing shrinkage or felting. The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way

to reduce wrinkles.

With the tailored wool programme,

garments lay flat on the inside of the

drum walls to replicate flat drying,

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a white coated finish with small LED display.

*This model does not have the Quiet Mark award.

......

(HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 9kg Energy rating: A++

Also available with same features as above: T8DEC846R - 8kg

(HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 9kg Energy rating: A++

Also available with same features as above: T8DEE845R - 8kg

(HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 8kg Energy rating: A++ 7000 SERIES | T7DEE835R

INTRODUCING THE SHEER BLOUSE PROTECTOR

Tumble dryers once meant high heat. And high heat is something your clothes should never be exposed to. Your knitwear, cotton tees, business shirts – clothes you wear day in, day out – need special care to keep them feeling special. AEG SensiDry® Technology dries the fabrics at half the temperature of conventional tumble dryers, without significantly extending the drying time. Ensuring that garments are never subject to unnecessary heat. Reducing wear and tear. Helping to make sure that the clothes you wear often, look and feel like new, every day.



KEY FEATURES



(HxWxD) in mm 850 x 600 x 600

SpecificationsCapacity: 8kg
Energy rating: A+

aeg.co.uk/care



SensiDry® Technology

Gentle and energy efficient drying at lower temperatures.



ProSense® Technology

Automatically adjusts time and energy consumption to suit any load size.



7000 SERIES TUMBLE DRYERS

T7DBG832R

KEY FEATURES





7000 SERIES TUMBLE DRYERS

T7DBG831R

KEY FEATURES







SensiDry®

ProSense





SensiDry®

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white coated finish with small LED display.

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white coated finish with small LED display.

(HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 8kg Energy rating: A+ **(HxWxD) in mm** 850 x 600 x 600

SpecificationsCapacity: 8kg
Energy rating: A+

.......

6000 SERIES | T6DBG822N

MEET THE
EVERYDAY QUALITY
PRESERVER

Clothes that are exposed to too much heat and motion simply will not last. The ProSense® Technology in AEG tumble dryers uses temperature and humidity sensors to fine-tune the drying cycle every time, ensuring clothes are never over-dried. Whether you dry one shirt or a full load, the dryer will adjust accordingly to take the minimum time necessary. Reducing wear and tear. Protecting fabrics. Saving energy and time. Your everyday pieces are dried efficiently, monitored constantly and cared for cycle after cycle.



KEY FEATURES



(HxWxD) in mm 850 x 600 x 600

SpecificationsCapacity: 8kg
Energy rating: B

aeg.co.uk/car



ProSense® Technology

Automatically adjusts time and energy consumption to suit any load size.



6000 SERIES TUMBLE DRYERS

T6DBG820N

KEY FEATURES



6000 SERIES TUMBLE DRYERS

T6DBG721N

KEY FEATURES





6000 SERIES TUMBLE DRYERS

T6DBG720N

KEY FEATURES





ProSense



ProSense[®]



ProSense

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

(HxWxD) in mm 850 x 600 x 600

Specifications Capacity: 8kg Energy rating: B (HxWxD) in mm 850 x 600 x 540

SpecificationsCapacity: 7kg
Energy rating: B

(HxWxD) in mm 850 x 600 x 540

Specifications Capacity: 7kg Energy rating: B



VENTED DRYER

T65170AV







ProTex[®]

Achieve the drying result you require, with sensor programmes that automatically switch off when your clothes are dry to ensure perfect fabric care.

An extra large drum featuring three lifters and reverse tumble action ensures uniform drying. After the drying cycle has finished, the Anti Crease option intermittently rotates your clothes to reduce creasing.

With a delay start of up to 9 hours, you can programme the machine to finish the cycle when it is most convenient for you.

*This model does not have the Quiet Mark award.

(HxWxD) in mm 850 x 600 x 600

Specifications

Capacity: 7kg Energy rating: C



8000 SERIES | L8WEC166R

EVERY FIBRE PROTECTED IN ONE GO.

Classics stand the test of time, outlive trends and provide an integrated solution for looking sharp. The same as the new Kombi washer dryer with ÖKOMix Technology. It's the only machine on the market that pre-mixes detergents and softener separately in water before they enter the drum. Meaning they are activated before they reach fabrics, preparing clothes for the most thorough clean and the most even dry. Resulting in every fibre being reached. And every fibre receiving complete protection. All in one go. And all in less time thanks to the ÖKOPower NonStop programme that washes and dries 5kg in four hours.

Allow us to introduce you to the defender of your classics.









(HxWxD) in mm 870 × 600 × 605

Specifications Capacity: 10kg/6kg Spin Speed: 1600rpm Energy rating: A

aeg.co.uk/care

KEY FEATURES



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.




DualSense® Technology

Adapts the temperature and movement of the drum to different types of fabric ensuring that every garment, from delicates to outdoor wear, retains its shape and integrity.



ProSense® Technology

Protects clothes from the wear and tear caused by excessive washing and drying. Automatically adjusts time, water and energy consumption to suit any load size.



A COMPLETE TREATMENT FOR OUTDOOR WEAR IN ONE GO.

Some specialist clothing – waterproofs, woollens – require specialist care. Which is where the intelligent system in our new Kombi washer dryer comes in. Drawing on the best DualSense Technology, it tailors the temperature and motion of the drum to different fabrics. Unlike other machines, the programme is adjusted according to the specified load, so that everything from textured jackets to soft jumpers can be carefully washed, dried and cared for in one go. For outdoor wear, functionality can be retained and restored, from water repellency to breathability. For delicates like handwash-only woollens*, tactility can be sustained, removing the need to filter fabrics between processes. Meaning no more dry-cleaning. And no more handwashing. Just the convenience of an integrated and complete treatment. Meet the restorer of your performance wear.









(HxWxD) in mm

Specifications

Capacity: 10kg/6kg Spin Speed: 1600rpm Energy rating: A

aeg.co.uk/care

KEY FEATURES



DualSense™ Technology

Adapts the temperature and movement of the drum to different types of fabric ensuring that every garment, from delicates to outdoor wear, retains its shape and integrity



ProSense® Technology

Protects clothes from the wear and tear caused by excessive washing and drying. Automatically adjusts time, water and energy consumption to suit any load size.



L7WEE965R

KEY FEATURES



L7WEE861R

KEY FEATURES



L7WEG851R

KEY FEATURES









AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

*This model does not have the Quiet Mark award.

AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

*This model does not have the Quiet Mark award.

(HxWxD) in mm 850 x 600 x 552

Specifications

Capacity: 9kg/6kg Spin speed: 1600rpm Energy rating: A

(HxWxD) in mm 850 x 600 x 542

Specifications

Capacity: 9kg/6kg Spin speed: 1600rpm Energy rating: A

(HxWxD) in mm 850 x 600 x 542

Specifications

Capacity: 8kg/5kg Spin speed: 1600rpm Energy rating: A

Also available with same features as above: L7WBG741R - 7kg/4kg



L99695HWD

KEY FEATURES





L61470WDBI **KEY FEATURES**









The ÖKOKombi washer dryer uses heat pump technology in the drying phase. Drying takes place at very low temperatures compared to a standard washer dryer, ensuring the gentlest drying possible.

OptiSense ensures the best treatment for every garment by providing a cycle tailored to load size. Sensors adjust washing and drying times to avoid overwashing and overdrying.

Special steam programmes can be used to dewrinkle or refresh your clothes and are a good alternative to dry cleaning.

*This model does not have the Quiet Mark award.

The Wool Plus programme features gentle drum movement and a special cut down phase to reduce the risk of shrinkage.

*This model does not have the Quiet Mark award.

(HxWxD) in mm 870 x 600 x 605

Specifications Capacity: 9kg/6kg

Spin speed: 1600rpm Energy rating: A

(HxWxD) in mm 820 x 600 x 545

Specifications

······

Capacity: 7kg/4kg Spin speed: 1400rpm Energy rating: C

SPECIFICATION TABLES













	SCE81921TS	SCE81911TS	SCE81864TC	SCE81824NC
Main Features				
Twin Tech	•	•	•	•
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex		•	•	•
Long Fresh		•	•••••	•
Soft close Doors		•	•	•
Multi airflow cooling/Dynamic Air Technology	-/•	-/•	-/•	
LCD touch display / Electronic controls /	-/•/-	-/•/-	•/-/-	•/-/-
Mechanical temperature control		•		
LED lighting	······································	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	Billion 170 TILL	B: 1.11: 1/D :11.3	•	•
Door opening			Right Hinged (Reversible)	••
Gross capacity (litres/cu.ft)	296	296	265	265
Net capacity (litres/cu.ft)	283	283	247	247
Fridge features Gross capacity fridge (litres / cu ft)	223	223	189	189
Gross capacity fridge (litres / cu.ft)	223	•	•••••	•
Net capacity fridge (litres / cu.ft)	Z 19	219	186	186
Wine Compatrtment Gross capacity fridge (litres / cu.ft)				
Wine Compatrtment Net capacity fridge (litres / cu.ft)		•	•••••	•••••
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	3	3
Flexi shelf (half depth)	•	•	•	•
Wooden shelves		•	***************************************	•
Fresh box		•		•••••
Large telescopic pull out salad drawer	•	•	•	
Large Salad Drawer		•	•	
2 extra deep 1/2 width salad drawers		•	•	•
Full width recessed salad drawer with 2 glass lids		•	***************************************	•••••
Dairy compartment with lid	•	•	•	•
No. full width door shelves	2	2	Custom flex	Custom flex
1/2 width sliding door shelf	1	1	Custom flex	Custom flex
Wine rack (holds 5 bottles)	•	•	•	•
Egg tray	2	2	2	2
Freezer features	•	•		•
Gross capacity freezer (litres / cu.ft)	73	73	76	76
Net capacity freezer (litres / cu.ft)	64	64	61	61
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3	3	3	3
No. half depth drawers		•	***************************************	•
Telescopic freezer drawers		•	•	•
Product Dimensions				
Height mm	1842	1842	1769	1769
Width mm	540	540	556	556
Depth mm	552	552	549	549
Built-in dimensions				
Built-in height (mm)	1850	1850	1780	1780
Built-in width (mm)	560	560	560	560
Bult-in depth (mm)	560	560	550	550
Door fixing	Sliding hinge	Sliding hinge	Door on Door	Door on Door
Performance				
Annual energy consumption	241	307	120	226
Energy efficiency class	A++	A+	A+++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
Freezing capacity	8		10	. 10
Power cut safe rising time	21	21	23	23
Minimum ambient temperature	10	10	10	10









	SCE81826NC	SCE81824TS	SCE81827TS	SCE81812NS
Main Features				
Twin Tech	•	•	•	•
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex		•		•
Long Fresh				•
Soft close Doors	•			•
Multi airflow cooling/Dynamic Air Technology		-/•	-/•	•
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	•/-/-
LED lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	•
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversib
Gross capacity (litres/cu.ft)	265	273	264	264
Net capacity (litres/cu.ft)	247	253	239	239
Fridge features				
Gross capacity fridge (litres / cu.ft)	189	197	157	157
Net capacity fridge (litres / cu.ft)	186	192	152	152
Wine Compatrtment Gross capacity fridge				
(litres / cu.ft)				•
Wine Compatrtment Net capacity fridge (litres / cu.ft				•
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	2	2
Flexi shelf (half depth)	•	•	•	•
Wooden shelves				
Fresh box				• • • • • • • • • • • • • • • • • • • •
Large telescopic pull out salad drawer				•
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•	•	•
Full width recessed salad drawer with 2 glass lids				• · · · · · · · · · · · · · · · · · · ·
Dairy compartment with lid	•	•	•	•
No. full width door shelves	3	Custom flex	2	2
1/2 width sliding door shelf	1	Custom flex	1	1
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2
Freezer features				
Gross capacity freezer (litres / cu.ft)	76	76	107	107
Net capacity freezer (litres / cu.ft)	61	61	87	87
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3	3	4	4
No. half depth drawers				
Telescopic freezer drawers				•
Product Dimensions	47/0	4770	4770	4770
Height mm	1769	1772	1772	1772
Width mm	556	540	540	540
Depth mm	549	549	549	549
Built-in dimensions	1700	1700	1700	1700
Built-in height (mm)	1780	1780	1780	1780
Built-in width (mm) Bult-in depth (mm)	560 550	560 550	560 560	560 560
	Door on Door	Sliding hinge	Sliding hinge	Sliding hinge
Door fixing Performance	D001 0U D001	Silding ninge	Siluling ninge	Siluing ninge
	226	228	238	303
Annual energy consumption Energy efficiency class	226 A++	228 A++	238 A++	•
	0	0	0	A+ 0
Energy efficiency index Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
rioise Freezing capacity	10	10	10	10
I I CCEITIG CODOCITY	10		•••••••••	•
Power cut safe rising time	23	21	25	25









Main Features	SCE81816TS	SCB61811LS	SCB61812LS	SCB51421LS
Main Features Twin Tech				

NO Frost / Low Frost	•/-	-/•	-/•	-/•
Custom Flex		•	•••••	•••••
Long Fresh		•	•	•
Soft close Doors		•	•	
Multi airflow cooling/Dynamic Air Technology	-/•	• • • • • • • • • • • • • • • • • • • •	***************************************	
LCD touch display / Electronic controls /	•/-/-	-/•/-	-/•/-	-/-/•
Mechanical temperature control	···			
LED lighting	•	•	•	•
Coolmatic	•			
-rostmatic	•	•	•	
Holiday mode	•			
High temperature alarm	•			
Door open alarm	•	•	•	•••••
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reve
Gross capacity (litres/cu.ft)	273	272	269	220
Net capacity (litres/cu.ft)	253	268	266	217
Fridge features	233	200	200	Z1/
	197	199	163	163
Gross capacity fridge (litres / cu.ft)	···•	•	•••••	•••••
Net capacity fridge (litres / cu.ft)	192	196	160	160
Nine Compatrtment Gross capacity fridge				
litres / cu.ft)		•		•
Nine Compatrtment Net capacity fridge (litres / cu.ft)		•	•	•••••
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	4	3	3
Flexi shelf (half depth)	•			
Nooden shelves				
Fresh box				
Large telescopic pull out salad drawer		•	•	
_arge Salad Drawer			•	•
2 extra deep 1/2 width salad drawers	•	•	•	•
Full width recessed salad drawer with 2 glass lids	···•	••••••••••••••••••••••••••••••••••••••	<u></u>	••••••••••••••••••••••••••••••••••••••
Dairy compartment with lid	<u>.</u>	-		
	7	7	· ·	•
No. full width door shelves	3	3	2	2
/2 width sliding door shelf	1		1	1
Vine rack (holds 5 bottles)				
Egg tray	2	2	2	2
reezer features				
Gross capacity freezer (litres / cu.ft)	76	73	106	57
Net capacity freezer (litres / cu.ft)	61	72	106	57
Defrost - freezer	Automatic	Manual	Manual	Manual
No. full width drawers	3	3	4	2
No. half depth drawers		•	•	•••••
Felescopic freezer drawers				
Product Dimensions		•	••••••	•••••
	1772	1772	1772	1441
Height mm	···•	•	••	••
Vidth mm	540	540	540	540
Depth mm	549	549	549	549
Built-in dimensions				
Built-in height (mm)	1780	1780	1780	1446
Built-in width (mm)	560	560	560	560
Bult-in depth (mm)	550	550	550	550
Ooor fixing	Sliding hinge	Sliding hinge	Sliding hinge	Sliding hinge
Performance				
Annual energy consumption	291	291	293	204
Energy efficiency class	A+	A+	A+	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST-T
	· · · • · · · · · · · · · · · · · · · ·	•	••	••••••
Noise	39	36	36	35
reezing capacity	10	4	4	4
Power cut safe rising time	21	22	22	20
Minimum ambient temperature	10	10	10	10







	ABE68216NF	ABE68221AF	ABB68211AF	SFB58211AF
Main Features				
Twin Tech				
NO Frost / Low Frost	•/-			
Custom Flex				
Long Fresh				
Soft close Doors				
Multi airflow cooling/Dynamic Air Technology		•		
LCD touch display / Electronic controls /	-/•/-	-/•/-	-/•/-	/ /a
Mechanical temperature control	7/•/-	-/*/-	7,•/-	7/7/*
LED lighting				•
Coolmatic				
Frostmatic	•	•	•	
Holiday mode		•		
High temperature alarm	•	•	•	
Door open alarm	•	•	•	
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversi
Gross capacity (litres/cu.ft)	86	105	105	111
Net capacity (litres/cu.ft)	85	95	95	109
Fridge features				
Gross capacity fridge (litres / cu.ft)				111
Net capacity fridge (litres / cu.ft)			•	109
Wine Compatrtment Gross capacity fridge				
(litres / cu.ft)				
Wine Compatrtment Net capacity fridge (litres / cu.ft)				
Defrost - fridge				Automatic
Glass shelves				2
Flexi shelf (half depth)				
Nooden shelves				
Fresh box				
Large telescopic pull out salad drawer	•	•		
Large Salad Drawer				
2 extra deep 1/2 width salad drawers				•
Full width recessed salad drawer with 2 glass lids	•••••	•		
Dairy compartment with lid	••••••	•		•
No. full width door shelves	•	•		1
1/2 width sliding door shelf	•••••	•		1
Wine rack (holds 5 bottles)	••••••	••••••		
Egg tray				1
Freezer features	•	•	***************************************	
Gross capacity freezer (litres / cu.ft)	86	105	105	
Net capacity freezer (litres / cu.ft)	85	95	95	•••
Defrost - freezer	Automatic	Manual	Manual	
No. full width drawers	3	3	3	•••••
No. half depth drawers		•	•	
Telescopic freezer drawers	•	•	•	•••••
Product Dimensions	•••••	•	•	•••••
Height mm	815	815	815	815
Width mm	596	596	596	596
Depth mm	550	550	550	550
Built-in dimensions			•	
Built-in height (mm)	820	820	820	820
Built-in width (mm)	600	600	600	600
Bult-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Door on Door	Door on Door
Performance	200. 311 2001	500. 311 5001	200. 0110001	2001 011 2001
Annual energy consumption	191	147	187	172
Energy efficiency class	A+	A++	A+	A+
Energy efficiency class Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST
	5IN-IN-5 I-I 41	38	38	38
Noise	12		***************************************	
Freezing capacity	13	29	18 29	2.5 13
Power cut safe rising time	· •· · · · · · · · · · · · · · · · · ·	•	•••••••	·····
Minimum ambient temperature	10	10	10	10









	SFE58221AF	SKB58211AF	SKE58221AF	ABS81826NC
Main Features				
Twin Tech	·····•	•	•	•
NO Frost / Low Frost	·····•	•	•	•/-
Custom Flex	*	•	•••••	•
Long Fresh	·····•	•	•	•
Soft close Doors	-	•	•	•
Multi airflow cooling/Dynamic Air Technology		•	•	•
LCD touch display / Electronic controls /	-/-/•	-/-/•	-/-/•	•/-/-
Mechanical temperature control		•	•	•
LED lighting	•	•	•	•
Coolmatic		•	•	•
Frostmatic		-		•
Holiday mode				
High temperature alarm		•	•	•
Door open alarm				•
Door opening	······ •·····	Right Hinged (Reversible)		Right Hinged (Reversil
Gross capacity (litres/cu.ft)	111	136	136	216
Net capacity (litres/cu.ft)	109	133	133	204
Fridge features				
Gross capacity fridge (litres / cu.ft)	111	136	136	•
Net capacity fridge (litres / cu.ft)	109	133	133	•
Wine Compatrtment Gross capacity fridge				
(litres / cu.ft)		•	•••••	•
Wine Compatrtment Net capacity fridge (litres / cu.f	-	•	•	•
Defrost - fridge	Automatic	Automatic	Automatic	•
Glass shelves	2	3	3	•••••
Flexi shelf (half depth)		•	•	•
Wooden shelves	·····	•••••	•••••	•••••
Fresh box		•••••	•••••	••••
Large telescopic pull out salad drawer				•••••
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•	•	••••
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	
No. full width door shelves	1	1	1	
1/2 width sliding door shelf	1	1	1	
Wine rack (holds 5 bottles)				
Egg tray	1	1	1	
Freezer features				
Gross capacity freezer (litres / cu.ft)				216
Net capacity freezer (litres / cu.ft)				204
Defrost - freezer	***************************************	•••••	•••••	Automatic
No. full width drawers	***************************************	•••••	•	5
No. half depth drawers				
Telescopic freezer drawers				
Product Dimensions				
Height mm	815	815	815	1769
Vidth mm	596	596	596	556
Depth mm	550	550	550	549
Built-in dimensions	•	•		•
Built-in height (mm)	820	820	820	1780
Built-in width (mm)	600	600	600	560
Bult-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Door on Door	Door on Door
Performance		•••••••	••••••••••	••••••••••••
Annual energy consumption	139	118	91	238
Energy efficiency class	A++	A+	A++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
	····· •···	36	36	39
Noise	ነስ			
Noise Freezing capacity	36 2.5			•
Noise Freezing capacity Power cut safe rising time	2.5 13	0	0	20 24



	ABB81816NC	ABE81226NC	ABB81216NF	ABE68821LS
Main Features				
Twin Tech				•
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex				
Long Fresh	*			•
Soft close Doors		•		•
Multi airflow cooling/Dynamic Air Technology	*			•
LCD touch display / Electronic controls /	•/-/-	•/-/-	•/-/-	-/•/-
Mechanical temperature control				•
LED lighting	····•			•••••
Coolmatic Frostmatic				
Holiday mode				
High temperature alarm				•
Door open alarm				•
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)) Right Hinged (Reversible)	Right Hinged (Reversit
Gross capacity (litres/cu.ft)	216	130	130	99
Net capacity (litres/cu.ft)	204	120	120	98
Fridge features				
Gross capacity fridge (litres / cu.ft)				
Net capacity fridge (litres / cu.ft)				• • • • • • • • • • • • • • • • • • • •
Wine Compatrtment Gross capacity fridge				
(litres / cu.ft)				
Wine Compatrtment Net capacity fridge (litres / cu.ft))			
Defrost - fridge				
Glass shelves				
Flexi shelf (half depth)				
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				•
Large Salad Drawer				
2 extra deep 1/2 width salad drawers				•••••
Full width recessed salad drawer with 2 glass lids				•
Dairy compartment with lid				•••••
No. full width door shelves				•••••
1/2 width sliding door shelf		•		•
Wine rack (holds 5 bottles)				
Egg tray				•••••
33		•	······································	
Freezer features				
Freezer features Gross capacity freezer (litres / cu.ft)	216	130	130	99
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft)	204	120	120	98
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer	204 Automatic	120 Automatic	120 Automatic	98 Manual
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers	204	120	120	98
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers	204 Automatic	120 Automatic	120 Automatic	98 Manual
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers	204 Automatic	120 Automatic	120 Automatic	98 Manual
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions	204 Automatic 5	120 Automatic 4	120 Automatic 4	98 Manual 4
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm	204 Automatic 5	120 Automatic 4	120 Automatic 4	98 Manual 4
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm	204 Automatic 5 5 1769 556	120 Automatic 4 1224 556	120 Automatic 4 	98 Manual 4 4 873 540
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm	204 Automatic 5	120 Automatic 4	120 Automatic 4	98 Manual 4
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions	204 Automatic 5 1769 556 549	120 Automatic 4 1224 556 549	120 Automatic 4 1224 556 549	98 Manual 4
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm)	204 Automatic 5 1769 556 549	120 Automatic 4 1224 556 549	120 Automatic 4 1224 556 549	98 Manual 4 4 873 540 549
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in width (mm)	204 Automatic 5 1769 556 549 1780 560	120 Automatic 4 1224 556 549 1225 556	120 Automatic 4 1224 556 549 1225 560	98 Manual 4 873 540 549 880 560
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in depth (mm) Bult-in depth (mm)	204 Automatic 5 1769 556 549 1780 560 550	120 Automatic 4 1224 556 549 1225 556 550	120 Automatic 4 1224 556 549 1225 560 550	98 Manual 4 873 540 549 880 560 550
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Bull-in depth (mm) Door fixing	204 Automatic 5 1769 556 549 1780 560	120 Automatic 4 1224 556 549 1225 556	120 Automatic 4 1224 556 549 1225 560	98 Manual 4 873 540 549 880 560
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in width (mm) Built-in width (mm) Door fixing Performance	204 Automatic 5 1769 556 549 1780 560 550 Door on Door	120 Automatic 4 1224 556 549 1225 556 550 Door on Door	120 Automatic 4 1224 556 549 1225 560 550 Door on Door	98 Manual 4 873 540 549 880 560 550 Sliding hinge
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in width (mm) Door fixing Performance Annual energy consumption	204 Automatic 5 1769 556 549 1780 560 550 Door on Door	120 Automatic 4 1224 556 549 1225 556 550 Door on Door	120 Automatic 4 1224 556 549 1225 560 550 Door on Door	98 Manual 4 873 540 549 880 560 550 Sliding hinge
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in width (mm) Built-in depth (mm) Door fixing Performance Annual energy consumption Energy efficiency class	204 Automatic 5 1769 556 549 1780 560 550 Door on Door 303 A+	120 Automatic 4 1224 556 549 1225 556 550 Door on Door 183 A++	120 Automatic 4 1224 556 549 1225 560 550 Door on Door 232 A+	98 Manual 4 873 540 549 880 560 550 Sliding hinge
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in depth (mm) Built-in depth (mm) Door fixing Performance Annual energy consumption Energy efficiency class Energy efficiency index	204 Automatic 5 1769 556 549 1780 560 550 Door on Door 303 A+ 0	120 Automatic 4 1224 556 549 1225 556 550 Door on Door 183 A++	120 Automatic 4 1224 556 549 1225 560 550 Door on Door 232 A+ 0	98 Manual 4 873 540 549 880 560 550 Sliding hinge 200 A+ 0
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in depth (mm) Built-in depth (mm) Door fixing Performance Annual energy consumption Energy efficiency class Energy efficiency index Climate class	204 Automatic 5 1769 556 549 1780 560 550 Door on Door 303 A+ 0 SN-N-ST-T	120 Automatic 4 1224 556 549 1225 556 550 Door on Door 183 A++ 0 SN-N-ST-T	120 Automatic 4 1224 556 549 1225 560 550 Door on Door 232 A+ 0 SN-N-ST-T	98 Manual 4 873 540 549 880 560 550 Sliding hinge 200 A+ 0 SN-N-ST-T
Freezer features Gross capacity freezer (litres / cu.ft) Net capacity freezer (litres / cu.ft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in depth (mm) Door fixing Performance Annual energy consumption Energy efficiency class Energy efficiency index Climate class Noise	204 Automatic 5 1769 556 549 1780 560 550 Door on Door 303 A+ 0 SN-N-ST-T 39	120 Automatic 4 1224 556 549 1225 556 550 Door on Door 183 A++ 0 SN-N-ST-T 39	120 Automatic 4 1224 556 549 1225 560 550 Door on Door 232 A+ 0 SN-N-ST-T 39	98 Manual 4 873 540 549 880 550 Sliding hinge 200 A+ 0 SN-N-ST-T 35
Freezer features Gross capacity freezer (litres / cuft) Net capacity freezer (litres / cuft) Defrost - freezer No. full width drawers No. half depth drawers Telescopic freezer drawers Product Dimensions Height mm Width mm Depth mm Built-in dimensions Built-in height (mm) Built-in depth (mm) Door fixing Performance Annual energy consumption Energy efficiency class Energy efficiency index Climate class Noise Freezing capacity Power cut safe rising time	204 Automatic 5 1769 556 549 1780 560 550 Door on Door 303 A+ 0 SN-N-ST-T	120 Automatic 4 1224 556 549 1225 556 550 Door on Door 183 A++ 0 SN-N-ST-T	120 Automatic 4 1224 556 549 1225 560 550 Door on Door 232 A+ 0 SN-N-ST-T	98 Manual 4 873 540 549 880 560 550 Sliding hinge 200 A+ 0 SN-N-ST-T









	SFE81821DC	SKS81826ZC	SKS81821DC	SKB81811DC
Main Features				
Twin Tech		•	•••••	•
NO Frost / Low Frost				
Custom Flex		•		•
ong Fresh		•	•••••	•
oft close Doors	•	•	•	•
Aulti airflow cooling/Dynamic Air Technology		•/-	-/•	-/•
.CD touch display / Electronic controls /	•/-/-	•/-/-	•/-/-	•/-/-
Mechanical temperature control				
.ED lighting	•	•	•	•
Coolmatic		•	•	•
rostmatic		•	•	•
Holiday mode		•	•••••	•
High temperature alarm		•	•	•
Door open alarm	Dight Llingad (Dayarsible)	Dight Llingad (Dayarsible)	Diaht Llinand (Dayarsible)	Dight Llingad (Dayors
Ooor opening	289	298	Right Hinged (Reversible)	
Gross capacity (litres/cu.ft)	······································	•	314	314
let capacity (litres/cu.ft) ridge features	284	275	310	310
rridge rearures iross capacity fridge (litres / cu.ft)	289	298	314	314
Net capacity fridge (lifres / cu.fr)	284	275	310	314
Vine Compatrtment Gross capacity fridge	204	2/3	310	
litres / cu.ft)				
Vine Compatrtment Net capacity fridge (litres / cu.ft)		•	•••••	•
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	4	3	4	4
Flexi shelf (half depth)		•	•	•
Vooden shelves				
resh box				
arge telescopic pull out salad drawer	•		•	•
arge Salad Drawer				
extra deep 1/2 width salad drawers				
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	4	3	4	4
/2 width sliding door shelf		1	1	1
Vine rack (holds 5 bottles)		• • • • • • • • • • • • • • • • • • • •	••••••	•
Egg tray	2	2	2	2
reezer features	***************************************	•	•••••	•••••
Gross capacity freezer (litres / cu.ft)				
Net capacity freezer (litres / cu.ft)		•		
Defrost - freezer		•		•••••
No. full width drawers		•	•	
No. half depth drawers				
Felescopic freezer drawers				
Product Dimensions				
Height mm	1772	1769	1769	1769
Vidth mm	540	556	556	556
Depth mm	549	549	549	549
Built-in dimensions				
Built-in height (mm)	1780	1780	1780	1780
Built-in width (mm)	560	560	560	560
lult-in depth (mm)	550	550	550	550
oor fixing	Sliding hinge	Door on Door	Door on Door	Door on Door
erformance				
nnual energy consumption	215	130	114	146
inergy efficiency class	A++	A++	A++	A+
nergy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Voise	35	37	35	35
reezing capacity	3	0	0	0
Power cut safe rising time	20	0	0	0
Minimum ambient temperature	10	10	10	10

Minimum ambient temperature









	ESSEN	E-Maria		
	SKE81221AC	SKB81211AF	SFE68811AS	SKE68811AS
Main Features				
Twin Tech				
NO Frost / Low Frost	.	····		
Custom Flex	.			
Long Fresh	·····•			
Soft close Doors	•	····		
Multi airflow cooling/Dynamic Air Technology	.	····•		
LCD touch display / Electronic controls /	•/-/-	•/-/-	-/-/•	-/-/•
Mechanical temperature control				
LED lighting	•	•	•	•
Coolmatic	•	•		•••••
Frostmatic	·····•			
Holiday mode	•	•		
High temperature alarm				
Door open alarm	•	•		
Door opening	·····•	e) Right Hinged (Reversible)	-	***************************************
Gross capacity (litres/cu.ft)	205	205	125	143
Net capacity (litres/cu.ft)	202	202	123	142
Fridge features				
Gross capacity fridge (litres / cu.ft)	205	205	125	143
Net capacity fridge (litres / cu.ft)	202	202	123	142
Wine Compatrtment Gross capacity fridge				
(litres / cu.ft)				
Wine Compatrtment Net capacity fridge (litres / cu.ft	·····•		•	
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	2	2
Flexi shelf (half depth)	•	•	·••	
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer			•	•
2 extra deep 1/2 width salad drawers	•	•		***************************************
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	3	3	2	2
1/2 width sliding door shelf	1	1	1	1
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2
Freezer features				
Gross capacity freezer (litres / cu.ft)	·····		•••	
Net capacity freezer (litres / cu.ft)				***************************************
Defrost - freezer				
No. full width drawers	·····		•••	
No. half depth drawers				***************************************
Telescopic freezer drawers				
Product Dimensions				
Height mm	1219	1219	873	873
Width mm	556	556	540	540
Depth mm	550	550	549	549
Built-in dimensions				
Built-in height (mm)	1225	1225	880	880
Built-in width (mm)	560	560	560	560
Bult-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Sliding hinge	Sliding hinge
Performance				
Annual energy consumption	103	131	151	96
Energy efficiency class	A++	A+	A++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	35	35	38	38
Freezing capacity	0	0	2	0
Power cut safe rising time	0	0	2 12	0
Minimum ambient temperature	10	10	10	10

10

10

10

10










	RXE75911TM	RXE75411NM	RMB76111NX	RMB76311NX
Main Features				
Twin Tech				
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex		•	•••••	•
ong Fresh		•	•	
Soft close Doors		•	•	
Multi airflow cooling/Dynamic Air Technology	•/-	•/-	•/-	•/-
LCD touch display / Electronic controls /	•/-/-	•/-/-	•/-/-	•/-/-
Mechanical temperature control		•	• · · · · · · · · · · · · · · · · · · ·	
LED lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	0.1.1.0.1
Door opening	Side by Side	Side by Side	Side by Side	Side by Side
Gross capacity (litres/cu.ft)	431	543	608	630
Net capacity (litres/cu.ft)	407	529	549	536
Fridge features	707	707	700	
Gross capacity fridge (litres / cu.ft)	323	323	380	436
Net capacity fridge (litres / cu.ft)	319	319	370	417
Nine Compatrtment Gross capacity fridge (litres / cu.ft)	161			
Wine Compatrtment Net capacity fridge (litres / cu.ft)	158			
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	4	Automatic 4	Automatic 4	Automatic 2
Flexi shelf (half depth)	*	-	4	
Nooden shelves		<i>l</i> :	•	•
Fresh box			•	•
arge telescopic pull out salad drawer	•	•	•	•
Large Salad Drawer		•	•	•
2 extra deep 1/2 width salad drawers				
Full width recessed salad drawer with 2 glass lids		•	•••••	
Dairy compartment with lid	•	•	•	•
No. full width door shelves	4	4	2	4
/2 width sliding door shelf	•	•		······································
Wine rack (holds 5 bottles)				
Egg tray	1	1	1	1
Freezer features		<u></u>		
Gross capacity freezer (litres / cu.ft)	108	220	228	194
Net capacity freezer (litres / cu.ft)	88	210	179	119
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3	• • • • • • • • • • • • • • • • • • • •	2	3
No. half depth drawers		•		
Felescopic freezer drawers		•		
Product Dimensions				
Height mm	1855	1855	1860	1776
Vidth mm	1095	1095	1190	912
Depth mm	572	572	623	765
Built-in dimensions				
Built-in height (mm)				
Built-in width (mm)				
Bult-in depth (mm)				
Door fixing				
Performance				
Annual energy consumption	450	449	467	410
Energy efficiency class	A+	A+	A+	A +
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	38	40	43	43
reezing capacity	10	20	16	10
Power cut safe rising time	25	21	10	12
Minimum ambient temperature	16	10	10	10







			4	
	RCB53724MX/MW	RCB53324MX/MW	RCB83724MX/MW	
Main Features				
Twin Tech	•	•	•	
NO Frost / Low Frost	•/-	•/-	•/-	
Custom Flex	•	•	•	
Long Fresh		•	•	
Soft close Doors Multi airflow cooling/Dynamic Air Technology	-/	-/	-/	
	•/-	•/-	•/-	
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	
_ED lighting		•	•	
Coolmatic		•	•	
Frostmatic		•	•	
Holiday mode				
High temperature alarm		•	•	
Door open alarm		•	•	
Door opening	Right Hinged	Right Hinged	Right Hinged	
Gross capacity (litres/cu.ft)	370	332	377	
Net capacity (litres/cu.ft)	341	305	350	
ridge features	J+1	303		
Gross capacity fridge (litres / cu.ft)	261	223	266	
Net capacity fridge (lifres / cu.ff)	250	214	258	
Wine Compatrtment Gross capacity fridge	230	∠14	230	
litres / cu.ft)				
Wine Compatrtment Net capacity fridge (litres / cu.ft)	•••••	•	••••••••••••••••••••••••	
Defrost - fridge	Automatic	Automatic	Automatic	
Glass shelves	3	2	2	
Flexi shelf (half depth)		<u></u>		
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer	•••••	•		
Large Salad Drawer	•••••	•		
2 extra deep 1/2 width salad drawers			<u> </u>	
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid				
No. full width door shelves	Custom Flex	Custom Flex	Custom Flex	
1/2 width sliding door shelf	Custom Flex	Custom Flex	Custom Flex	
Wine rack (holds 5 bottles)	- Cusioni i lex	- Cusioni i lex	cusionirilex	
Egg fray	1	1	1	
-gg may Freezer features				
Gross capacity freezer (litres / cu.ft)	109	109	111	
Net capacity freezer (lifres / cu.ft)	91	91	92	
Defrost - freezer	Automatic	Automatic	Automatic	
No. full width drawers	. *	2 Full Width+1 Half Depth	•	
No. half depth drawers		2 Full Width+1 Half Depth		
Telescopic freezer drawers	21 dii Widiii 11 lali Depiii	21 dii Widiii 11 idii Depiii	21 dii Widii 11 lali Depili	
Product Dimensions	•••••	•		
	2005	1845	2000	
Height mm Vidth mm	595	595	595	
	647	647	647	
Depth mm Built-in dimensions	04/	04/	04/	
Built-in height (mm)				
Built-in width (mm)			•	
Bult-in widin (mm)				
Door fixing				
Performance				
	248	237	251	
Annual energy consumption Energy efficiency class	Z48 A++	Z57 A++	Z51 A++	
		0 0	•	
Energy efficiency index	0 SN-N-ST-T	SN-N-ST-T	0 SN-N-ST-T	
Climate class	· * · · · · · · · · · · · · · · · · · ·	•	•	
Noise	43	43	41	
Freezing capacity	4	4	10	
Power cut safe rising time	18	20	20	
Minimum ambient temperature	10	10	10	











		4	_ 7	4
	A72710GNX0/W0	A72020GNX0/W0	S74010KDX0/W0	S73320KDX0/W0
Main Features				
Twin Tech	-1		•	•
NO Frost / Low Frost Custom Flex	•/-	•/-	•	
	.		•••••	•
_ong Fresh		•	•	•
Soft close Doors				
Aulti airflow cooling/Dynamic Air Technology	·····•	•	-/•	-/•
.CD touch display / Electronic controls /	•/-/-	•/-/-	•/-/-	•/-/-
Mechanical temperature control	·····		•	•
.ED lighting	·····•	•	•	•
Coolmatic		•	•	•
rostmatic	•	•	•	•
Holiday mode	····•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	B. L. I.
Ooor opening	····· •···	•	Right Hinged (Reversible)	***************************************
ross capacity (litres/cu.ft)	250	225	400	317
let capacity (litres/cu.ft)	229	177	395	314
ridge features				
ross capacity fridge (litres / cu.ft)			400	317
Net capacity fridge (litres / cu.ft)			395	314
Vine Compatrtment Gross capacity fridge				
litres / cu.ft)		•		•
Vine Compatrtment Net capacity fridge (litres / cu.ff)	•	•	•
Defrost - fridge			Automatic	Automatic
ilass shelves	·····		4	4
lexi shelf (half depth)			•	•
Vooden shelves			•••••	•
resh box			••••	•
arge telescopic pull out salad drawer			•	•
_arge Salad Drawer			•	•
extra deep 1/2 width salad drawers		•	None	***************************************
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid				
No. full width door shelves			3	3
/2 width sliding door shelf				
Wine rack (holds 5 bottles)			•	
Egg tray			1	1
reezer features				
Gross capacity freezer (litres / cu.ft)	250	225		
let capacity freezer (litres / cu.ft)	229	177	•••••••••••••••••	•••••••••••
Defrost - freezer	Automatic	Automatic	•••••	
No. full width drawers	5	4	•	• · · · · · · · · · · · · · · · · · · ·
No. half depth drawers	1	1	•	•
Felescopic freezer drawers	•	•	•••••	•
Product Dimensions		•••••	•••••	• · · · · · · · · · · · · · · · · · · ·
Height mm	1850	1544	1850	1544
Vidth mm	595	595	595	595
Depth mm	668	668	668	668
Built-in dimensions	300			
Built-in height (mm)				
Built-in width (mm)			•	• · · · · · · · · · · · · · · · · · · ·
Bult-in depth (mm)		•	•	•
Door fixing		•	•	•
erformance		•		•
Innual energy consumption	229	203	117	110
	229 A++	•		•
nergy efficiency class	·····•	A++	•	A++
Energy efficiency index	32,9	0 CN N CT T	32,9	0 SN-N-ST-T
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	•
loise	42	42	39	39
reezing capacity	20	20	0	0
Power cut safe rising time	20	28	0	0
Minimum ambient temperature	10	10	10	10







	SWE66001DG	SWE63001DG	SWE61501DG
Main Features			
Twin Tech		•	
NO Frost / Low Frost			
Custom Flex		•	
Long Fresh		•	
Soft close Doors		<u> </u>	
Multi airflow cooling/Dynamic Air Technology	***************************************	•	
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-
LED lighting			
Coolmatic	••••••	•	
Frostmatic		•	
Holiday mode		•	
High temperature alarm		•	
Door open alarm		•••••••••••••••••	
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right hinged only
Gross capacity (litres/cu.ft)	145	58	22
Net capacity (litres/cu.ft)	138	56	22
Fridge features		•	
Gross capacity fridge (litres / cu.ft)			
Net capacity fridge (litres / cu.ft)			
Wine Compatrtment Gross capacity fridge	4/5	FC	22
(litres / cu.ft)	145	58	22
Wine Compatrtment Net capacity fridge (litres / cu.ft)	138	56	22
Defrost - fridge			
Glass shelves			
Flexi shelf (half depth)			
Wooden shelves	6	6	6
Fresh box			
Large telescopic pull out salad drawer			
Large Salad Drawer			
2 extra deep 1/2 width salad drawers			
Full width recessed salad drawer with 2 glass lids			
Dairy compartment with lid			
No. full width door shelves			
1/2 width sliding door shelf			
Wine rack (holds 5 bottles)			
Egg tray			
Freezer features			
Gross capacity freezer (litres / cu.ft)		•	
Net capacity freezer (litres / cu.ft)			
Defrost - freezer		•	
No. full width drawers			
No. half depth drawers		•	
Telescopic freezer drawers		•	
Product Dimensions			
Height mm	820	820	870
Width mm	595	294	148
Depth mm	565	571	526
Built-in dimensions	022	022	070
Built-in height (mm)	822	822	872
Built-in width (mm)	600	300	150
Bult-in depth (mm)	550	550	550
Door fixing			
Performance	410	1/.0	477
Annual energy consumption	149	140	137
Energy efficiency class	A	A	Α
Energy efficiency index	54.7	54.6	0
Climate class	N-ST	N-ST	N-ST
Noise	39	39	35
Freezing capacity	0	0	0
Power cut safe rising time	0	0	0
Minimum ambient temperature	16	16	16

TABLES | SINGLE OVENS









	BSE892330M	BSE792320M	BSE882320M	BSE782320M
Oven Features				
Control Type	Command Wheel	Touch	Command Wheel	Touch
Menu guided cooking	•	•	•	•
Oven capacity (usable)	70	70	70	70
Number of functions	24	24	18	17
Fast heat up	•	•	•	•
SoftMotion™ soft close door	•	•	•	•
Fully programmable timer	•	•	•	•
Core temperature sensor	•	•	•	•
Floodlight™	•	•	•	•
Sidelight	•	•	•	•
Cleaning	Steam	Steam	Steam	Steam
Oven door glazing	Four	Four	Four	Four
Cooling fan	•	•	•	•
Steam	•	•	•	•
Accessories				
Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•	•
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays	•	•	•	•
Patisserie tray	•	•	•	•
Dimensions				
Appliance dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	595	595
Depth (mm)	567	567	567	567
Aperture dimensions				
Height (mm)	590	590	590	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Oven temperature range (°C)	30-230	30-230	30-230	30-230
Energy efficiency class	A++	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.52	0.68	0.68	0.68
Energy consumption static (kWh)	0.89	0.89	0.99	0.99
Largest baking sheet surface area	1424	1424	1424	1424
Connected load (W)	3500	3500	3500	3500
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS









	BSE874320M	BSE774320M	BSE574221M	BPE842720M
Oven Features				
Control Type	Command Wheel	Touch	Retractable	Command Wheel
Menu guided cooking	•	•	•	•
Oven capacity (usable)	71	71	71	71
Number of functions	17	17	9	17
Fast heat up	•	•	•	
SoftMotion™ soft close door	•	•	•	•
Fully programmable timer	•	•	•	•
Core temperature sensor	•	•	•	•
Floodlight™	•	•	•	•
Sidelight	•	•	•	•
Cleaning	Pyrolytic	Pyrolytic	Pyrolytic	Pyrolytic
Oven door glazing	Four	Four	Four	Four
Cooling fan	•	•	•	•
Steam	•	•	•	
Accessories				
Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•	
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays			•	
Patisserie tray				
Dimensions				
Appliance dimensions			•	
Height (mm)	594	594	594	594
Width (mm)	595	595	596	595
Depth (mm)	567	567	568	567
Aperture dimensions				
Height (mm)	590	590	600	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Oven temperature range (°C)	30-300	30-300	30-300	30-300
Energy efficiency class	A+	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.69	0.69	0.69	0.69
Energy consumption static (kWh)	0.99	0.99	0.89	0.99
Largest baking sheet surface area	1424	1424	1424	1424
Connected load (W)	3500	3500	3380	3500
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS









	BPE742320M	BPE642020M	BPS552020M	BPS551020M
Oven Features				
Control Type	Touch	Touch	Retractable	Retractable
Menu guided cooking	•	•		
Oven capacity (usable)	71	71	. 71	71
Number of functions	17	11	10	10
Fast heat up	•	•	•	•
SoftMotion™ soft close door	•	•	•••••	•
Fully programmable timer	•	•	•	
Core temperature sensor	•	•	•	
Floodlight™	•	•	•	•
Sidelight	•	•	•••••	
Cleaning	Pyrolytic	Pyrolytic	Pyrolytic	Catalytic
Oven door glazing	Four	Four	Four	Four
Cooling fan	•	•	•	•
Steam		•	SteamBake™	SteamBake™
Accessories				
Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•••••	•
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays		•	•••••	•
Patisserie tray		•	••••	
Dimensions				
Appliance dimensions		•	•••••	•
Height (mm)	594	594	594	594
Width (mm)	595	595	595	595
Depth (mm)	567	567	567	567
Aperture dimensions		•		
Height (mm)	590	590	590	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Oven temperature range (°C)	30-300	30-300	30-300	30-300
Energy efficiency class	A+	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.69	1.00	0.69	0.69
Energy consumption static (kWh)	0.99	1.00	0.99	0.99
Largest baking sheet surface area	1424	1418	1418	1424
Connected load (W)	3500	3500	3000	3200
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS









	BPS351020M	BCS552020M	BCS551020M	BES351010M
Oven Features				
Control Type	Retractable	Retractable	Retractable	Retractable
Menu guided cooking		•	•	
Oven capacity (usable)	71	71	71	71
Number of functions	9	9	9	9
Fast heat up	······	•	•	
SoftMotion™ soft close door	······		• · · · · · · · · · · · · · · · · · · ·	
Fully programmable timer	•	•	•	•
Core temperature sensor	· · · · · · · · · · · · · · · · · · ·	•		
Floodlight™	•	•	•	•
Sidelight			•	
Cleaning	Pyrolytic	CataFan	CataFan	Enamel
Oven door glazing	Four	••••	Three	Three
Cooling fan	•	•	•	•
Steam	SteamBake™	SteamBake™	SteamBake™	SteamBake™
Accessories				
Number of shelves	Two	Two	Two	Two
Telescopic runners				
MaxiTray™	•		•	
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays			•	
Patisserie tray				
Dimensions	***************************************	•	•	
Appliance dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	595	595
Depth (mm)	567	567	567	567
Aperture dimensions		••••••••••	••••••	***************************************
Height (mm)	590	590	590	590
Vidth (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance		•	•	
Oven temperature range (°C)	30-300	50-275	50-275	50-275
Energy efficiency class	Α+	A	A	А
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.69	0.88	0.88	0.89
Energy consumption static (kWh)	0.99	0.99	0.99	0.99
_argest baking sheet surface area	1418	1418	1418	1418
Connected load (W)	3480	3200	3200	3200
Fuse rating (A)	16	16	16	16

TABLES | DOUBLE OVENS









	DCE731110M	DCS431110M	DES431010M	DCB331010M
Oven Features				
T=Top / B=Bottom		•		
Control Type	Touch	Retractable	Retractable	Retractable
Oven capacity (usable)	43 / 68	43 / 68	40 / 46	43 / 68
Number of cooking functions	8 / 10	5/8	2/5	2/5
Fully programmable timer	•	•	•	•
Cleaning	Catalytic	Catalytic	Enamel	Catalytic
Oven doors glazing	3/3	2/2	2/2	2/2
Lights	1/1	1/1	1/1	1/1
Cooling fan	•	•	•	•
Accessories				
Number of shelves	2/2	1/2	1/2	1/2
Full width grill / meat pan (with trivet)	-/•	-/•	-/•	-/•
Dimensions				
Appliance dimensions				
Height (mm)	888	888	888	888
Width (mm)	594	594	594	594
Depth (mm)	548	548	548	548
Aperture dimensions				
Height (mm)	875	875	875	875
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance	***************************************	•	•	•
Energy efficiency class	A / A	A/A	A/A	A/A
Energy efficiency class in mode static / fan	Fan / Fan	Static / Fan	Static / Fan	Static / Fan
Energy consumption fan (kWh)	0.75 / 0.86	N/A / 0.86	N/A / 0.81	N/A / 0.86
Cooktime standard load fan (min)	44 / 47	N/A / 44	N/A / 46	N/A / 43
Energy consumption static (kWh)	0.94 / 0.78	0.78 / 0.94	0.78 / N/A	0.78 / N/A
Cooktime standard load static(min)	46 / 46	45 / 48	49 / N/A	52 / N/A
Largest baking sheet surface area (cm²)	1175	1175	1175	1175
Connected load (W)	5800	5100	4100	4100
Fuse rating (A)	30	30	30	30

TABLES | DOUBLE OVENS









	DEB331010M	DUE731110M	DUE431110M	DUB331110M
Oven Features				
T=Top / B=Bottom				
Control Type	Retractable	Touch	Retractable	Retractable
Oven capacity (usable)	43 / 68	39 / 46	40 / 46	40 / 46
Number of cooking functions	2/5	8 / 10	2/5	2/5
Fully programmable timer	•	•	•	•
Cleaning	Enamel	Catalytic	Catalytic	Catalytic
Oven doors glazing	2/2	3/3	2/2	2/2
Lights	1/1	1/1	1/1	1/1
Cooling fan	•	•	•	•
Accessories				
Number of shelves	1/2	1/2	1/2	1/2
Full width grill / meat pan (with trivet)	-/•	-/•	-/•	-/•
Dimensions				
Appliance dimensions				
Height (mm)	888	720	720	720
Width (mm)	594	600	600	600
Depth (mm)	548	550	550	550
Aperture dimensions				
Height (mm)	875	715	715	715
Width (mm)	560	560	560	560
Depth (mm)	550	548	548	548
Performance		•	•	•
Energy efficiency class	A/A	A/A	A/A	A/A
Energy efficiency class in mode static / fan	Static / Fan	Static / Fan	Static / Fan	Static / Fan
Energy consumption fan (kWh)	N/A / 0.86	0.75 / 0.79	N/A / 0.81	N/A / 0.81
Cooktime standard load fan (min)	N/A / 43	47 / 47	N/A / 46	N/A / 46
Energy consumption static (kWh)	0.78 / N/A	0.89 / 0.79	0.78 / N/A	0.78 / N/A
Cooktime standard load static(min)	49 / N/A	50 / 50	49 / N/A	49/ N/A
Largest baking sheet surface area (cm²)	1175	1175	1175	1175
Connected load (W)	4100	5900	4100	4100
Fuse rating (A)	30	30	30	30

TABLES | COMPACTS





	Man Man	
	KSE882220M	KSE782220M
Oven Features		
Digital touch controls	Command Wheel	Touch
Functions	22	22
Digital temperature control	•	•
Fully programmable electronic timer	•	•
Oven door glazing	Four	Four
Cleaning	Steam	Steam
Cooling fan	•	•
Steam	•	•
Volume (Usable)	43	43
Accessories		
Number of shelves	Two	One
Grill / meat pan	•	•
Appliance dimensions Height (mm)	455	455
Width (mm)	594	594
Depth (mm)	567	567
Aperture dimensions		
Height (mm)	450	450
Width (mm)	560	560
Depth (mm)	550	550
Performance		
Energy efficiency class	A+	A+
Energy consumption fan (kWh)	0.69	0.69
Energy efficiency class in mode static / fan	Fan	Fan
Oven temperature range (°C)	30-230°C	30-230°C
Connected load (W)	3000	3000
Fuse rating (A)	13	13
Interior lights	One Halogen	One Halogen

TABLES | COMPACTS





KPE842220M

KPE742220N

	KPE842220M	KPE742220M
Oven Features		
Digital touch controls	Command Wheel	Touch
Functions	20	20
Digital temperature control	•	•
Fully programmable electronic timer	•	•
Oven door glazing	Four	Four
Cleaning	Pyrolytic	Pyrolytic
Cooling fan	•	•
Steam		
Volume (Usable)	43	43
Accessories		
Number of shelves	One	One
Grill / meat pan	•	•
Appliance dimensions		
Height (mm)	455	455
Width (mm)	594	594
Depth (mm)	567	567
Aperture dimensions		33,
Height (mm)	450	450
Width (mm)	560	560
Depth (mm)	550	550
Performance		
Energy efficiency class	A+	A+
Energy consumption fan (kWh)	0.69	0.69
Energy efficiency class in mode static / fan	Fan	Fan
Oven temperature range (°C)	30-300°C	30-300°C
Connected load (W)	3000	3000
Fuse rating (A)	13	13
Interior lights	One Halogen	One Halogen

TABLES |



Features	KKE884500M
Electronic touch controls	Touch
LED display	•
Automatic cappuccino function	•
Pre-programmed coffee selection	•
Water sensor with LED when refill required	•
Steam / water spout with LED indicators	•
Height adjustable coffee dispenser	•
Lamp	•
Dimensions	
Appliance dimensions	
Product height (mm)	455
Product width (mm)	594
Product depth (mm)	361
Built-in dimensions	
Built-in height (mm)	450
Built-in width (mm)	560
Built-in depth (mm)	550
Electrical Connection	
Connected load (W)	1350
Fuse rating (A)	13
Working pressure (bar)	15

TABLES |

COMBL MICPOWAVE

		- CONTRACT			
	ADDITION OF THE PARTY OF THE PA	AMADIE COMMINISTRA	THE PROPERTY OF THE PARTY OF TH	Samonomes	
	- anniminani	<u>amminimum</u>	300000000000000000000000000000000000000	- amminimum	
	40	MI.	No.	**	
	KME861000M	KME761000M	KME561000M	KME721000M	
Oven Features					
Combi microwave, fan oven and grill	•	•	•		
Duo microwave and grill	•	•	•	•	
Solo microwave	•	•	•	•	
Oven volume (litres)	43	43	43	43	
Auto defrost by weight programmes	•		***************************************		
Auto cook by weight programmes	••••••		•••••••••••		
Control type	Command Wheel	Touch	Retractable	Touch	
Electronic clock / programmer	•	•	•	•	
Quickstart	•	•	•	•	
Powersave mode	•	•	•	•	
Programme end signal	•	•	•	•	
Drop down door	•	•	•	•	
Dimensions			•		
Appliance dimensions					
Height (mm)	455	455	455	455	
Width (mm)	594	594	594	594	
Depth (mm)	567	567	567	567	
Built-in dimensions					
Built-in height (mm)	450	450	450	450	
Built-in width (mm)	560	560	560	560	
Built-in depth (mm)	550	550	550	550	
Performance					
Microwave output (W)	1000	1000	1000	1000	
Grill output (W)	1900	1900	1900	1900	
Convection oven output (W)	1650	1650	1650		
Connected load (W)	3000	3000	2000	2000	
Fuse rating (A)	13	13	13	13	


TABLES | WARMING DRAWERS



	KDE912922M	KDK911422M	KDE911422M
Features			
Place settings	12	6	6
Cups and glass warming (40°C)	•	•	•
Plate warming (60°C)	•	•	•
Food warming (80°C max)	•	•	•
Defrosting (30°C max)	•	•	•
Heating element	•	•	•
Fan air circulation	•	•	•
Rotary control knob	•	•	•
Variable temperature control	•	•	•
On / off LED	•	•	•
Anti-slip mat	•	•	•
Temperature range (°C)	30-80	30-80	30-80
Product dimensions			•
Appliance dimensions			
Product height (mm)	295	131	131
Product width (mm)	595	595	595
Product depth (mm)	535	535	535
Built-in dimensions			
Built-in height (mm)	295	140	140
Built-in width (mm)	560	560	560
Built-in depth (mm)	550	550	550
Performance			
Connected load (W)	550	430	430
Fuse rating (A)	13	13	13

TABLES I

ERFESTANDING COOKERS



TABLES | FREESTANDING COOKERS

Grill power (max)





	47102V-MN	17166GM-MN
Oven Features		
T = Top / B = Bottom	T/B	T/B
Control type	Rotary	Rotary
Display	LED	LED
Child lock	•••••••••••	
Fully programmable timer	•	(Minute minder)
Cleaning (both ovens)	Catalytic	Catalytic
Oven doors glazing	Triple	Triple
Cooling fan	•	•
Hob Features		
Hob Type	Ceramic	Gas
Automatic heat up (AUTOMAX)		
Stop + Go		
Residual heat/hob on indicators	•	
Boosters		
Top Oven Features		
Number of cooking functions	3	2
Top oven capacity (usable) litres	40	36
Main Oven Features		
Number of cooking functions	7	1
Main oven capacity (usable) litres	74	83
Keep warm function	/4	ပ၁
Fast heat up	•	
Food probe		
Telescopic Rails		
Zone Specification	, ,,	, ,,,
No. of cooking zones	4 sections	4 sections
Front left spec		
Front left rating (kW)	1.0 / 2.2	3
Front left diameter (mm)	140 / 210	100
Front right spec		
Front right rating (kW)	1.2	1
Front right diameter (mm)	145	54
Rear left spec		
Rear left rating (kW)	1.2	1.9
Rear left diameter (mm)	145	70
Rear right spec		
Rear right rating (kW)	1.8	1.9
Rear right diameter (mm)	180	70
Product Dimensions		
Height (mm)	900	900
Width (mm)	596	596
Depth (mm)	600	600
Performance		000
Oven temperature range (°C)	100-250	30-300
Energy efficiency class	A	A A
	Static / Fan	Static / Static
Energy efficiency class in mode		Static / Static
Energy consumption fan (kWh)	- / 0.95	
Cooking standard load fan (mins)	- / 47	170 / 10
Energy consumption static (kWh)	0.75 / 0.9	1.38 / 1.8
Cooking standard load static (mins)	41 / 51	47 / 47
Connected load (kW)	11.9	5.3
Fuse rating (A)	30	20
Baking tray surface area (cm)	1330	1254
Oven power (max)	2.5 / 3	1.7 / 1.7
Grill nower (may)	10 / 20	27/-

1.9 / 2.9

2.7 / -

TABLES | INDUCTION HOBS

		, 5°5°5°5.			
	HK874400FB	HK674400FB	HK956600FB	HKP85410FB	
Features	MK0/4400FB	HKO/4400FB	HKYSOOUUFB	TRP054IUFB	
Control type	Touch	Touch	Touch	Touch	
Display					
Control position	Front Middle	Front Middle	Front Middle	Front Right	
Bridge function	•	•	•	•	
Automatic heat up (AUTOMAX)	•	•	•	•	
Stop & Go	•	•	•	•	
Residual heat indicator	•	•	•	•	
Öko timer	•	•	•	•	
Minute minder	•	•	•	•	
Count up timer	•	•	•	•	
Pot sensors	•	•	•	•	
Boosters	•	•	•	•	
Child lock	•	•	•	•	
Zone Specification		•••••	•••••	•	
Front left spec	Induction	Induction	Induction	Induction	
Front left rating (W)	2300/3200	2300/3200	2400/3300	2300/3200	
Front left diameter (mm)	210	210	240	220	
Rear left spec	Induction	Induction	Induction	Induction	
Rear left rating (W)	2300/3200	2300/3200	2400/3300	2300/3200	
Rear left diameter (mm)	210	210	240	220	
Front middle spec		•	······	·····	
Front middle rating (W)	············				
Front middle diameter (mm)	······································	•	•	•	
Rear middle spec	Induction	***************************************	Induction	Induction	
Rear middle rating (W)	2300 / 3200		2300/3200	2300/3200	
Rearmiddlediameter(mm)	210	•	210	210	
Front right spec	Induction	Induction	Induction	Induction	
Front right rating (W)	2300 / 3200	2300/3200	2300/3200	1800/2800	
Front right diameter (mm)	210	210	210	180	
Rear right spec		Induction			
Rear right rating (W)	···········	2300/3200	•		
Rear right diameter(mm)		210	••••••	•	
Appliance dimensions		210	•		
Appliance dimensions					
Width (mm)	780	590	910	780	
Depth (mm)	520	520	520	520	
Aperture dimensions	320	520	320	320	
Height (mm)	50	55	50	50	
Width (mm)	750	560	880	750	
Depth (mm)	490	490	490	490	
Electrical Connection	470	470	470	470	
Connected load (W)	7400	7400	7400	7400	
	30	30	30	30	
Fuse rating (A)	30	30	30	30	

Fuse rating (A)

				+ +	
	11 1100 1101	11	11-11-11-11	1	
	HKP65410FB	HKM85510FB	HK854401FB	HK764403FB	
Features			- .		
Control type	Touch	Touch	Touch	Touch	
Display		5	E		
Control position	Front Right	Front Middle	Front Middle	Left & Right	
Bridge function			•	•	
Automatic heat up (AUTOMAX)	·	•	•	•	
top & Go	•	•	•	•	
Residual heat indicator	•	•	•	•	
ko timer	•	•	•	•	
1inute minder	•	•	•	•	
Count up timer	•	•	•	•	
of sensors	•	•	•	•	
oosters	•	•	•	•	
Child lock	•	•	•	•	
one Specification					
ront left spec	Induction	Induction	Induction	Induction	
ront left rating (W)	2300/3200	1400/2500	2300/3200	2300/3200	
ront left diameter (mm)	220	145	210	210	
lear left spec	Induction	Induction	Induction	Induction	
lear left rating (W)	2300/3200	2300/3200	2300/3200	2300/3200	
Rear left diameter (mm)	220	210	210	210	
ront middle spec	••••••	Induction	•	•	
ront middle rating (W)		2300/3200	•	•	
ront middle diameter (mm)		210	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Rear middle spec		•	•	•	
Rear middle rating (W)		•••••	•	•	
Rearmiddlediameter(mm)			•	•••••	
ront right spec	Induction	Induction	Induction	Induction	
ront right rating (W)	1400/2500	1400/2500	2300/3200	2300/3200	
ront right diameter (mm)	145	145	210	210	
lear right spec	Induction	Induction	Induction	Induction	
Rear right rating (W)	1800/2800	2300/3200	2300/3200	2300/3200	
Rear right diameter(mm)	180	210	210	210	
Appliance dimensions		210		210	
ppliance dimensions					
Vidth (mm)	590	780	780	710	
Depth (mm)	520	520	520	520	
perture dimensions	520	320	J20	•	
leight (mm)	55	54	50	55	
···· ·	560	•	•	•	
Vidth (mm) Depth (mm)	490	750 490	750 490	680 490	
	490	470	470	490	
lectrical Connection	7,00	7/00	7/ 00	7/00	
Connected load (W)	7400	7400	7400	7400	

30

30

30

30

TABLES | INDUCTION HOBS

				i i i i i i i i i i i i i i i i i i i
	HK654400FB	HKL85410FB	HK854210FB	HK6542H0FB
Features		T 1	T 1	- ·
Control type	Touch	Touch	Touch	Touch
Display	=	E . B. L.	E . B. L.	E . B. L.
Control position	Front Middle	Front Right	Front Right	Front Right
Bridge function	•	•	•••••	
Automatic heat up (AUTOMAX)	•	•	•	•
Stop & Go	•	•	•	
Residual heat indicator	•	•	•	•
Öko timer	•	•	•	•
Minute minder	•	•	•	•
Count up timer	•	•	•	•
Pot sensors	•	•	•	•
Boosters	•	•	•	•
Child lock	•	•	•	•
Zone Specification				
Front left spec	Induction	Induction	Induction	Induction
Front left rating (W)	1800/2600	2300/3200	1800/2800	2300/3700
Front left diameter (mm)	180	210	180	210
Rear left spec	Induction	Induction	Induction	Induction
Rear left rating (W)	1800/2600	2300/3200	1800/2800	1800/2800
Rear left diameter (mm)	180	210	180	180
Front middle spec		Induction	Induction	***************************************
Front middle rating (W)		1400/2500	1400/2500	
Front middle diameter (mm)		145	145	***************************************
Rear middle spec	***************************************	•	•	***************************************
Rear middle rating (W)		•		
Rearmiddlediameter(mm)		•	•••••	***************************************
Front right spec	Induction	•	•••••	Induction
Front right rating (W)	1800/2600	•	•••••	1400/2500
Front right diameter (mm)	180	•		
Rear right spec	Induction	Induction	Induction	Induction
Rear right rating (W)	1800/2600	2400/3700	2400/3700	1800/2800
Rear right diameter(mm)	180	300	300	180
Appliance dimensions	100			
Appliance dimensions				
Width (mm)	576	780	780	590
Depth (mm)	516	520	520	520
Aperture dimensions	510	520	520	520
	FF			
Height (mm)	55	50	50	55
Width (mm)	560	750	750	560
Depth (mm)	490	490	490	490
Electrical Connection				
Connected load (W)	7400	7400	7400	7400
Fuse rating (A)	30	30	30	30

TABLES | INDUCTION HOBS

	0,0	-G-G	0.0	
	HK654200FB	HK634200XB	HK604200IB	
Features				
Control type	Touch	Touch	Touch	
Display				
Control position	Front Right	Front Right	Front Right	
Bridge function				
Automatic heat up (AUTOMAX)	•			
Stop & Go	•			
Residual heat indicator	•	•	•	
Öko timer	•			
Minute minder	•			
Count up timer	•			
Pot sensors	•	•	•	
Boosters	•	•	•	
Child lock	•	•	•	
Zone Specification	•••••••••••••••••••••••••••••••••••••••	•		
Front left spec	Induction	Induction	Induction	
Front left rating (W)	2300/3700	2300/3700	2300/2800	
Front left diameter (mm)	210	210	210	
Rear left spec	Induction	Induction	Induction	
Rear left rating (W)	1800/2800	1800/2800	1200	
Rear left diameter (mm)	180	180	145	
Front middle spec		•		
Front middle rating (W)		•••••••••••••••••••••••••••••••••••••••		
Front middle diameter (mm)		• • • • • • • • • • • • • • • • • • • •		
Rear middle spec		• • • • • • • • • • • • • • • • • • • •	••••••	
Rear middle rating (W)	······································	•••••••••••••••••••••••••••••••••••••••		
Rearmiddlediameter(mm)	······································	•		
Front right spec	Induction	Induction	Induction	
Front right rating (W)	1400/2500	1400/2500	1200/1800	
Front right diameter (mm)		145	145	
Rear right spec	Induction	Induction	Induction	
Rear right rating (W)	1800/2800	1800/2800	1800	
Rear right diameter(mm)	180	180	180	
Appliance dimensions	100	100		
Appliance dimensions				
Width (mm)	590	590	590	
Depth (mm)	520	520	520	
Aperture dimensions	320	320	320	
Height (mm)	55	55	60	
Width (mm)	560	560	560	
Depth (mm)	490	490	490	
Electrical Connection	470	470	470	
Connected load (W)	7400	7400	3000	
	30	•		
Fuse rating (A)	30	30	13	

TABLES | CERAMIC HOBS

	000	1000A	
	HK955070FB	HK854080FB	HK764070FB
Features			
Control type	Touch	Touch	Touch
Control position	Front Middle	Front Middle	Left & Right
Automatic heat up (AUTOMAX)		•	•
Stop & Go	•		•
Residual heat indicator	•	•	•
Minute minder	•	•	•
Count up timer	•	•	•
Child lock	•	•	•
Zone Specification			
Front left spec	Hilight	Dual Hilight	Triple Hilight
Front left rating (W)	1800	700 / 1700	800 / 1600 / 2300
Front left diameter (mm)	180	120 / 180	120 / 175 / 210
Rear left spec	Hilight	Hilight	Hilight
Rear left rating (W)	1200	1200	1200
Rear left diameter (mm)	145	145	145
Front middle spec			
Front middle rating (W)			
Front middle diameter (mm)		•	•••••
Rear middle spec	Triple Hilight	Triple Hilight	
Rear middle rating (W)	1050 / 1950 / 2700	1050 / 1950 / 2700	***************************************
Rearmiddlediameter(mm)	145 / 210 / 270	145 / 210 / 270	
Front right spec	Hilight	•	Hilight
Front right rating (W)	1800	••••••	1800
Front right diameter (mm)	180		180
Rear right spec	Dual Hilight	Dual Hilight	Dual Hilight
Rearrightrating (W)	1400 / 2200	1400 / 2200	1400 / 2200
Rear right diameter(mm)	170 / 265	170 / 265	170 / 265
Appliance dimensions	••••••	•	
Appliance dimensions			
Width (mm)	910	780	710
Depth (mm)	520	520	520
Aperture dimensions		•	
Height (mm)	50	50	38
Width (mm)	880	750	680
Depth (mm)	490	490	490
Electrical Connection			
Connected load (kW)	7900	7800	7500
Fuse rating (A)	30	30	30

TABLES | CERAMIC HOBS

Connected load (kW)

Fuse rating (A)



7000

30

6400

30

6400

30

TABLES | GAS HOBS







	HG995440NB	HG753431NB	HG653431NB
Features			
Ignition type	Integral	Integral	Integral
Control position	Front Middle	Front Middle	Front Middle
LED display	Red	Red	Red
Pan Supports	Cast Iron	Cast Iron	Cast Iron
Safety thermocouples	•	•	•
Zone Specification			
Front left spec	Auxiliary Burner	Semi Rapid Burner	Auxiliary Burner
Front left rating (Wh)	1000	1900	1000
Front left diameter (mm)	54	70	54
Rear left spec	Semi Rapid Burner	Semi Rapid Burner	Rapid Burner
Rear left rating (Wh)	1900	1900	2900
Rear left diameter (mm)	70	70	100
Front middle spec			
Front middle rating (Wh)		•	•••••
Front middle diameter (mm)			
Rear middle spec	Triple Crown Burner	Triple Crown Burner	
Rear middle rating (Wh)	3800	3800	
Rear middle diameter (mm)	122	122	
Front right spec	Semi Rapid Burner	Auxiliary Burner	Semi Rapid Burner
Front right rating (Wh)	1900	1000	1900
Front right diameter (mm)	70	54	70
Rear right spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	1900	1900	1900
Rear right diameter (mm)	70	70	70
Max gas power (W)	10500	10500	7700
Dimensions			
Appliance dimensions			
Width (mm)	880	740	590
Depth (mm)	510	510	520
Aperture dimensions			•
Height (mm)	40	45	30
Width (mm)	830	560	560
Depth (mm)	480	480	480
Electrical Connection			
Fuse rating (A)	13	13	13









		.OS	

	HG956440SM	HG75SY5451	HG755551SY	HG745451SM
Features				
Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Middle	Front Left & Right	Front Middle
LED display				
Pan Supports	Cast Iron	Cast Iron	Cast Iron	Enamel
Safety thermocouples	•	•	•	•
Zone Specification				
Front left spec	Rapid Burner	Semi Rapid Burner		Semi Rapid Burner
Front left rating (Wh)	3000	2000		2000
Front left diameter (mm)	100	70		70
Rear left spec	Auxiliary Burner	Semi Rapid Burner	Triple Crown Burner	Semi Rapid Burner
Rear left rating (Wh)	1000	2000	4000	2000
Rear left diameter (mm)	54	70	122	70
Front middle spec	Semi Rapid Burner		Semi Rapid Burner	
Front middle rating (Wh)	2000		2000	
Front middle diameter (mm)	70	•••••••••••	70	•
Rear middle spec	Semi Rapid Burner	Triple Crown Burner	Semi Rapid Burner	Triple Crown Burner
Rear middle rating (Wh)	2000	4000	2000	4000
Rear middle diameter (mm)	70	122	70	122
Front right spec	Triple Crown Burner	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner
Front right rating (Wh)	4000	1000	1000	1000
Front right diameter (mm)	122	54	54	54
Rear right spec	Auxiliary Burner	Rapid Burner	Rapid Burner	Rapid Burner
Rear right rating (Wh)	1000	3000	3000	3000
Rear right diameter (mm)	54	100	100	100
Max gas power (W)	13000	12000	12000	12000
Dimensions		•		•
Appliance dimensions				
Width (mm)	894	744	745	744
Depth (mm)	510	510	510	510
Aperture dimensions				
Height (mm)	80	40	40	40
Width (mm)	830	560	560	560
Depth (mm)	480	480	480	480
Electrical Connection				
Fuse rating (A)	13	13	13	13

TABLES | GAS HOBS







Features	HG65SY4551	HG654351SM	HG644351SM
Ignition type	Integral	Integral	Integral
Control position	Front Right	Front Right	Front Right
LED display	Trom rigin	Trom Ngm	Trom Ngm
Pan Supports	Cast Iron	Cast Iron	Enamel
Safety thermocouples	Casilloli	Casi IIOII	Litalilei
Zone Specification	•		
Front left spec	Triple Crown Burner	Rapid Burner	Triple Crown Burner
Front left rating (Wh)	4000	3000W/100mm	4000
Front left diameter (mm)	122	300044/10011111	122
Rear left spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear left rating (Wh)	2000	2000	2000
Rear left diameter (mm)	70	70	70
Front middle spec			
Front middle rating (Wh)	······································	•••••	
Front middle diameter (mm)		•	••••
Rear middle spec		•	
Rear middle rating (Wh)		•	
Rear middle diameter (mm)		***************************************	•
Front right spec	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner
Front right rating (Wh)	1000	1000	1000
Front right diameter (mm)	54	54	54
Rear right spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	2000	2000	2000
Rear right diameter (mm)	70	70	70
Max gas power (W)	9000	8000	9000
Dimensions	•	•	
Appliance dimensions			
Width (mm)	595	595	595
Depth (mm)	510	510	510
Aperture dimensions			
Height (mm)	40	40	40
Width (mm)	560	560	560
Depth (mm)	480	480	480
Electrical Connection			
Fuse rating (A)	13	13	13

TABLES | HOODS

	- January III - January II		
DBB5960HM/ DBB5760HM/	DBB2160M	DKB5960HM/	DKB3950M/

DBB5660HM

DKB5660HM

DKB3650M

Control Type	Touch on glass	Push buttons	Touch on glass	Mechanical push buttons
Hob2Hood	•	•	•	•
Fan speed	3+boost	4	3+boost	3
Breeze function	•	•	•	
Lights	LED	Halogen spotlight	LED	Halogen spotlight
No of Lamp x W	2 x 2.5 W	2 x 40 W	2 x 2.5 W	2 x 20 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	TYPE15	TYPE150	TYPE15	TYPE15
Ultra charcoal filter	Accessory		Accessory	Accessory
Ultra charcoal filter type	SUPCHARC-E		SUPCHARC-E	SUPCHARC-E
Grease filter type	Stainless steel design filter	Stainless steel design filter	Stainless steel design filter	Aluminium Cassette
Ducted maximum (ca. m3/h)	352	669	352	603
Ducted boost (ca. m3/h)	779		779	-
Noise (max. setting) ducted (dB(A))	54	71	54	69
Recirculation maximum (ca. m3/h)	302	510	302	400
Recirculation boost (ca. m3/h)	524	•••	524	-
Noise (max. setting) recirculation (dB(A))	75	71	62	75
Annual Energy consumption, KWh/annum	57.7	128.6	57.7	81.9
Energy efficiency class	A	D	A	С
Fluid dynamic efficiency	30.5	17.8	30.5	28
Fluid dynamic efficiency class	A	D	A	В
Lighting efficiency	29	13	29	5
Lighting efficiency class	A	D	A	F
Grease filter efficiency	76	76	76	76
Grease filter efficiency class	С	C	C	С
Off mode power, W	••••••			•••••
Stand-by power, W	0.49	•	0.99	•••••••••••
Installation height from		•	••••••	•••••••••••
Minimum distance from cooking top ELECTRIC	50	65	50	50
Minimum distance from cooking top GAS	65	75	65	65
Dimensions				
Width	898 / 698 / 598	1000	898 / 598	898 / 598
Depth	500	515	500	500
height max	1155	1230	1090	1090
Height of body	60	160	140	140
Other	•	•	***************************************	•
Air Outlet	150	150	150	150

TABLES | HOODS



DTB3650M

DVB3850M/ DVB3550M DVB3850B/ DVB3550B

DDE5980G

Feature

Control Type	Mechanical push buttons	Mechanical push buttons	Mechanical push buttons	Touch on glass
Hob2Hood				
Fan speed	3	3	3	3+2 boost
Breeze function				•
Lights	Halogen spotlight	Halogen spotlight	Halogen spotlight	LED stripe
No of Lamp x W	2 x 40 W	2 x 20 W	2 x 20 W	1 x 7 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	TYPE15	TYPE57	TYPE57	EFB1061
Ultra charcoal filter	Accessory	•••••••••••••••••	•••••••••••••	
Ultra charcoal filter type	SUPCHARC-1	•••••	•	
Grease filter type	Aluminium Cassette	Aluminium Cassette	Aluminium Cassette	Aluminium Cassette
Ducted maximum (ca. m3/h)	603	647	647	350
Ducted boost (ca. m3/h)				700
Noise (max. setting) ducted (dB(A))	70	67	67	54
Recirculation maximum (ca. m3/h)	399	432	432	335
Recirculation boost (ca. m3/h)	***************************************	•	•	680
Noise (max. setting) recirculation (dB(A))	73	74	74	61
Annual Energy consumption, KWh/annum	81.9	80.1	80.1	59.5
Energy efficiency class	C	С	C	A
Fluid dynamic efficiency	28	29	29	30
Fluid dynamic efficiency class	В	Α	Α	Α
Lighting efficiency	9	5	5	28.1
Lighting efficiency class	E	F	F	Α
Grease filter efficiency	86	66	66	65.1
Grease filter efficiency class	В	D	D	D
Off mode power, W		•••••	0	0.85
Stand-by power, W	-	•••••	0	0
Installation height from		•••••	•	
Minimum distance from cooking top ELECTRIC	50	45	45	0
Minimum distance from cooking top GAS	65	50	50	5
Dimensions			•	
Width	498	800 / 550	800 / 550	880
Depth	452	339	339	95
height max	1092	516		407
Height of body	22	516	516	407
Other				
Air Outlet	150	150	150	150

TABLES | HOODS







DPB2920M/DPB2620M

DGB2750M

DEB2630S

Features

Control Time	Mechanical slider;	Clida control + bac-t	Floatronic di
Control Type	Micro switch	Slide control + boost	Electronic slider
Hob2Hood			
Fan speed	3	4	Continuous+boost
Breeze function			
Lights	Halogen bulb	Halogen spotlight	Compact fluorescent lamp
No of Lamp x W	2 x 28 W	2 x 20 W	2 x 7 W
Charcoal filter	Included	Included	Included
Charcoal filter type	TYPE58	type200	type 57
Ultra charcoal filter			
Ultra charcoal filter type			
Grease filter type	Aluminium Cassette	Stainless Steel	Aluminium Cassette
Ducted maximum (ca. m3/h)	320	647	352
Ducted boost (ca. m3/h)			
Noise (max. setting) ducted (dB(A))	67	71	62
Recirculation maximum (ca. m3/h)	155	331	240
Recirculation boost (ca. m3/h)			
Noise (max. setting) recirculation (dB(A))	68	71	65
Annual Energy consumption, KWh/annum	95.2	136.3	106.1
Energy efficiency class	D	D	D
Fluid dynamic efficiency	11.2	16	8
Fluid dynamic efficiency class	Е	D	F
Lighting efficiency	3	9	9
Lighting efficiency class	G	E	E
Grease filter efficiency	66	76	66
Grease filter efficiency class	D	C	D
Off mode power, W			
Stand-by power, W			
Installation height from			
Minimum distance from cooking top ELECTRIC	50	50	50
Minimum distance from cooking top GAS	65	70	70
Dimensions			
Width	898/598	724	598
Depth	280	289	270
height max	180	252	400
Height of body	40	252	400
Other			
Air Outlet	120	150	120

BILLT-IN DISHCARE

F	FSS62800P	FSE83710P	FSS62700P	FSS62600P
Features Capacity (number of IEC place settings)	13	15	15	13
XXL Tub (large interior)	•	•	•	•
Control type	Electronic	Touch Control	Electronic	Electronic
Number of temperatures	4	5	4	4
Number of programmes	6	8	6	6
Automatic 45°C - 70°C programme	•	•	•	•
Quickwash 60°C, 30min programme Eco Programme		•		•
Intensive advanced 70°C programme	•	•	•	•
Glass 45°C programme	•	•	•	•
Rinse and Hold Programme		•		
Extra silent Programme	•	•	•	•
ProZone Programme		•	•	•
ExtraHygiene option TimeSaver option		•		•
XtraDry option	•	•	•	•
AirDry technology (Automatic door opening)	•	•	•	•
Auto half load	•	•	•	•
Glass care, Soft Spikes	•		•	•
Glass care, Soft Grips	•	•	•	•
Delay start	•	•	•	
Time remaining ComfortLift	•	•	•	•
Satellite spray arm	•	•	•	•
Ceiling spray arm	•	•	•	•
Height adjustable upper basket	•	•	•	•
Foldable plate racks - bottom basket	•	•	•	•
Foldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer Moveable cutlery basket	•	•	•	
Time beam - spotlight		•		
Lightbeam - time indicator projected on floor	•	•	•	•
Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges
Dimensions				
Appliance dimensions	818			
Height Width	596	818 596	818 596	818 596
Depth	550	550	550	550
Aperture dimensions		***************************************	• • • • • • • • • • • • • • • • • • • •	
Built-in height	820-900	820-900	820-900	820-880
Built-in width	600	600	600	600
Built-in depth	570	570	570	570
Furniture door dimensions Door height (min - max)	670-820	670-820	670-820	670-820
Door weight (min - max)	1.5-10	1.5-10	1.5-10	1.5-10
Performance				
Declared Programme	ECO 50	ECO 50	ECO 50	ECO 50
Energy efficiency class	A++	A+++	A++	A++
Energy efficiency index	55.9 262	49.9 241	55.9 262	55.9 262
Annual energy consumption Annual water consumption	3080	3080	3080	2940
Energy consumption	0.961	0.857	0.961	0.932
Water consumption	11	11	11	10.5
Drying performance	Α	A	Α	ΑΑ
Maximum noise level	44	44	44	44
Cleaning performance Programme time (min)	A 225	A 225	A 225	A 225
Stand-by power (W)	0.1	0.1	0.1	0.1
Off mode power (W)	0.1	0.1	0.1	0.1
Left-on mode power (W)	5	5	5	5
Left-on mode duration min	. 5	. 5	5	. 5
Auto switch off (end of programme)	•	•	•	•
Other Voltage	220-240	220-240	220-240	220-240
Voltage Frequency	50/60	50/60	50/60	50/60
Connected load	1550-2200	1550-2200	1550-2200	1550-2200
		10	10	10
Fuse rating	10			
Minimum water pressure 1 bar / 15 psi	•	•	•	•
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4" BSP thread hose connection			•	•
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener	•	•	•	· · · · · · · · · · · · · · · · · · ·
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max. 60 degrees)	• • Cold or Hot	Cold or Hot	• • Cold or Hot	Cold or Hot
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4" BSP thread hose connection Water softener Water supply (Max. 60 degrees) Salt refill indicator	•	•	•	Cold or Hot
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max. 60 degrees)	• • Cold or Hot	Cold or Hot	• • Cold or Hot	Cold or Hot
Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max. 60 degrees) Salt refill indicator Rinse aid refill indicator	• • Cold or Hot	Cold or Hot	• • Cold or Hot	Cold or Hot

	FSS52610Z	FSS52615Z	FSB41600Z	FEE62600PM
Features (150 h 1150 h		47	47	47
Capacity (number of IEC place settings) XXL Tub (large interior)	13	13	13	13
Control type	• Electronic	Electronic	Electronic	• Electronic
Number of temperatures	4	4	4	4
Number of programmes	6	5	5	6
Automatic 45°C - 70°C programme	•	•	•	•
Quickwash 60°C, 30min programme	•	•	•	•
co Programme	•	•	•	•
ntensive advanced 70°C programme	•	•	•	•
Glass 45°C programme	•	•	•••••••••••	•
Rinse and Hold Programme			•	
xtra silent Programme	•			•
roZone Programme				
xtraHygiene option	•			•
imeSaver option	•	•		
traDry option	•	•	•	•
irDry technology (Automatic door opening)	•	•	•	•
uto half load	•	•	•	•
lass care, Soft Spikes	•	•		•
lass care, Soft Grips	•			•
elay start	•	•	•	•
ime remaining	•	•	•	•
omfortLift				
atellite spray arm	•	***************************************	•	•
eiling spray arm	•			•
leight adjustable upper basket	•	•	•	•
oldable plate racks - bottom basket	•	•	•	•
oldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer				
Noveable cutlery basket	•	•	•	•
ime beam - spotlight			•••••••••••	
ightbeam - time indicator projected on floor	•	•		
linges	Sliding Hinges	Sliding Hinges	Sliding hinges	Double Fulcrum
Dimensions				
oppliance dimensions				
leight	818	818	818	818
Vidth	596	596	596	596
Pepth	550	550	550	575
perture dimensions			•••••	
Built-in height	820-900	820-880	820-880	820-900
Built-in width	600	600	600	600
Built-in depth	570	550	550	570
urniture door dimensions			•••••	
Door height (min - max)	670-820	645-776	645-776	570-655
oor weight (min - max)	1.5-10	2.0-10	2.0-10.0	1.5-8.0
erformance				
Peclared Programme	ECO 50	ECO 50	ECO 50	ECO 50
nergy efficiency class	A++	A++	A+	A++
nergy efficiency index	55.9	55.9	62.9	55.9
nnual energy consumption	262	262	295	262
nnual water consumption	2940	2775	2775	2940
nergy consumption	0.932	0.932	1.05	0.932
later consumption	9.9	9.9	9.9	10.5
rying performance	Α	A	A	A
1aximum noise level	44	45	47	44
leaning performance	A	A	A	A
rogramme time (min)	240	240	240	225
tand-by power (W)	0.1	0.1	0.1	0.1
off mode power (W)	0.1	0.1	0.1	0.1
eft-on mode power (W)	5	5	5	5
eft-on mode duration min	5	5	5	5
uto switch off (end of programme)	•	•	•	•
ther				
oltage	220-240	220-240	220-240	200-240
equency	50/60	50/60	50/60	50/60
onnected load	1550-2200	1550-2200	1550-2200	1550-2200
use rating	10	10	10	10
finimum water pressure 1 bar / 15 psi	•	•	•	
nlet hose with 3/4" BSP thread hose connection			•	•••••••••••••••••••••••••••••••••••••••
later softener	•	•		······································
vater soffener Vater supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
	······	••••••	•	***************************************
alt refill indicator		•	•	•
Rinse aid refill indicator	•	•	•	•
Vater hardness setting	•	•	•	•
Water hardness setting Fop and side fixing brackets Worktop steam protection	•			•

BILLT-IN DISHCARE

	FEB52600ZM	FSS63400P	FSB51400Z	
Features				
Capacity (number of IEC place settings) XXL Tub (large interior)	13	9	9	
Control type	Electronic	Electronic	Electronic	
Number of temperatures	4	4	4	
Number of programmes	5	7	5	
Automatic 45°C - 70°C programme	•	•	•	
Quickwash 60°C, 30min programme	•	•		
Eco Programme	•	•	•	
ntensive advanced 70°C programme	•	•	•	
Glass 45°C programme	•	•	•	
Rinse and Hold Programme				
Extra silent Programme	·····	•		
ProZone Programme ExtraHygiene option	·····			
TimeSaver option	•			
XtraDry option	•			
AirDry technology (Automatic door opening)	•	•	•	
Auto half load	•	•	•	
Glass care, Soft Spikes	•	•	•	
Glass care, Soft Grips	•			
Delay start	•	•	•	
Time remaining	•	•	•	
ComfortLift				
Satellite spray arm		•		
Ceiling spray arm		•		
Height adjustable upper basket	•	•	•	
Foldable plate racks - bottom basket	•	•	•	
Foldable cup shelves - bottom basket	•	•	•	
Removable cutlery drawer		•		
Moveable cutlery basket	•	•	•	
Time beam - spotlight		•		
Lightbeam - time indicator projected on floor	6 11 - 1	et t	• ·	
Hinges	Double Fulcrum	Sliding hinges	Sliding hinges	
Dimensions				
Appliance dimensions	010	010	010	
Height Width	818 596	818	818 446	
Width		446		
Depth	575	550	550	
Aperture dimensions	820-880	820-900	820-900	
Built-in height	820-880 600	820-900 450	820-900 450	
Built-in width Built-in depth	550	450 550	450 550	
Built-in depth Furniture door dimensions	***************************************		•	
Door height (min - max)	528-598	645-776	645-776	
Door weight (min - max)	2.0-8.0kg	2.0-6.0KG	2.0-6.0kg	
Performance	2.0 0.0kg	2.0 0.0KG	2.0 0.0kg	
Declared Programme	ECO 50	ECO 50	ECO 50	
Energy efficiency class	A++	A+++	A+	
Energy efficiency index	55.9	49.9	62.9	
Annual energy consumption	262	176	222	
Annual water consumption	2775	2775	2775	
Energy consumption	0.932	0.625	0.789	
Water consumption	9.9	9.9	9.9	
Drying performance	A	A	A	
Maximum noise level	47	44	47	
Cleaning performance	A	A	A	
Programme time (min)	240	240	245	
Stand-by power (W)		0.1	0.1	
Off mode power (W)	0.1	0.1	0.1	
Left-on mode power (W)			. 5	
Left-on mode duration min				
Auto switch off (end of programme)	•	•	•	
Other				
/oltage	220-240			
Frequency	50/60			
Connected load				
Fuse rating (45)				
Minimum water pressure 1 bar / 15 psi	•	•	•	
nlet hose with 3/4" BSP thread hose connection				
Water softener	Cold Ll-4	Cold collect	Caldenti	
Water supply (Max. 60 degrees)				
Salt refill indicator	•	•		
Rinse aid refill indicator				
Water hardness setting	•	•	•	
Top and side fixing brackets Worktop steam protection	•	•	•	

TABLES | FREESTANDING DISHCARE

Features	FFE83700PM	FFE63700PW / M	FFS62700PW	FFE62620PW / N
Capacity (number of IEC place settings)	15	15	15	13
(XL Tub (large interior)				
Control type	Touch Control	Electronic	Electronic	Electronic
lumber of temperatures lumber of programmes	5 8	5 7	4 6	4
utomatic 45°C - 70°C programme	•	•	•	•
Puickwash 60°C, 30min programme	•	•	•	•
co Programme	•	•	•	•
ntensive advanced 70°C programme	•	•	•	•
lass 45°C programme	•	•	•	•
inse and Hold Programme xtra silent Programme	.			
roZone Programme				
xtraHygiene option	•	•	•	•
imeSaver option	•	•	•	•
traDry option		•		•
irDry technology (Automatic door opening)		•	•	•
uto half load	····	•	•	······································
lass care, Soft Spikes lass care, Soft Grips				
elay start				
ime remaining	•	•	•	•
omfortLift				
atellite spray arm	•	•	•	•
eiling spray arm	•	•	•	•
eight adjustable upper basket	•			•
oldable plate racks - bottom basket oldable cup shelves - bottom basket	<u>.</u>			•
emovable cutlery drawer				
loveable cutlery drawer	<u>.</u>			•
ime beam - spotlight	···· •			······
ightbeam - time indicator projected on floor				
inges	.			
imensions				
ppliance dimensions	850	850	850	050
eight ⁽ idth	596	596	596	850 596
epth	610	610	610	610
perture dimensions				
uilt-in height				
uilt-in width				
uilt-in depth				
urniture door dimensions				
oor height (min - max) oor weight (min - max)				
erformance				
eclared Programme	ECO 50	ECO 50	ECO 50	ECO 50
nergy efficiency class	A+++	A+++	A++	A++
nergy efficiency index	49.9	49.9	55.9	55.9
nnual energy consumption	241	241	262	262
nnual water consumption	3080	3080	2860	2860
nergy consumption later consumption	0.857 11	0.857 11	0.932 10.2	0.932 10.2
rying performance			10.2 A	10.2 A
aximum noise level	42	44	44	44
eaning performance	A	A	A	A
ogramme time (min)	225	225	255	225
and-by power (W)	0.1	0.1	0.1	0.1
ff mode power (W)	0.1	0.1	0.1	0.1
eft-on mode power (W) eft-on mode duration min	5	5	5	5
uto switch off (end of programme)	5	5 •	5 •	5
ther				
oltage	200-240	200-240	200-240	200-240
equency	50/60	50/60	50/60	50/60
onnected load	1550-2200	1550-2200	1550-2200	1550-2200
use rating	10	10	10	10
linimum water pressure 1 bar / 15 psi llet hose with 3/4" BSP thread hose connection		•		
let hose with 3/4" BSP thread hose connection /ater softener	·····		•	•
ater sottener /ater supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
alt refill indicator	•	•	• • • • • • • • • • • • • • • • • • •	•
nse aid refill indicator	•	•	•	•
ater hardness setting	•	•	•	•
op and side fixing brackets				
orktop steam protection				

TABLES |

FREESTANDING DISHCARE

	FFB53600ZW / M	FFB41600ZW	FFB62400PW
Features	47	47	
Capacity (number of IEC place settings) XXL Tub (large interior)	13	13	9
Control type	Electronic	Electronic	Electronic
Number of temperatures	4	4	4
Number of programmes	5	4	6
Automatic 45°C - 70°C programme	•	•	•
Quickwash 60°C, 30min programme	•	•	•
Eco Programme	···-	•	•
ntensive advanced 70°C programme Normal 65°C Programme	····	•	•
Glass 45°C programme	······································		•
Rinse and Hold Programme			••••••••
Extra silent Programme			•
ProZone Programme			
ExtraHygiene option	•	•	•
TimeSaver option	•		•
XtraDry option	•	•	•
AirDry technology (Automatic door opening)	···•	•	•
Auto half load	•	•	•
Glass care, Soft Spikes Glass care, Soft Grips			•
Delay start	•	•	•
Time remaining		•	•
ComfortLift			•
Satellite spray arm			•
Ceiling spray arm	•		•
Height adjustable upper basket	•	•	•
Foldable plate racks - bottom basket	•		•
Foldable cup shelves - bottom basket			•
Removable cutlery drawer Moveable cutlery basket	•		
Time beam - spotlight			•
Lightbeam - time indicator projected on floor			•••••
Hinges			
Dimensions			••••••
Appliance dimensions			•••••
Height	850	850	850
Width	600	600	446
Depth	625	625	615
Aperture dimensions			•••••
Built-in height Built-in width			
Built-in depth			•
Furniture door dimensions			
Door height (min - max)			•••••
Door weight (min - max)			
Performance			
Declared Programme	ECO 50	ECO 50	ECO 50
Energy efficiency class	A+++	A+	A++
Energy efficiency index	49.9	62.9	55.8
Annual energy consumption	234	295	197
	···· •······	2775	
Annual water consumption	2775	2775 105	2775
Annual water consumption Energy consumption	2775 0.832	1.05	0.7
Annual water consumption Energy consumption Water consumption	2775 0.832 99	1.05 9.9	
Annual water consumption Energy consumption Water consumption Drying performance	2775 0.832 99	1.05	0.7
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance	2775 0.832 99 A 44 A	1.05 9.9 A 47 A	0.7 9.9 A 45 A
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min)	2775 0.852 9.9 A 44 A 240	1.05 9.9 A 47 A 240	0.7 9.9 A 45 A 243
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W)	2775 0.852 99 A 44 A 240	1.05 9.9 A 47 A 240	0.7 99 A 45 A 243
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W)	2775 0.832 99 A 44 A 240 0.1	1.05 9.9 A 47 A 240 0.1	0.7 9.9 A 45 A 243 0.1
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W)	2775 0.832 99 A 44 A 240 0.1 0.1	1.05 9.9 A 47 A 240 0.1 0.1 5	0.7 9.9 A 45 A 243 0.1 0.1 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Left-on mode power (W) Left-on mode duration min	2775 0.852 99 A 44 A 240 0.1 0.1 5 5	1.05 9.9 A 47 A 240 0.1 0.1 5	0.7 9.9 A 45 A 243 0.1 0.1 5.
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme)	2775 0.852 99 A 44 A 240 0.1 0.1 5 5	1.05 9.9 A 47 A 240 0.1 0.1 5	0.7 9.9 A 45 A 243 0.1 0.1 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Doff mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other	2775 0.832 99 A 44 A 240 0.1 0.1 5 5	1.05 9.9 A 47 A 240 0.1 0.1 5 5	0.7 9.9 A 45 A 243 0.1 0.1 5 5
Annual water consumption Energy consumption Water consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Driher Voltage	2775 0.832 9.9 A 44 A 240 0.1 0.1 5 5 5	1.05 9.9 A 47 A 240 0.1 0.1 5 5	07 99 A. 45 A. 243 01 01 5 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency	2775 0.852 9.9 A 44 A 240 0.1 0.1 5 5 200-240 50/60	1.05 9.9 A 47 A 240 0.1 0.1 5 5	07 99 A 45 A 243 0.1 0.1 5 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Energy consumption	2775 0.832 99 A 44 A 240 0.1 0.1 5 5 5 200-240 50/60 1550-2200	1.05 9.9 A 47 A 240 0.1 0.1 5 5 - 200-240 50/60 1550-2200	07 99 A 45 A 243 0.1 0.1 5 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Energy consumption	2775 0.832 99 A 44 A 240 0.1 0.1 5 5 5 200-240 50/60 1550-2200	1.05 9.9 A 47 A 240 0.1 0.1 5 5 - 200-240 50/60 1550-2200	0.7 9.9 A. 45 A. 243 0.1 0.1 5 5 - - 220-240 50/60 1550-220
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fruser atting Minimum water pressure 1 bar / 15 psi	2775 0.832 99 A 44 A 240 0.1 0.1 5 5 5 - 200-240 50/60 1550-2200	1.05 9.9 A 47 A 240 0.1 0.1 5 5 - 200-240 50/60 1550-2200 10	07 99 A A 45 A 243 0.1 0.1 5 5 - 220-240 50/60 1550-220 10
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fuse rating Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener	2775 0.832 9.9 A 44 A 240 0.1 0.1 5 5 5 1 200-240 550/60 150-2200	1.05 9.9 A 47 A 240 0.1 0.1 5 5 - 200-240 50/60 1550-2200	0.7 9.9 A. 45 A. 243 0.1 0.1 5 5 5 • 220-240 50/60 1550-220 10
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fuse rating Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max. 60 degrees)	2775 0.832 99 A 44 A 240 0.1 0.1 5 5	1.05 9.9 A 47 A 240 0.1 0.1 5 5 5 - 200-240 50/60 1550-2200 10 • • Cold or Hot	07 99 A A 45 A 243 0.1 0.1 5 5 5 220-240 50/60 1550-220 10 Cold or Hot
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fres aring Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max. 60 degrees) Salt refill indicator	2775 0,832 9,9 A 44 A 240 0,1 0,1 5 5 5 200-240 50/60 1550-2200 10 • • • • Cold or Hot	1.05 9.9 A 47 A 240 0.1 0.1 5 5 - 200-240 50/60 1550-2200 10 Cold or Hot	07 99 A 45 A 45 A . 243 0.1 0.1 5 5
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fuse rating Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water supply (Max, 60 degrees) Salt refill indicator Rinse aid refill indicator	2775 0.852 9.9 A 44 A 240 0.1 0.1 5 5 - 200-240 .50/60 1550-2200 10 Cold or Hot	1.05 9.9 A 47 A 240 0.1 0.1 5 5 • • 200-240 50/60 1550-2200 10 • • Cold or Hot	0.7 9.9 A 45 A 45 O.1 0.1 0.1 5 5 • 220-240 50/60 1550-220 10 • • Cold or Hot
Annual water consumption Energy consumption Water consumption Drying performance Maximum noise level Cleaning performance Programme time (min) Stand-by power (W) Off mode power (W) Left-on mode power (W) Left-on mode duration min Auto switch off (end of programme) Other Voltage Frequency Connected load Fruse rating Minimum water pressure 1 bar / 15 psi Inlet hose with 3/4* BSP thread hose connection Water softener Water softener Water softener Water supply (Max. 60 degrees) Salt refill indicator	2775 0.852 9.9 A 44 A 240 0.1 0.1 5 5 - 200-240 .50/60 1550-2200 10 Cold or Hot	1.05 9.9 A 47 A 240 0.1 0.1 5 5 • • 200-240 50/60 1550-2200 10 • • Cold or Hot	0.7 9.9 A 45 A 45 O.1 0.1 0.1 5 5 • 220-240 50/60 1550-220 10 • • Cold or Hot

Stacking kit

TABLES | LAUNDRY WASHING MACHINES









	L9FEC966R	L9FEC946R	L8FEC966R	L8FEC946R
Overview				
Wash capacity (kg)	9	9	9	9
Spin speed (rpm)	1600	1400	1600	1400
Display	Large LED	Large LED	Large LED	Large LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Technology				
2000 Series Softwater	•	•		
3000 Series ÖKOMix	······································	•	·	······································
7000 Series ProSteam	··············	•	•	······
6000 Series ProSense		•	•	•
Programmes				
Cotton	•	•	•	•
Synthetics		•	•	
Cotton Economy		•		•••••
Delicate	<u>.</u>	•	•	•
ColourPro	•	•		•
Wool/silk		•	•	•
Antiallergy		•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower	•	•	•	•
Outdoor	•	•	•	•
Cotton 20		•		
Duvets		•	•	•
Easy Iron Spin / Drain	······································	•		•••••
	·············	•		•••••
Sport		•	•	•••••
Options				
Delay start		•	•	•
Soft Plus			•••••	
Spin selection	<u>.</u>	•	•	•
Start/pause	······································	•	•	•
Plus Steam	······································	•	•	•
Stains/Prewash		•	•	•
Rinse		•		
Extra rinse	······································	•	•	•
Time saving	······································	•	•	•
Economy	······	•		•
Eco Features	•	•	•	•
Inverter Motor		•	•	•
Auto Off		•	•••••	•
LED Drum Light	······	•		•
Protex Drum		•	•	•
Accreditation				
Wool Mark	Green	Green	Green	Green
P&G	Premium	Premium	Premium	Premium
Performance				
Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A	В	Α	В
Annual energy consumption (kWh)	64	58	120	120
Annual water consumption (litres)	10800	11000	10800	10800
Washing noise (dB(A) re 1pW)	47	47	47	. 47
Spinning noise (dB(A) re 1pW)	75	. 73	75	73
Stand-by power (W)	1,00	1,00	1,00	1,00
Left-on Mode power (W/5Min)	0,30	0,30	0,30	0,30
Programme Performance*				
Load (kg)	9	9	9	9
Energy (kWh)	0.32	0.29	0.6	0.6
Water (litres)	54	55	54	54
Duration (mins)	268	258	238	238
Programme Performance =				
Standard Cotton 60°C, full load.		•		
Dimensions				
				850
Height (mm)	850	850	850	030
	850 600	850 600	850 600	
Width (mm)				600 605
Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (total)	600	600	600	600
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total)	600 605 639	600 605 639	600 605 639	600 605 639
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs)	600 605	600 605	600 605	600 605
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs) Technical	600 605 639 79.5	600 605 639 79.5	600 605 639 79.5	600 605 639 79.5
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs) Technical Adjustable Feet	600 605 639 795	600 605 639 79.5	600 605 639 79.5	600 605 639 79.5
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs) Technical	600 605 639 79.5	600 605 639	600 605 639	600 605 639 79.5

TABLES | LAUNDRY WASHING MACHINES

Stacking kit









	L8FEC866R	L8FEC846R	L8FEE965R	L8FEE945R
Overview				
Vash capacity (kg)	8	8	9	9
ipin speed (rpm)	1600	1400	1600	1400
Display	Large LED	Large LED	Medium LED	Medium LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Fechnology Technology	••••••••••••••••••		•	
2000 Series Softwater				
3000 Series ÖKOMix	•	•	•	•
7000 Series ProSteam	•	•		
5000 Series ProSense	•	•	•	•
Programmes				
Cotton	•	•		•
Synthetics	•	•	•	•
Cotton Economy Delicate				
ColourPro				
Vool/silk	•	•	•	•
Antiallergy	•	•	•	•
iteam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower	•	•	•	•
Outdoor	•	•	•	•
Cotton 20				
Duvets	•	•	•	•
Easy Iron			•	
Spin / Drain				
Sport			•	
Options				
Delay start	•	•	•	
Soft Plus			•	
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam		•	•	•
Stains/Prewash	•	•	•	•
Rinse			•	•
Extra rinse Time saving	•	•		
Economy		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••	•
Eco	•	•	•	
Features				
Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum	•	•	•	•
Accreditation				
Wool Mark	Green	Green	Green	Green
P&G	Premium	Premium	Premium	Premium
Performance				
nergy efficiency class	A+++	A+++	A+++	A+++
Vash performance	A	<u>A</u>	A	A
Spin drying efficiency label	A	B	A 120	B 120
Annual energy consumption (kWh)	92	98	120	120
Annual water consumption (litres) Vashing noise (dB(A) re 1pW)	11000 47	11000 47	10800 51	10800 51
vasning noise (dB(A) re IpW) Spinning noise (dB(A) re 1pW)	75	73		
Spinning noise (dB(A) re ipW) Stand-by power (W)	1,00		1,00	1,00
eft-on Mode power (W/5Min)	0,30	0,30	0,30	0,30
Programme Performance*	0,50	0,30	0,30	0,50
_oad (kg)	8	8	9	9
Load (kg) Energy (kWh)	0.46	0.49	0.6	0.6
Vater (litres)	55	55	54	54
Ouration (mins)	247	256	238	238
Programme Performance =	.			
Standard Cotton 60°C, full load.				
Dimensions			•••••	
Height (mm)	850	850	850	850
Vidth (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79.5	79.5	79.5	79.5
Technical				
Adjustable Feet	•	•	1.5	•
		••••••	4.5	1.8
Cord Length	1.5	1.5	1.5	1.0
Cord Length Length of waste pipe	1.5 145	1.5 145	1.5 145	145

Stacking kit

TABLES | LAUNDRY WASHING MACHINES









	L8FEE845R	L7FEC146R	L7FEE965R	L7FEE945R
Overview				
Wash capacity (kg)	8	10	9	9
Spin speed (rpm)	1400	1400	1600	1400
Display	Medium LED	Large LED	Medium LED	Medium LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Гесhnology				
2000 Series Softwater		•	•	•
3000 Series ÖKOMix	· · · · · · · · · · · · · · · · · · ·	•	•	
7000 Series ProSteam		•	•	•
6000 Series ProSense	<u>.</u>	•	<u> </u>	•
Programmes				
Cotton	-	•	•	•
Synthetics	············	•	•	•
Cotton Economy Delicate	<u>.</u>			
ColourPro				•
Wool/silk				
Antiallergy	•	•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower	•••••	•	•	•
Outdoor	•	•	•	•
Cotton 20		••••••	•••••	•
Duvets	•	•	•	•
Easy Iron				
Spin / Drain			•	
Sport	•	•	•	•
Options				
Delay start	•	•		•
Soft Plus		•	•	•
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	
Rinse		•	•	
Extra rinse		•••••	••••	•
Time saving	··········	•	•	
Economy	<u>.</u>	•		
Eco	··········	•	<u> </u>	
Features				
Inverter Motor				
Auto Off				
LED Drum Light				
Protex Drum	·········	•	•	
Accreditation				
Wool Mark	Blue	Blue	Blue	Blue
P&G	Certified	Certified	Certified	Certified
Performance				
nergy efficiency class	A+++	A+++	A+++	A+++
Nash performance	A	A	A	A
Spin drying efficiency label	B	B	A	B
Annual energy consumption (kWh)	116	180	162	162
Annual water consumption (litres)	10600 51	11400	10800 E1	10800
Washing noise (dB(A) re 1pW)		51 75	51 77	51 75
Spinning noise (dB(A) re 1pW) Stand-by power (W)				75 1,00
_eft-on Mode power (W/5Min)	0,30	0,30	0,30	0,30
_ett-on Mode power (w/5MIn) Programme Performance*	0,30	0,50	0,50	0,30
	0	10	0	^
Load (kg)	8	10	9	9
Energy (kWh) Nater (litres)	0.58 53	0.9 57	0.81 54	0.81 54
Ouration (mins)	268	280	291	291
Programme Performance =	200	200	£71	
Programme Periormance = Standard Cotton 60°C, full load.				
Dimensions		•••••	•••••	•
	050	850	850	050
		000		850 600
	850	600		000
Nidth (mm)	600	600	600 605	
Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (total)	600 605	605	605	605
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total)	600 605 639	605 639	605 639	605 639
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs)	600 605	605	605	605
Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Vet Weight (kgs) Fechnical	600 605 639 79.5	605 639 79.5	605 639 79.5	605 639 79.5
Midth (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs) Technical Adjustable Feet	600 605 639 795	605 639 79.5	605 639 79.5	605 639 79.5
Width (mm) Depth (mm) (cabinet only)	600 605 639 79.5	605 639	605 639 79.5	605 639 79.5

TABLES | LAUNDRY WASHING MACHINES

Stacking kit









	L7FEE865R	L7FEE845R	L6FBG142R	L6FBG942R
Overview				
Wash capacity (kg)	8	8	10	9
Spin speed (rpm)	1600	1400	1400	1400
Display	Medium LED	Medium LED	Small LCD	Small LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Technology				
9000 Series Softwater			•••••	
8000 Series ÖKOMix			•••••	
7000 Series ProSteam	•	•	••••	
6000 Series ProSense	•	<u>.</u>	•	•
Programmes				
Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy	·······	•	••••	
Delicate	•	•		•
ColourPro			•	
Wool/silk	•		•	•
Antiallergy	•			•
Steam	•		•	
Quick 20 Min 3 Kg	•	•	•	•
OKOPower				
Outdoor	•	•	•	•
Cotton 20			•	
Duvets	•	•	•	•
Easy Iron		•	•	•
Spin / Drain			•	•
Sport	•	•	•	
Options				
Delay start	•	•	•	•
Soft Plus	•	•	•	•
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	
Stains/Prewash	•	•	•	•
Rinse	•	•	•	•
Extra rinse			•	•
Time saving	•	•	•	•
Economy				•
Eco	•	•	•	
Features				
Inverter Motor	•	•	•	•
Auto Off			•••••	
LED Drum Light				
Protex Drum	•	•	•	•
Accreditation				
Wool Mark	Blue	Blue	Blue	Blue
P&G	Certified	Certified	•	•••••
Performance		•	•	
	A+++	A+++	A+++	A+++
Energy efficiency class	A+++ A	A+++ A	A+++ A	A+++ A
Energy efficiency class Wash performance	A	A		A
Energy efficiency class Wash performance Spin drying efficiency label	A A	A B	A B	A B
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh)	A	A	A	A
Energy efficiency class Wash performance Span performance Annual energy consumption (kWh) Annual water consumption (litres)	A A 136 10800	A B 136 10800	A B 204 11400	A B 190 11400
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW)	A A 136 10800 51	A B 136 10800 51	A B 204 11400 51	A B 190 11400 51
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW)	A A 136 10800 51 77	A B 136 10800 51 75	A B 204 11400 51 75	A B 190 11400 51 75
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W)	A A 136 10800 51 77 1,00	A B 136 10800 51	A B 204 11400 51	A B 190 11400 51
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin)	A A 136 10800 51 77	A B 136 10800 51 75 1,00	A B 204 11400 51 75 1,00	A B 190 11400 51 75 1,00
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re ¹pW) Spinning noise (dB(A) re ¹pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance*	A A 136 10800 51 77 1,00 0,30	A B 136 10800 51 75 1,00 0,30	A B 204 11400 51 75 1.00 0.30	A B 190 11400 51 75 1,00 0,30
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Leff-on Mode power (W/SMin) Programme Performance* Load (kg)	A A 136 10800 51 77 1,00 0,30	A B 136 10800 51 75 1,00 0,30	A B 204 11400 51 75 1,00 0,30	A B 190 11400 51 75 1,00 0,30
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/5Min) Programme Performance* Load (kg) Energy (kWh)	A A A 136 10800 51 77 1.00 0,30 8	A B 136 10800 51 75 1,00 0,30	A B 204 11400 51 75 1,00 0,30	A B 190 11400 51 75 1,00 0,30
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres)	A A 136 10800 51 77 1.00 0.30 8 0.68	A B 136 10800 51 75 1.00 0.30 8 0.68	A B 204 11400 51 75 1,00 0,30 10 102 57	A B 190 11400 51 75 1,00 0,30 9 0,95 57
Energy efficiency, class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Leff-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins)	A A A 136 10800 51 77 1.00 0,30 8	A B 136 10800 51 75 1,00 0,30	A B 204 11400 51 75 1,00 0,30	A B 190 11400 51 75 1,00 0,30
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Leff-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) "Programme Performance =	A A 136 10800 51 77 1.00 0.30 8 0.68	A B 136 10800 51 75 1.00 0.30 8 0.68	A B 204 11400 51 75 1,00 0,30 10 102 57	A B 190 11400 51 75 1,00 0,30 9 0,95 57
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W)SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load.	A A 136 10800 51 77 1.00 0.30 8 0.68	A B 136 10800 51 75 1.00 0.30 8 0.68	A B 204 11400 51 75 1,00 0,30 10 102 57	A B 190 11400 51 75 1,00 0,30 9 0,95 57
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) **Programme Performance = Standard Cotton 60°C, full load. Dimensions	A A A 136 10800 51 77 1.00 0.30 8 0.68 54 228	A B 136 10800 51 75 1,00 0,30 8 0,68 54 228	A B 204 11400 51 75 100 0,30 10 102 57 252	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dBCA) re 1pW) Spinning noise (dBCA) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm)	A A A 136 10800 51 77 1,00 0,30 .8 0,68 54 228	A B 136 10800 51 .75 1,00 0,30 .8 .068 .54 .228	A B 204 11400 51 75 1,00 0,30 10 1,02 57 252	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm)	A A A 136 10800 51 77 1,00 0,30 8 0,68 54 228	A B 136 10800 51 75 1,00 0,30 8 0,68 54 228	A B 204 11400 51 75 1,00 0,30 10 1,02 57 252	A B 190 11400 51. 75 1,00 0,30 9 0,95 57. 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) "Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) With (mm) Depth (mm) Depth (mm) (cabinet only)	A A A A 136 10800 51 77 1,00 0,30 8 0,68 54 228 850 600 605	A B 136 10800 51 75 1,00 0,30 8 0,68 54 228 850 600 605	A B 204 11400 51 75 1.00 0.30 10 1.02 57 252 850 600 605	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248
Energy efficiency, class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Leff-on Mode power (W5Min) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) "Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (cabinet only)	A A A A 136 10800 51 77 100 0,30 8 0,68 54 228 850 600 605 639	A B 136 10800 51 75 1.00 0.30 8 0.68 54 228 850 600 6005	A B 204 11400 51 75 1,00 0,30 10 1,02 57 252 850 600 6005 639	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248 850 600 605 659
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dBCA) re 1pW) Spinning noise (dBCA) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (cabinet only) Depth (mm) (cabinet only) Net Weight (kgs)	A A A A 136 10800 51 77 1,00 0,30 8 0,68 54 228 850 600 605	A B 136 10800 51 75 1,00 0,30 8 0,68 54 228 850 600 605	A B 204 11400 51 75 1.00 0.30 10 1.02 57 252 850 600 605	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Net Weight (kgs) Technical	A A A A 136 10800 51 77 1,00 0,30 8 0,68 54 228 850 600 605 639 79,5	A B B 136 10800 51 75 1,00 0,30 8 0,68 54 228 850 600 605 639 79.5	A B 204 11400 51 75 1,00 0,30 10 1,02 57 252 850 600 605 639 79,5	A B 190 11400 51, 75 1,00 0,30 9 0,95 57, 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (total) Vet Weight (kgs) Technical Adjustable Feet	A A A A A 136 10800 51 77 1.00 0,30 8 0.68 54 228 850 600 605 639 795	A B B 136 10800 51 75 1.00 0,30 8 0,68 54 228 850 600 605 639 79.5	A B 204 11400 51 75 100 0,30 10 102 57 252 850 600 6005 639 79.5	A B 190 11400 51, 75 1,00 0,30 9 0,95 57, 248
Energy efficiency class Wash performance Spin drying efficiency label Annual energy consumption (kWh) Annual water consumption (litres) Washing noise (dBCA) re 1pW) Spinning noise (dBCA) re 1pW) Stand-by power (W) Left-on Mode power (W/SMin) Programme Performance* Load (kg) Energy (kWh) Water (litres) Duration (mins) Programme Performance = Standard Cotton 60°C, full load. Dimensions Height (mm) Width (mm) Depth (mm) (cabinet only) Depth (mm) (cabinet only) Depth (mm) (cabinet only) Net Weight (kgs)	A A A A 136 10800 51 77 1,00 0,30 8 0,68 54 228 850 600 605 639 79,5	A B B 136 10800 51 75 1,00 0,30 8 0,68 54 228 850 600 605 639 79.5	A B 204 11400 51 75 1,00 0,30 10 1,02 57 252 850 600 605 639 79,5	A B 190 11400 51 75 1,00 0,30 9 0,95 57 248 850 600 605 659

Stacking kit

TABLES | LAUNDRY WASHING MACHINES









	L6FBG862R	L6FBG842R	L6FBG741R	L6FBI861N
Overview				
Wash capacity (kg)	8	8	7	8
Spin speed (rpm)	1600	1400	1400	1600
Display	Small LCD	Small LCD	Small LCD	3 digit LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Technology				
9000 Series Softwater 8000 Series ÖKOMix				
7000 Series ProSteam	······	***************************************	•	
6000 Series ProSense	•	•	•	•
Programmes		•	•	•
Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy	······	• · · · · · · · · · · · · · · · · · · ·	•••••	•
Delicate		•	•	•
ColourPro	-	•	•	
Wool/silk Antiallergy	······	•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower OKOPower	······································	•	•	•
Outdoor	•	•	•	
Cotton 20		•	•	•
Duvets	•	•	•	•
Easy Iron	•	•	•	•
Spin / Drain	•	•	•	•
Sport		•	•	•
Options				
Delay start Soft Plus	•	•	•	•••••
Spin selection			•	•
Start/pause	•			
Plus Steam	············	•	•	
Stains/Prewash	•	•	•	•
Rinse	•	•	•	•
Extra rinse		•		
Time saving				•
Economy		•	•	•
Eco Features	······································	•	•	
Inverter Motor				
Auto Off	······································	•	••••••	•
LED Drum Light	···········	•		
Protex Drum	-	•	•••••	•
Accreditation		***************************************	•	•
Wool Mark	Blue	Blue	Blue	Blue
P&G				
Performance				
Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A		В	Α
Annual energy consumption (kWh)	160	160	144	160
Annual water consumption (litres)	10400 50	10400 50	9000	10400
Washing noise (dB(A) re 1pW) Spinning noise (dB(A) re 1pW)	<u>5</u> 0 75	50 74	50 74	50 75
Spinning noise (db(A) re ipw) Stand-by power (W)	1,00	1,00	1,00	1,00
_eft-on Mode power (W/5Min)	0,30	0,30	0,30	0,30
Programme Performance*	0,50	5,50	5,50	0,30
Load (kg)	8	8	7	8
Energy (kWh)	0.8	0.8	0.72	0.8
Vater (litres)	52	52	45	52
Duration (mins)	275	275	269	275
Programme Performance =				
Standard Cotton 60°C, full load.				
Dimensions				
Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79.5	79.5	79.5	79.5
Teebaleel				
Adjustable Feet		10	18	10
Technical Adjustable Feet Cord Length Length of waste pipe	• 1.8 145	• 1.8 145	• 1.8 145	• 1.8 145

TABLES | LAUNDRY WASHING MACHINES







Overview	L6FBI841N	L6FBI741N	L61470BI	
Wash capacity (kg)	8	7	7	
Spin speed (rpm)	1400	1400	1400	
Display	3 digit LCD	3 digit LCD	Small LCD	
Controls	Dial and buttons	Dial and buttons	Dial and buttons	
Technology	Diai and burions	Diai and burions	Diai and Dunions	
9000 Series Softwater				
8000 Series ÖKOMix	······································		• • • • • • • • • • • • • • • • • • • •	
7000 Series ProSteam	······································	•	• · · · · · · · · · · · · · · · · · · ·	
6000 Series ProSense		•	• · · · · · · · · · · · · · · · · · · ·	
Programmes	······································		• • • • • • • • • • • • • • • • • • • •	
Cotton				
Synthetics				
Cotton Economy				
Delicate				
ColourPro	•			
Wool/silk				
			•	
Antiallergy Steam				
Quick 20 Min 3 Kg	•	•	•	
OKOPower			•	
Outdoor	······································		•	
Cotton 20	•	•	•	
Duvets	•	•	•	
Easy Iron	•	•	•	
Spin / Drain	•	•		
Sport			•	
Options				
Delay start	•	•	•	
Soft Plus				
Spin selection	•	•		
Start/pause	•	•	•	
Plus Steam			•	
Stains/Prewash			•	
Rinse			•	
Extra rinse			•	
Time saving	•	•		
Economy				
Eco				
Features				
Inverter Motor	•			
Auto Off	•••••••••••••	••••••	•••••	
LED Drum Light	•		••••••	
Protex Drum			•	
Accreditation	•••••••••••••••	•••••••••••	•	
Wool Mark	Blue			
P&G		•	• · · · · · · · · · · · · · · · · · · ·	
Performance	······································		•••••	
Energy efficiency class	A+++	A+++	A++	
Energy efficiency class Wash performance	A+++ A	A+++ A	A++ A	
Spin drying efficiency label	В В	В	В В	
Annual energy consumption (kWh)	160	184	189	
Annual water consumption (litres)	10400	9000	10469	
Washing noise (dB(A) re 1pW)	50	50	56	
wasning noise (dB(A) re lpW) Spinning noise (dB(A) re 1pW)	74	75	74	
Spinning noise (dB(A) re ipw) Stand-by power (W)	1,00	0,75	1,90	
	0,30	0,75	0,98	
Left-on Mode power (W/5Min) Programme Performance*	0,50	V,40	U,YO	
		_		
Load (kg)	8	7	7	
Energy (kWh)	0.8	0.92	1.01	
Water (litres)	52	45	52	
Duration (mins)	275	250	180	
*Programme Performance =				
Standard Cotton 60°C, full load.			• • • • • • • • • • • • • • • • • • • •	
Dimensions				
Height (mm)	850	850	820	
Width (mm)	600	600	596	
Depth (mm) (cabinet only)	605	605	544	
Depth (mm) (total)	639	639	544	
Net Weight (kgs)	79.5	79.5	60.4	
Technical		, ,,,,	00.4	
Adjustable Feet	10	10	15	
Cord Length	1.8	1.8	1.5	
Length of waste pipe	145	145	145	
Accessories				
Stacking kit				

TABLES | LAUNDRY TUMBLE DRYERS









	T8DEC946S	T8DEC946R	T8DEC846R	T8DEE945R
Overview				
Dry capacity (kg)	9	9	8	9
Drying Technology	Heat Pump	Heat Pump	Heat Pump	Heat Pump
Display	Large LCD	Large LCD	Large LCD	Medium LCD
ontrols	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
	Didi and burions	Diai and burions	Dial and burions	Didi dilu bullons
echnology				
000 Series AbsoluteCareTM	•	•	•	
000 Series SeniDry	•	•	•	
000 Series ProSense	•	•	•	•
rogrammes			•••••••••••••••••••••••••••••••••••••••	•
otton				
			•	•
otton Eco			•	•
ynthetics	•	•		•
elicate				•••••
Outdoor	•	•	•	•
team Refresh & Decrease				
ottons - cupboard dry plus	•	•	•	•
ottons - cupboard dry				•••••
ottons - extra dry				•
ottons - iron dry	•	•	•	•
nthetics - cupboard dry	•	•	•	•
ynthetics - extra dry	•	•	•	•
nthetics - iron dry	•	•	•	•
on programmes - cotton	•	•••••••	••••••	•
on programmes - Fresh-up	•	••••••	•••••	•
	•	•••••	•	•••••
on programmes - synthetics	•	•	•	•
ed Linen	•	•	•	•
uvet	•	•	•	•
asy Iron		•	•	•
hirts				
eans	•		•	• · · · · · · · · · · · · · · · · · · ·
ports			•	•
	······································	······································	•	•
ctivewear				• · · · · · · · · · · · · · · · · · · ·
/ool	•	•	•	
ilk	•	•	•	•
1ixed load	•	•	•	•
Options				•
Pelay start				
	•	•	•	••••••••••••
1ode		•••••	•	•
nti-crease	•	•	• • • • • • • • • • • • • • • • • • • •	
tart/pause	•	•	•	
ryness level	•	•	•	•
ry Mode				•
elicate				•••••
luiet mode				
	•	•	•	••••••
team refresh		•	•	•
team level	•		•	•••••
ime dry	•	•	•	•
CO				•
eatures				
nverter Motor	•	•	•	•
uto Off	•	•	•	•
ED Drum Light	•	•	•	•
rotex Drum	•	•	•	•
ccreditation				
/ool Mark	Blue	Blue	Blue	Blue
	Diue	DIUE	DIUE	Diue
erformance				
nergy efficiency class	A++	A++	A++	A++
nnual energy consumption (kWh)	259	259	235	259
oise (dB(A) re 1pW)	65	65	66	65
tand-by power (W)	1.9	1.9	1.9	1.9
eft-on Mode power (W/5Min)	10	10	10	10
	10	10	10	IU
imensions				
eight (mm)	850	850	850	850
/idth (mm)	600	600	600	600
epth (mm) (cabinet only)	600	600	600	600
epth (mm) (total)	630	630	630	630
let Weight (kgs)	59.46	59.46	59.46	59.46
echnical				
djustable Feet	•	•	•	•
ord Length	1.45	1.45	1.45	1.45
everse Tumble Action	•	•	•	•
CTC.SC - UITIDIC / CHOIT	•	-	•	•
ccoccorios				
tacking kit	•	•	•	•

TABLES | LAUNDRY TUMBLE DRYERS









	T8DEE845R	T8DBG842R	T7DEE835R	T7DBG832R
Overview				
Dry capacity (kg)	8	8	8	8
Drying Technology	Heat Pump	Heat Pump	Heat Pump	Heat Pump
Display	Medium LCD	Medium LCD	Medium LCD	Medium LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Technology				
8000 Series AbsoluteCareTM	•		•	•
7000 Series SeniDry	·······	<u> </u>	<u>.</u>	•
6000 Series ProSense	······································			
Programmes				
Cotton	•	•		•
Cotton Eco Synthetics				
Delicate	•	•		
Outdoor	_			
Steam Refresh & Decrease		•••••	•	•
Cottons - cupboard dry plus	•	•	•	•
Cottons - cupboard dry			•	
Cottons - extra dry	•	•		•
Cottons - iron dry	•			
Synthetics - cupboard dry	•	•	•	•
Synthetics - extra dry	•	•	•	•
Synthetics - iron dry	•	•	•	•
Iron programmes - cotton		•	•	•
Iron programmes - Fresh-up		••••••	••••••	•••••
Iron programmes - synthetics				•••••
Bed Linen	•	•	•	•
Duvet	•	•	•	•
Easy Iron	•	•	•	•
Shirts		***************************************	•	•
Jeans		***************************************	•	•
Sports	•	•	•	•
Activewear		•	•	•
Wool		•	•	•
Silk	•	•	•	•
Mixed load	•	•	•	•
Options				
Delay start	•	•	•	•
Mode				
Anti-crease	•			
Start/pause	•	•	•	•
Dryness level	•	•		•
Dry Mode	•		•	••••••
Delicate			•	•••••
Quiet mode			•	•••••
Steam refresh	•			
Steam level				•••••
Time dry	•	•	•	•
Eco				
Features				
Inverter Motor	•	•		
Auto Off	•	•		
LED Drum Light	•			
Protex Drum	•	•	•	•
Accreditation				
Wool Mark	Blue	Blue		
Performance				
Energy efficiency class	A++	A++	A+	A+
Annual energy consumption (kWh)	235	235	308.2	308.2
Noise (dB(A) re 1pW)	66	66	66	66
Stand-by power (W)	1.9	1.9	1.9	1.9
Left-on Mode power (W/5Min)	10	10	10	10
Dimensions				
Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	600	600	600	600
Depth (mm) (total)	630	630	630	630
Net Weight (kgs)	59.46	59.46	59.46	59.46
Technical				
Adjustable Feet	•	•	•	•
	• 1.45	• 1.45	1.45	1.45
Adjustable Feet Cord Length Reverse Tumble Action				
Adjustable Feet Cord Length	1.45	1.45	1.45	1.45

TABLES | LAUNDRY TUMBLE DRYERS









	T7DBG831R	T6DBG822N	T6DBG820N	T6DBG721N
Overview				
Dry capacity (kg)	8	8	8	7
Drying Technology	Heat Pump	Condenser	Condenser	Condenser
Display	Medium LCD	Medium LCD	Medium LCD	Medium LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
echnology	Diai and Dunions	Diai and burions	Diai and Dunons	Diai and burions
000 Series AbsoluteCareTM				
000 Series SeniDry	• · · · · · · · · · · · · · · · · · · ·			
000 Series ProSense	•	•	•	•
Programmes				
Cotton	•	•	•	•
otton Eco		•	•	•
iynthetics	•	•	•	•
Delicate				
Dutdoor				
	··········			
team Refresh & Decrease				
Cottons - cupboard dry plus	•	•	•	•
ottons - cupboard dry				
ottons - extra dry	•	•	•	•
Cottons - iron dry	•	•	•	•
ynthetics - cupboard dry	•	•	•	•
ynthetics - extra dry	-	······································		
ymmenes - extra dry	•	•		•
ynthetics - iron dry	•	•	•	•
on programmes - cotton		•		
ron programmes - Fresh-up				
ron programmes - synthetics				
Bed Linen	•	•	•	•
Duvet	•	•	•	•
asy Iron	•	•	•	•
Shirts		•	•	
eans		•	•	•
ports	•	•	•	•
Activewear	•			•
Vool	•			
ilk	•			
Mixed load	•	•	•	•
Options				
Delay start	•	•	•	•
Mode				
Anti-crease				
start/pause	•	•	•	•
ryness level	•	•	•	•
Dry Mode				
Delicate		•	•	•
Quiet mode				······································
Steam refresh				
	•			
team level				
ime dry	•	•	•	•
Eco				
eatures				
nverter Motor				
Auto Off				
ED Drum Light				
Protex Drum	•	•	•	•
Accreditation				
Vool Mark				
Performance				
nergy efficiency class	A+	В	В	В
Annual energy consumption (kWh)	308.2	560.4	560.4	503.5
loise (dB(A) re 1pW)				
	66	65	65	65
tand-by power (W)	1.9	1.9	1.9	1.9
eft-on Mode power (W/5Min)	10	10	10	10
imensions				
leight (mm)	850	850	850	850
Vidth (mm)	600	600	600	600
	600	600	600	540
Depth (mm) (cabinet only)				
Depth (mm) (total)	630	630	630	570
let Weight (kgs)	59.46	43.46	43.46	43.46
echnical				
Adjustable Feet	•	•	•	•
Cord Length	1.45	1.45	1.45	1.45
Reverse Tumble Action	•	•	•	•
cencerine				
Accessories Stacking kit			•	•

TABLES | LAUNDRY





T6DBG720N

T65170AV

Overview	7	-
Dry capacity (kg) Drying Technology	7 Condenser	7 Vented
Display	Medium LCD	
Controls	Dial and buttons	Dial and buttons
Technology		
8000 Series AbsoluteCareTM		
7000 Series SeniDry		•••••
6000 Series ProSense	•	•••••
Programmes		•
Cotton	•	
Cotton Eco	•	
Synthetics	•	
Delicate	•	••••
Outdoor		•••••
Steam Refresh & Decrease		
Cottons - cupboard dry plus	•	
Cottons - cupboard dry		•
Cottons - extra dry	•	•
Cottons - iron dry	•	
Synthetics - cupboard dry		
Synthetics - extra dry		
Synthetics - iron dry Iron programmes - cotton		•
Iron programmes - Fresh-up		•
Iron programmes - synthetics		
Bed Linen	•	•
Duvet	•	•
Easy Iron	•	
Shirts		
Jeans	•	•
Sports	•	•
Activewear		•••••
Wool	············	•
Silk		•
Mixed load		•••••
Options		
Delay start	• • • • • • • • • • • • • • • • • • •	•
Mode		•••••
Anti-crease		•
Start/pause	·······•	
Dryness level	······•	•••••
Dry Mode		•
Delicate Outot mode	•	
Quiet mode Steam refresh		
Steam level		•••••
Time dry	•	•••••
Eco		
Features	······	
Inverter Motor		
Auto Off	······	
LED Drum Light	······	
Protex Drum	•	
Accreditation		•••••
Wool Mark		
Performance		•••••
Energy efficiency class	В	С
Annual energy consumption (kWh)	503.5	512
Noise (dB(A) re 1pW)	65	64
Stand-by power (W)	1.9	1.9
Left-on Mode power (W/5Min)	10	0.5
Dimensions		
Height (mm)	850	850
Width (mm)	600	600
Depth (mm) (cabinet only)	540	600
Depth (mm) (total)	570	630
Net Weight (kgs)	43.46	29.76
Technical		
Adjustable Feet	•	•
Cord Length	1.45	1.6
Reverse Tumble Action	•	•
Accessories		
Stacking kit	•	


ENERGY INFORMATION / EU ENERGY EFFICIENCY INFORMATION

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens is designed to offer consumers a standardised method of choosing the most energy efficient appliances.

For refrigerators and freezers, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also gives the annual electricity consumption (i.e. running cost) freezing capacity, noise level and the usable storage capacity.

For dishwashers, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also states the annual water consumption (Its), drying efficiency, place settings and noise level.


For washing machines, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also states the annual water consumption (Its), load size (kg), spin speed efficiency and the washing & spinning noise levels.



Example of refrigeration energy label.



Example of dishwasher energy label.



Example of washing machine energy label.

For electric ovens, as well as stating the energy efficiency ('A' - most efficient, 'G' - least efficient), the label also states the energy consumption (in kWh) and the usable volume of the oven. If the oven is a double oven it will carry this information for both ovens.