The cooktops 400 series



Full surface induction cooktop

CX 480 A Width 80 cm 1 single large cooking surface TFT touch display Free positioning of cookware



Flex induction cooktop with downdraft ventilation CVI 420 A

Width 88 cm

2 x 2 flex induction cooking areas For flush mounting VL 410 111 | Energy efficiency class: A+ in a configuration with the remote fan unit AR 403 122*



Flex induction cooktop with downdraft ventilation CVI. 410 A

Width 88 cm 2 flex induction cooking areas 1 induction cooking zone Ideal for wok pan, with wok ring For flush mounting VL 410 111 | Energy efficiency class: A+ in a configuration with the remote fan unit AR 403 122*



Gas cooktop

CG 492

Width 100 cm 5 burners Stainless steel control knobs With wok burner Full electronic power level regulation Flush or surface installation Front mounted control knobs

The cooktops 200 series



Flex induction cooktop

CI 292 A Width 90 cm 5 cooking zones Twist-Pad control



Flex induction cooktop

CI 283 🛦 🖬 🏫 Width 80 cm 5 cooking zones Twist-Pad control



Flex induction cooktop

CI 282 🛦 🔳 Width 80 cm 4 cooking zones Twist-Pad control



Flex induction cooktop

CI 272 A Width 70 cm 4 cooking zones Twist-Pad control



Flex induction cooktop

CI 290 Width 90 cm 3 cooking zones Twist-Pad control



Flex induction cooktop

CI 262 A . Width 60 cm 4 cooking zones Twist-Pad control



Induction cooktop

CI 261 Width 60 cm 4 cooking zones Sensor control



Flex induction cooktop with integrated ventilation system

CV 282 A Width 80 cm 4 cooking zones Twist-Pad control Energy efficiency class: A*



Glass ceramic cooktop

CE 291 A Width 90 cm 5 cooking zones Sensor control



Glass ceramic cooktop

CE 261 Width 60 cm 4 cooking zones Sensor control



Gas cooktop

VG 295

Width 90 cm 5 burners Control panel With wok burner Top mounted control knobs



Gas cooktop

CG 291 Width 90 cm 5 burners Mechanical power level regulation With wok burner Top mounted control knobs



Gas cooktop

CG 261 Width 60 cm 4 burners Mechanical power level regulation With wok burner Top mounted control knobs

Design options

- ▲ Frameless
- Stainless steel frame
- Stainless steel control panel

A Home Connect

*Energy efficiency class: at a range of energy efficiency classes from A++ to E

The accessories



Enamelled, half or full size

Cast roaster open



Cast aluminium, non-stick



Made of multi-ply material

The Vario cooktop 200 series



4 cooking zones Top mounted control knobs

VI 270 •

Width 70 cm



VI 260 •

Width 60 cm

4 cooking zones Top mounted control knobs

VI 230 • Width 28 cm 2 cooking zones Top mounted control knobs



Wok ring

Made of multi-layer material

Attachment for wok pan

Frying sensor pan

Stainless steel Non-stick coating Available in 4 sizes to fit cooking zones: Ø 15, Ø 18, Ø 21, Ø 28

- 3 -

Lava stones

For refilling



Twist-Pad Black

For temperature regulation within pots For flex induction cooktops

Cooking sensor



Pasta basket





Vario gas cooktop

Width 60 cm 4 burners Top mounted control knobs VG 232 • Width 28 cm VG 231 • Width 28 cm One wok burner Top mounted control knob



Vario glass ceramic cooktop VE 260 • Width 60 cm



VE 230 • Width 28 cm 2 cooking zones Top mounted control knobs



Width 28 cm 1 metal surface Accurate temperature control Top mounted control knob



VK 230 •

Width 28 cm Steam cooking on 2 levels Accurate temperature control Top mounted control knobs









Top mounted control knobs














Vario Teppan Yaki

VR 230 •





VG 264 •

























Vario glass ceramic cooktop

Vario glass ceramic cooktop VE 270 . Width 70 cm

4 cooking zones Top mounted control knobs





Vario electric grill







Vario induction cooktop



Vario deep fryer

VF 230 •

Width 28 cm 3-zone basin Accurate temperature control Top mounted control knobs



Vario downdraft ventilation

VL 041/040 •

Width 8.5 cm

Highly efficient ventilation system

at the cooktop Top mounted control knob

Energy efficiency class: B*



Ventilation Heat and steam the ingredients, not the chef.

From the hidden and discreet to statement pieces, every model within our ventilation series performs the same function, but panders to a different space. And like black garlic, our ventilation removes the undesired effects of your gastronomic endeavours.


Ventilation is the unsung hero of the kitchen, capable of turning unbearable conditions to pleasant ones, converting odorous foods into favourites. It is not at the forefront of your mind when creating your kitchen, unless you are a chef at heart. Then it is a big deal. We have made ventilation either invisible or a show piece; in the case of the table ventilation, it is both.

Effortless, silent and clever. The ventilation 400 and 200 series capture vapours and odours from a collection of extractors which can be controlled manually or automatically, adjusting power levels in reaction to the atmosphere. From the rise and fall of the extendable table concept, the surface-mounted downdraft, the integrated modular ceiling model to the wall-mounted, island or extendable flat hood, each achieve power without bulk and extraction at a whisper.

Everything has been designed with discretion and airflow in mind, creating a system that performs exceptionally and quietly behind the scenes.







There is a science to perfecting a room's ventilation. That does not mean it has to be without style. Our wall-mounted hoods complement our cooktops in both scale and ability. For those of you who prefer to work not facing the wall, there are island hoods or, for those who do not want anything to get in the way of their view, we offer a modular ceiling unit that can control the entire room's environment almost regardless of size and layout.

The wall-mounted and island hoods ensure your open plan lifestyle does not include grease and vapour. Highly efficient baffle filters, originally developed for professional kitchens, remove vapours almost entirely. Flush, dimmable LEDs can bathe the worktop in neutral white light or provide ambient lighting for the kitchen.

If a more minimalist approach is desired, with nothing in clear sight, there are the cooktop ventilation designs. Where the downdraft ventilation is subtle, removing steam and odour almost unseen, the table ventilation rises from the surface like a metallic wall.

This is ventilation that is capable of so much more than you can throw at it.







The downdraft ventilation was our 1976 innovation that we have been perfecting over the decades. Seamlessly fitting into any Vario cooktops 400 arrangement, the downdraft system offers effective odour and vapour removal at source.

Utilising the same stainless steel controls as the cooktops, it blends into the series, drawing steam and odour down into the worktop. The flap and filter have been designed to reduce noise and improve airflow through the space-saving flat duct system. Low profile ducting leads to floor-mounted remote fan units. Specially designed grease filters increase air flow and absorb more, while the activated charcoal filters are designed to offer greater surface area to the air before it is re-circulated into the blissfully clean room.





The table ventilation rises and falls from the island, capturing the vapour and odours from the very top of the pans, while directly illuminating the worktop without catching the eye through dimmable LEDs. Each system is designed with an automated ventilation feature that vents the area for a few minutes every hour and it is equally happy to extract or recirculate the air.

The Vario ceiling ventilation is a modular, modern solution integrated into the architecture. With the fan unit housed externally, the flat profile need only accommodate the dimmable lighting, filters and ducting. Finally, you have a remote control that can clear a room, fast.



The Vario ceiling ventilation

0

300

000



The ventilation 200 series

The ventilation 200 series offers the private chef a determinedly efficient set of options. From the downdraft at counter level to wall-mounted and island hoods. Integrated ceiling ventilation, invisible canopy extractors and flat kitchen hoods hidden within kitchen units. Wall-mounted and glass-fronted, the eye-catching angled and vertical designs are available in three colours: Gaggenau Anthracite, Metallic and Silver. All these ventilation units offer a host of considered benefits.

Each provides high-powered illumination or attractive mood lighting, recirculating or externally venting the air. Simple to manage, easily removable filters are dishwasher-safe as well as utterly effective. They can also be manually controlled or function on automatic, self-adjusting the fan speed depending on the fumes they detect. Their quiet power impresses.

Air movement never looked so good.



The angled and vertical wall-mounted hoods are a striking, glass-fronted design statement in the three colours Gaggenau Anthracite, Metallic and Silver, while their reduced noise belies their extreme effectiveness.

Everything about the timeless design has been created to cancel noise and collect vapour. Their intelligent design ensures they capture more vapour at lower power settings. The activated charcoal filter is especially efficient at removing odours while the regenerable activated charcoal filter, available as a special accessory, offers many years of use. Both enable the near silent, well insulated motor to operate at even quieter levels. This lack of noise and strong aesthetic does not compromise the performance in any way. The ventilation is fully capable of drawing in all the vapour you can create with three electronically controlled power levels and one intensive mode, made even more effective by simply opening the glass screen a little.

The hoods' dimmable, ambient lighting is offered in a choice of four Gaggenau hues: Cool White, Neutral White, Warm White or Orange.



Ceiling ventilation in the striking 200 series offers two options: either discreet integration into the architecture of the kitchen or directly installed on the ceiling.

The downdraft ventilation was our invention in 1976, it is for those who prefer their ventilation unseen and away from their head. At 8.5 cm wide, it is the minimalist hero of the Vario 200 series, quietly removing odours, vapours and grease, without making a big thing out of it.

The wall-mounted hood offers statuesque options where cupboards are not in the way. 90 cm and 120 cm of stainless steel, energy efficient, vapour extraction, with an attractive and easy to clean, flat underside and near complete odour elimination. It looks effective because it is.

The island hood impresses in terms of technology as well as appearance, in 90 cm classic box design. Extremely efficient due to the rim extraction filter and optimal airflow interior. The integrated LED lights put either style in the spotlight.



The ceiling ventilation



The downdraft ventilation



The wall-mounted hood



The flat kitchen hood is an intelligent, space-saving solution. It sits effortlessly within the confines of a 60 cm and 90 cm width. Discreet, extendable and quiet. It opens out beyond the cupboard via a clever mechanism whilst an optional lowering frame allows the hood to be completely concealed within.

The structure offers an integrated glass panel, dimmable lights, three power levels plus an intensive mode as well as an automatic function that works out its optimal power setting. All of which slots neatly back into invisible obscurity when you are done.

The canopy extractor is another powerful option whenever space is at a premium. The quiet motor can be completely enclosed within the kitchen furniture and offers three power levels plus an intensive mode. The easy-to-clean glass cover and dimmable illumination are all encased in stainless steel, hidden from view but close to hand.

Being quiet, almost invisible and fully equipped, this is power, at your discretion.



The canopy extractor

The ventilation 400 series



Vario ceiling ventilation AC 402 Filter module Dimensions 80 x 40 cm



Vario ceiling ventilation AC 482/462 Control module Dimensions 80 x 14 cm



AC 472 Light module Dimensions 80 x 14 cm

Modular ceiling ventilation that can be configured individually by separate components such as filter module, control module and light module. Energy efficiency class (AC 402 only): B in a configuration with the remote fan unit AR 400 142 | at a range of energy efficiency classes from A++ to E.




Table ventilation

AL 400

Width 120/90 cm Extendable, can be completely lowered into the worktop when not in use Energy efficiency class: A+ in a configuration with the remote fan unit AR 400 142 | at a range

of energy efficiency classes from A++ to E



Island hood

AI 442

Width 160/120/100 cm Highly efficient extraction of cooking vapour due to the large collection area and angled baffle filter Energy efficiency class: A in a

configuration with the remote fan unit AR 400 143 | at a range of energy efficiency classes from A++ to E

Vario downdraft ventilation

VL 414 Width 11 cm

Highly efficient ventilation system at the cooktop Energy efficiency class: A+ in a configuration with the remote fan unit AR 403 122 | at a range of energy efficiency classes from A++ to E



Wall-mounted hood

AW 442

Width 160/120/90 cm Highly efficient extraction of cooking vapour due to large collection area and angled baffle filter Energy efficiency class: A in a

configuration with the remote fan unit AR 400 143 | at a range of energy efficiency classes from A++ to E

The ventilation 200 series



Ceiling ventilation

AC 250

Width 90 cm Discreet integration into the architecture of the kitchen Energy efficiency class: A*



Ceiling ventilation

AC 231 Width 120 cm Placed directly on the ceiling



Vario downdraft ventilation VL 041/040

Width 8.5 cm Highly efficient ventilation system at the cooktop Energy efficiency class: B*



Island hood

AI 240 Width 90 cm Highly efficient extraction of cooking vapours in timeless box design Energy efficiency class: A*



Wall-mounted hood

AW 240 Width 120/90 cm Highly efficient extraction of cooking vapours in timeless box design Energy efficiency class: A*



Wall-mounted hood

AW 230 Width 120/90 cm Highly efficient extraction of cooking vapours in classic step design Energy efficiency class: A*



Flat kitchen hood

AF 210

Width 90/60 cm Unobtrusive design thanks to integrated glass panel in the steam screen Optional accessory: Lowering frame for complete integration into the upper cabinet Energy efficiency class: A+*



Flat kitchen hood

AF 200

Width 60 cm Unobtrusive design thanks to integrated glass panel in the steam screen Optional accessory: Lowering frame for complete integration into the upper cabinet Energy efficiency class: A*



Canopy extractor

AC 200 Width 86/70/52 cm Invisible integration in upper cabinet Energy efficiency class: A*

Design options

The angled and vertical wall-mounted, glass-fronted hoods AW 250/251/253 and AW 270/271/273 are available in three colours:







Gaggenau Metallic

Gaggenau Silver

AW 270/271/273

Wall-mounted hood

Vertical vapour screen provides particularly generous free space above the cooktop Energy efficiency class: A*



Wall-mounted hood

AW 250/251/253

Width 70/90 cm Angled vapour screen provides particularly generous free space above the cooktop Energy efficiency class: A+*

A Home Connect

*Energy efficiency class: at a range of energy efficiency classes from A++ to E



Cooling Freshness, extend it.

Our extensive cooling portfolio ideally complements your kitchen and inspires the private chef with the freshest of ingredients. Our flexible modular and free-standing ranges have the ability to sense and react to the most delicate and demanding of foods in an intelligent way. The large, fragrant Japanese Shiso mint leaf is a delicate seasoning, a bold garnish and even a wasabi receptacle. It requires sensitive refrigeration.

Some provisions require that little bit longer to mature, while others favour a particularly cool environment. The impressive Vario 400 and 200 series refrigerators, freezers, fridge-freezer combinations and wine climate cabinets offer multiple, separate climate zones. Their exceptional performance is thanks to the quality and precision of their cooling technology. Food is maintained in optimal conditions to ensure radicchio stays crisper, grapes last longer, meat and fish taste fresher.

For the wine lover, your collection requires more cherishing than the delicate mint leaf. Your wine needs to be stored, protected, showcased and prepared for enjoyment. These are competing functions which your wine climate cabinet, equal to a wine cellar, achieves year after year with unflappable aplomb.





The Vario cooling 400 series

A fully integrated, built-in modular family: refrigerators, freezers, fridge-freezer combinations and wine climate cabinets can be partnered in a multitude of ways to create an impressive display. Should you wish them to stand out, you can even customise the effect with the addition of stainless steel doors.

The new Vario 400 cooling series is a professional modular system made from fully integrated built-in appliances. Reduced to the essence of pure refrigeration, their design is most impressive when combined in countless variations to form an elegant cooling wall. Beyond its imposing visual effect, this array can also increase the flexibility of the kitchen's interior space. This is cooling that makes an architectural statement.

Our wine climate cabinets are equally exacting; display lighting and crafted bottle trays show off your coveted wine collection like an art exhibit. Up to three separate zones, provide you with both a cellar environment and the perfect drinking temperature. All you need do is remove the cork.



Push the enormous stainless steel door and it opens to a professional-grade stainless steel interior with dark anthracite anodised aluminium elements, housing almost imperceptible clear glass shelving. The two new opening assist options allow even the largest and heaviest of doors to be opened effortlessly, either by pulling or, for the handleless option, with a gentle push.

The minimalist internal aesthetic is accentuated by warm white, glare-free LED lights that discreetly and gently illuminate. Thanks to the near-invisible rail system the heights of the shelves and door racks can be easily adjusted and even aligned to produce a reduced, pleasingly uniform, appearance.

Cooling precision is assured with evenly distributed temperatures, while a variety of climate zones can also be individually adjusted. Using Home Connect, the appliances integrate into your digital home, and can be adjusted remotely. Ideal storage conditions are also met inside the cooling drawer, preserving your meat and fish for longer, thanks to temperatures close to, or even at, 0 °C.



Fully extendible freezer drawer and warm white, glare-free LED lights



Solid dark anthracite anodised aluminium door racks



The wine climate cabinets

For serious wine aficionados, wine is a passion bordering on obsession, equalled only by the desire for the ultimate in storage. A wine climate cabinet needs to not only maintain constant temperatures ensuring storage precision, but also showcase your collection whilst enhancing the prestige of your kitchen.

The Vario wine climate cabinets 400 series now make it even easier to access your collection with assisted opening. The choice of pull or push-to-open mechanism is dependent upon whether you opt for handles or not. Hidden telescopic rails allow the bottle trays to fully extend, while the use of oak rods and dark anthracite aluminium gently secure the wine and enhance the presentation.

Up to three independently controlled climate zones are controlled via the intuitive TFT display. Part of your collection can be stored in cellar-like conditions while those bottles that should be enjoyed now, can be served on demand. Humidity is maintained at a specified setting whilst sound and vibration are minimised, ensuring a calming environment, inside and out.

A choice of five pre-set options using of warm white, glare-free LEDs further help to present your impressive collection in a flattering light.



With niche widths of 45.7 cm to 61 cm and heights between 82 cm and 213.4 cm, the wine climate cabinets can be fully integrated into a wall configuration or fitted beneath a counter. Electronic temperature control guarantees constant temperatures between 5 °C and 20 °C.

Illuminate the wine or decanter with the dimmable presentation light. It highlights without adversely affecting the contents and the cabinet maintains the wine's temperature, so that each glass is sampled at its best.

The fully integrated wine climate cabinet blends effortlessly into a cooling wall concept, providing easy access to your prized possessions. While oak rods protect the label and the special glass door shields the wine from UV damage, the lock is the only thing protecting it from you.

Under-counter wine climate cabinet integrates perfectly into any kitchen whilst offering one or two climate zones and even a dimmable presentation light. Despite fitting into the constrained space under a counter, it holds up to 42 bottles in perfect comfort.


The interior environments of all wine climate cabinets have been constructed with materials designed to have no effect on aroma or taste, with the internal air even being passed through activated charcoal filters. Exceptional engineering has gone into making the compartment virtually vibration-free and the cushioned door closing system ensures you do not disturb any remaining bottles.



The Vario wine climate cabinet 400 series



The fully extendible trays



The fully integrated wine climate cabinet



The Vario cooling 200 series

This range of refrigerators, fridge-freezer combinations and freezers fits perfectly into any standard integrated kitchen design and yet manages to offer greater internal space than standard cooling appliances.

We achieved this with some intelligent engineering, relocating part of the technology into the plinth. Not only do you have greater space to work with, you also have some rather brilliant advantages: up to four climate zones, Gastronorm insert shelving and the fresh cooling close to 0°C drawers that maintains the originality of your salmon, steaks or artichokes. Several appliances even offer Home Connect, allowing your appliance and smart home to be digitally integrated.

Smooth-running, fully-extendable shelves and drawers mean all that clever space is easy to access. And when you do, finally, close the door, it will soft close for you.



Elegant and impressively efficient, the fridge-freezer, refrigerator and freezer range offers multiple combinations. Each with a niche dimension of 56 cm wide and 177.5 cm high. With a more considered and innovative approach to their development, everything has been maximised: space, performance, energy efficiency and choice.

Private chefs know that there are great differences in how food needs to be stored. With our refrigerators, foods can be separated and enjoy bespoke preservation. Alongside one generous cooling zone are numerous drawers – one with humidity control for delicate and precious groceries.

Stepped shelving allows for that extra large item to fit in, effortlessly. Special Gastronorm inserts can be added, expanding your cuisine accomplishments, making it a seamless journey from prep and fridge to cook and serve. Not only will you save on dishes, you will make the most of the internal space. The inserts slide smoothly into their specific slots.

The fridge-freezer combinations offer multiple climate zone within their enlarged flexible space. The 4-star freezer is equipped with No-Frost technology, removing the burden of thawing it out. Other impressive functions include electronic temperature regulation and fast freezing.

The wine and champagne racks hold up to four bottles and should you ever find yourself without, the rack folds out of the way.



The stepped shelving and Gastronorm inserts



The cooling 200 series

This range offers a myriad of cooling solutions: you can lose yourself in up to 541 litres of cool volume or fit one of our refrigerators or freezers into a compact 60 cm by 82 cm slot. Large or small, our minimalist, clean lines make our cooling 200 series a pivotal addition to any room. Choose from a collection of capabilities such as distinct climate zones, fresh cooling drawers, 4-star freezer compartment and adjustable shelving.

After all we are Gaggenau, we define our own standards.

The Vario cooling 400 series



Vario fridge-freezer combination RY 492

Niche width 91.4 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 518 I Energy efficiency rating A++*



Vario fridge-freezer combination RB 492 **î**

Niche width 91.4 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 521 I Energy efficiency rating A++*



Vario fridge-freezer combination RB 472 **î**

Niche width 76.2 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 418 l Energy efficiency rating A++*



Vario refrigerator

RC 492 🗅

Niche width 91.4 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 567 l Energy efficiency rating A++*



Vario refrigerator

RC 472 角

Niche width 76.2 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 463 l Energy efficiency rating A++*



Vario refrigerator

RC 462

Niche width 61 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 356 l Energy efficiency rating A++*



Vario freezer

RF 463 角

Niche width 61 cm Niche height 213.4 cm Handleless option Illuminated ice and water dispenser with proximity sensor. Net volume 300 l Energy efficiency rating A+*



Vario freezer

RF 471 ↑ Niche width 76.2 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 429 I Energy efficiency rating A++*



Vario freezer

RF 461 🗖

Niche width 61 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 328 l Energy efficiency rating A++*



Vario freezer

RF 411 🗖

Niche width 45.7 cm Niche height 213.4 cm Handleless option Warm white, glare-free LEDs Net volume 226 l Energy efficiency rating A++*

The Vario wine climate cabinets 400 series



Vario wine climate cabinet

RW 466 角

Niche width 61 cm Niche height 213.4 cm Three climate zones Solid door, handleless option Capacity 99 bottles Energy efficiency rating A**



Vario wine climate cabinet

RW 466 🗖

Niche width 61 cm Niche height 213.4 cm Three climate zones Glass door, handleless option Capacity 99 bottles Energy efficiency rating A**



Vario wine climate cabinet RW 414 **î**

Niche width 45.7 cm Niche height 213.4 cm Solid door, handleless option Warm white, glare-free LEDs Capacity 70 bottles Energy efficiency rating A**



Vario wine climate cabinet RW 414 **∩**

Niche width 45.7 cm Niche height 213.4 cm Glass door, handleless option Warm white, glare-free LEDs Capacity 70 bottles Energy efficiency rating A**

A Home Connect

- *Energy efficiency class: at a range of energy efficiency classes from A+++ to D.
- **Energy efficiency class: at a range of energy efficiency classes from A+++ to G.

The cooling 200 series



Side-by-side refrigerator

RS 295

Niche width 91.4 cm Niche height 178 cm Free-standing, full glass door in Gaggenau Anthracite with fresh cooling close to 0° and ice and water dispenser Net volume 5411 Energy efficiency rating A++*



Fridge-freezer combination **RB 292**

Niche width 70 cm Niche height 200 cm Free-standing, stainless steelbacked full glass door with fresh cooling Net volume 395 I Energy efficiency rating A++*



Fridge-freezer combination RB 282 A

Niche width 56 cm Niche height 177.5 cm Three climate zones including fresh cooling Net volume 2701 Energy efficiency rating A++*



Fridge-freezer combination RT 282

Niche width 56 cm Niche height 177.5 cm Three climate zones including fresh cooling Net volume 286 I Energy efficiency rating A++*



Refrigerator

RC 282

Niche width 56 cm Niche height 177.5 cm Two climate zones including fresh cooling Net volume S191 Energy efficiency rating A++*



Freezer

RF 282

Niche width 56 cm Niche height 177.5 cm Net volume 211 l Energy efficiency rating A++*



Fridge-freezer combination RT 242

Niche width 56 cm Niche height 140 cm Three climate zones including fresh cooling close to 0 °C Net volume 204 l Energy efficiency rating A++*



Refrigerator

RC 242 Niche width 56 cm Niche height 140 cm Two climate zones including fresh cooling close to 0 °C Net volume 222 I

Energy efficiency rating A++*



Refrigerator

Niche width 56 cm Niche height 122.5 cm Two climate zones including fresh cooling Net volume 211 I Energy efficiency rating A++*



Freezer

RF 222

Niche width 56 cm Niche height 122.5 cm Net volume 1271 Energy efficiency rating A++*



Fridge-freezer combination RT 222

Niche width 55 cm Niche height 122.5 cm Three climate zones including fresh cooling close to 0 °C Net volume 1691 Energy efficiency rating A++*



Fridge-freezer combination RT 200

Niche width 60 cm Niche height 82 cm Net volume 1231 Energy efficiency rating A++*



Refrigerator

Niche width 56 cm

Niche height 122.5 cm Two climate zones including

fresh cooling close to 0 °C Net volume 187 I

Energy efficiency rating A++*

RC 222

Refrigerator

RC 200 Niche width 60 cm Niche height 82 cm Net volume 1371 Energy efficiency rating A++*



Freezer

```
RF 200
```

Niche width 60 cm Niche height 82 cm Net volume 981 Energy efficiency rating A+*

A Home Connect

*Energy efficiency class: at a range of energy efficiency classes from A+++ to D.



RT 222

Niche width 56 cm Niche height 122.5 cm Three climate zones including fresh cooling Net volume 195 I Energy efficiency rating A++*



The wine climate cabinets

Wine climate cabinet



Wine climate cabinet

RW 282

Niche width 60 cm Niche height 178 cm Two climate zones Kitchen furniture front-framed glass door Presentation light option Capacity 80 bottles Energy efficiency rating A*

RW 404 RW 222 Niche width 60 cm Niche width 60 cm Niche height 123 cm Niche height 82 cm Two climate zones Two climate zones Kitchen furniture front-framed Under-counter, stainless steel-framed glass door Presentation light option glass door Presentation light option Capacity 48 bottles Capacity 34 bottles Energy efficiency rating A* Energy efficiency rating A**



Wine climate cabinet

RW 402

Niche width 60 cm Niche height 82 cm One climate zone Under-counter, stainless steel-framed glass door Presentation light option Capacity 42 bottles Energy efficiency rating A**

The Vario cooling 200 series

and the second

1111

Niche width 56 cm

Niche height 177.5 cm Net volume 258 l

Energy efficiency rating A++*



Vario fridge-freezer combination

RB 289 Niche width 56 cm Niche height 177.5 cm Four climate zones including fresh cooling close to 0 °C Net volume 245 I Energy efficiency rating A++*



Vario fridge-freezer combination RB 287 RT 289

> Niche width 56 cm Niche height 177.5 cm Four climate zones including fresh cooling close to 0 °C Net volume 284 I Energy efficiency rating A++*

The accessories 400 series





Storage container

Fully extendible In aluminium Suitable for decanters, open bottles and humidors

With transparent lid

Bottle tray Fully extendible

In oak and aluminium

Wine climate cabinet

Presenter Oak and aluminium



Stainless steel RA493060

The accessories 200 series



Gastronorm insert small




Gastronorm insert large

Non-stick, GN 1/3 Unperforated

Non-stick, GN 2/3 Unperforated

Stainless steel, GN 1/3

Gastronorm insert small



Stainless steel, GN 2/3 Unperforated



Handle bar

Aluminium For single bottle display (set of 3)

Stainless steel

Unperforated





Vario fridge-freezer combination

Vario refrigerator

RC 289

Niche width 56 cm Niche height 177.5 cm Three climate zones including fresh cooling close to 0 °C Net volume 3021 Energy efficiency rating A++*



Vario freezer

RF 287

Niche width 56 cm Niche height 177.5 cm Net volume 210 I Energy efficiency rating A++*



Dishwashing

Because not everything is just a dish.

It is precious, fragile, carefully protected for decades, holding more memories than food and a witness to your family at its most natural. Treat your crockery to the dishwasher it deserves. And as with truly great cooking, some modern tableware proudly shows off the handcrafted techniques used to create it.

Our dishwasher 400 and 200 series sit seamlessly in a Gaggenau kitchen featuring all the little, and not so little, touches you have come to expect from us. From the intuitive controls, clear TFT displays, handleless push-to-open doors, Zeolite technology to clever loading options that adapt to large and precious items. All of which becomes beautifully and innovatively illuminated with a new, glowing, lighting concept that welcomes you to your glistening crockery.

Washing up is never going to be fun, but it can be made exceptional.




The dishwashers 400 series

A gentle nudge opens the handleless door, bathing you in a diffuse light as baskets are gently glided out on smooth running rails – a little push and the cushioned closing occurs. All is designed to protect your delicate glass and porcelain whilst deceiving you into thinking you are doing something far more special than mundanely loading the dishwasher.

Choose from two heights, 81.5 cm or 86.5 cm, with flexible hinges available for longer furniture fronts. Liberal with space, powerful and quick, it is also smart. Offering a multitude of washing options, a flexible basket system, clever long-stemmed glass holder and Home Connect.

This is an accommodating space, where great care has gone into every folding spine and adjustable rack. Zeolite technology reduces the eight programme times, enhances drying and decreases energy use. This series is skilful, it can even project the remaining time of the programme onto the floor, on models without flexible hinges.



The innovative lighting concept softly illuminates, revealing the carefully cleaned contents. Emanating from deep within, it highlights the sparkle of the dishes and presents your tableware in a new light.

The control panel with TFT display details the eight wash programmes with five options. While some are guided by internal sensors, they can be combined to operate on Power or Intensive yet be sensitive with the delicates.

Innovative Zeolite technology helps all our dishwashers within the series achieve their speed and A+++ Energy efficiency class*. An eco-friendly mineral that absorbs moisture as it releases heat, Zeolite helps wash and dry a full load in under an hour and protects delicate glassware by drying them at a lower, gentler temperature.

As powerful as the range is, it is also quiet and delicate with a push-to-open and cushioned closing system. Smooth running rails are on two or three levels, upper baskets can adjust to three heights and the cutlery drawers can be enlarged to hold items such as cooking utensils and espresso cups. For ease of use, the interior is perfectly illuminated.

*At a range of energy efficiency classes from A+++ to D.



The TFT display

- 8



The dishwashers 200 series

Meticulous, considerate, clever, the dishwashers 200 series performs above expectations.

Different heights and widths, up to six programmes with three adjustable options, a flexible basket system, Home Connect and for some designs the remaining time of a cycle is projected onto the floor. These are dishwashers that succeed in making life easier.

Open the door and it offers up its contents on smooth running rails. This subtle touch carefully glides your precious glasses and crockery into and out of the gentle, yet thorough machine. The only time your wine glasses should clink together is when you are drinking from them.




Two models feature TFT controls in a stainless steel panel on the front of the fascia. They also offer a smart innovation if you are going on vacation or leaving your country abode: choose the automatic door opening function and at the end of their wash cycle they will open and air themselves and their contents.

There are both integrated as well as fully integrated dishwashers in the 200 series, all with an impressive energy efficiency class of A++ or A+++*. Most offer a flexible basket system, folding spines, smooth running rails, special holders, over extendible and height adjustable upper basket and numerous intricate adjustments, so all of your kitchenware can be accommodated. To fit into your individual kitchen, flexible hinges are available on some models to allow for an extra length frontage and narrow plinths.

Six programmes, some sensor-controlled, which can be combined with three options, such as Power or Intensive. Or, given the technical skills of our Research and Development department, you could just choose one of our suggestions.

*At a range of energy efficiency classes from A+++ to D.



Fully integrated



The programme options

The dishwasher 400 series



Dishwasher

DF 481/480 ft Width 60 cm 8 programmes, 5 options Remaining time projection or Info-Light Very quiet 43 dB Energy efficiency class: A+++*

The dishwasher 200 series



Dishwasher

DF 261/260 🕇 Width 60 cm 6 programmes, 3 options Automatic door opening Very quiet 42 dB Energy efficiency class: A++*



Dishwasher

DI 261/260 🕇 Width 60 cm 6 programmes, 3 options Automatic door opening Very quiet 42 dB Energy efficiency class: A++*



Dishwasher

DF 251/250 🕇 Width 60 cm 6 programmes, 3 options Info-Light Very quiet 44 dB Energy efficiency class: A++*



DF 250 Width 45 cm 6 programmes , 2 options Remaining time projection Very quiet 44 dB Energy efficiency class: A+++*

The accessories



Cutlery drawer

With smooth running rails



Silvercare cartridge

For all dishwashers



Glass holder

For long-stemmed glasses



Glass basket




Stainless steel

h Home Connect

*Energy efficiency class: at a range of energy efficiency classes from A+++ to D. 60 cm wide dishwashers are available as 86.5 cm and 81.5 cm tall units. The 45 cm wide dishwasher is 81.5 cm tall.

The extraordinary, becomes connected. Gaggenau and Home Connect*



The difference is Gaggenau.

This is the beginning of the future of cooking. Aided by a digital device, the private chef can, for instance, pre-heat the oven, turn on ventilation, start the dishwasher, order accessories from the eShop, download digital user manuals and have a technician run a diagnostic check, all remotely.

Integrating into different home managements systems ensures the kitchen remains the heart of the digital home. The private chef can ask Amazon Alexa to prepare a cup of coffee and turn on the ventilation while checking remaining time of the oven.

- Connect: Remotely control** and monitor. Enable remote diagnosis by an online technician.
- Access:
 Purchase accessories via eShop, download user manuals and utilise our partnering network.
- Integration:
 Compatible with different home management system.

This is just the start, explore the possibilities at home-connect.com.

^{*}The use of the Home Connect functionality depends on the Home Connect services, which are not available in every country. For further information please check: home-connect.com.

^{**}Not applicable for cooktops, cooktops are not intended for unattended use – cooking process must be supervised.



Revelations

A beautiful enclosure of culinary delight. This is the promise of Gaggenau, the expectation of the chef, the realisation of the diner.

As the Physalis illustrates, exceptional design, quality and functionality need not compromise visual appeal, instead it fuels an ever-changing nature. This evolving design ethos, 333 years in the making, continues to unfurl ahead of us.



Beyond the kitchen

Together with inspiring visionaries, artists and artisans from around the world, we explore various topics within the areas of cuisine, architecture, art, design and more.

Immerse yourself into our world either via our website or for the more socially minded via our pages on Instagram, Pinterest or Vimeo.

Enlightening previews of the avant-garde for the cultural cognoscenti.



Our website offers the comprehensive story of each product as well as more information about us, our history, your nearest showroom as well as resources for architects and kitchen designers.

Showrooms | Flagship showrooms

Australia

Showroom Melbourne

192-196 Coventry Street South Melbourne Victoria 3205

Austria

Showroom Vienna

Stilarena Quellenstraße 2a 1100 Vienna +43 1 60 5750

Belgium

Showroom Brussels BSH Home Appliances N.V.-S.A. 74 Avenue du Laerbeek/ Laarbeeklaan 1090 Brussels +32 2475 7008

Canada

Showroom Montreal L'Atelier BSH 9220 Boulevard du Golf Anjou, QC, H1J 3A1 +1 51 4353 3232

Showroom Toronto Luxe Appliance Studio 334 King Street East Unit 1 Toronto, ON, M5A 1K8 +1 88 8966 5893

Czech Republic

Showroom Prague BSH domácí spotřebiče s. r. o. Radlická 350/107c 158 00 Praha 5 +420 251 095 550

China Showroom Beijing

Room 5018 China World Tower No. 1 Jian Guo Men Wai Street Chaoyang District 100004 Beijing +86 10 8535 1058

Showroom Chengdu

Room 4807-9 Office tower 1 Chengdu IFS No.1, section 3 Hongxing Road 610021 Chengdu Sichuan province +86 028 8609 3656

Showroom Guangzhou

Room 5203 Guangzhou International Finance Center No. 5 Zhujiang Road West Zhujiang New Town 510623 Guangzhou Guangdong +86 20 2338 8958

Showroom Shanghai

Room 4710 Tower II Plaza 66 No. 1266 West Nanjing Road 200040 Shanghai +86 21 3229 0368

Cyprus

Showroom Nicosia Hadjikyriakos & Sons Ltd. Prodromos 121 Nicosia 1511 +357 2287 2111

Denmark

Showroom Ballerup BSH Hvidevarer A/S Telegrafvej 4 2750 Ballerup +45 4489 8833

Finland

Showroom Helsinki

BSH Kodinkoneet Oy Itälahdenkatu 18 A 00201 Helsinki +358 20 751 0750

France

Showroom Paris Galerie d'exposition Paris 7 Rue de Tilsitt 75017 Paris +33 1 5805 2020

Germany

Showroom Munich Arabellastraße 30 A 81925 Munich +49 89 4570 4647

Greece

Showroom Kifissia BSH Oikiakes syskeves A.B.E. 17th km Ethnikis odou Athinon Lamias & Potamou 20 14564 Kifissia Athens +30 210 427 7827

Hong Kong

Showroom Hong Kong Kitchen Infinity Corp. Limited G/F Cubus 1 Hoi Ping Road Causeway Bay Hong Kong +852 2890 1522

Iceland

Showroom Reykjavik Smith & Norland hf, Nóatúní 4 105 Reykjavik +354 520 3000

India

Showroom Bengaluru SIS Imports 37, 4th B Cross 5th Block Industrial Layout Koramangala Bengaluru 560 095 +91 80 2550 4444

Showroom Hyderabad SIS Imports Piot No. 1057/M Road No. 45 Jubilee Hills Hyderabad 500 033 +91 40 2355 0346/47

Showroom Mumbai SIS Imports 1st Floor Ashford Chambers (Old Citylight Theatre) LJ Road, Mahim Mumbai 400 016 +91 22 2446 7750/52/54

Showroom New Delhi SIS Imports B 87, Defence Colony New Delhi 110 024 +91 11 4155 3333/6789

Israel

Showroom Tel-Aviv BSH Home Appliances Ltd. 25 Maskit Street 46733 Herzliya +972 9973 0000

Italy

Showroom Macerata Design Elementi Marche S.r.I. Via delle Maestranze 1 Zona Ind. le Corridonia 62014 Corridonia +39 0733 28 3526

Showroom Milan Design Elementi Milano S.r.I. Corso Magenta 2 20121 Milan

Showroom Treviso F.K. & T. S.r.I - Furniture Kitchen and Technology Piazza Foro Romano 2 31040 Oderzo +39 0422 81 5110

Showroom Verona Nuova Arredo Inserimenti S.r.I. Via Roveggia 122 37100 Verona +39 045 58 3234

Showroom Vicenza Nuova Arredo Inserimenti Via Dell'Industria 48/50 36040 Grisignano Di Zocco +39 0444 61 4422

Japan

Showroom Ashiya N.TEC Co. Ltd. 6-16 Ohara-cho Ashiya-shi Hyogo 651-0092 +81 797 32 3751

Showroom Hyogo N.TEC Co. Ltd. 2-23-7 Narai Yamaguchi-cho Nishinomiya-shi Hyogo 651-1411 +81 78 904 3101

Showroom Tokyo N.TEC Co.Ltd 1-8-4 Higashiazabu Minato-ku Tokyo 106-0044 +81 3 5545 3877

Kazakhstan

Showroom Almaty Azimut TOO Prospekt Abai, 31 50000 Almaty +7 372 7258 2931

Luxembourg

Showroom Luxembourg BSH électroménagers S.A. 13-15 Z.I. Breedewues 1259 Senningerberg +352 2634 9851

Malaysia

Showroom Kuala Lumpur BSH Home Appliances Sdn. Bhd. Unit No 2-1 Level 2 CP Tower No, 11 Jalan 16/11 Pusat Dagang Seksyen 16 46350 Petaling Jaya +60 3 7955 8880

Showroom Malaysia 89 Jalan Maarof Bangsar 59100 Kuala Lumpur WP, Malaysia +60 3 7955 8880

Malta

Showroom Maita Aplan Ltd. The Atrium Mriehel By-Pass Birkirkara BKR 3000 Malta +356 2148 0590

Netherlands

Showroom Amsterdam Inspiratiehuis 20/20 Taurusavenue 36 2132 LS Hoofddorp +31 88 424 4031

New Zealand

Showroom Auckland BSH Home Appliances Ltd. 65 Parnell Rise Parnell Auckland 1052 +64 9 4770 492

Northern Cyprus

Showroom Lefkosa Akbel Ltd. 14A Ortaköy Dr. Burhan Nalbantoğlu Cad 00010 Lefkosa +90 39 2223 3233

Norway

Showroom Oslo BSH Husholdningsapparater AS Grensesvingen 9 0607 Oslo +47 2266 0646

Philippines

Showroom Metro Manila Living Innovations Corp GF Units 106 & 107 Fort Victoria 5th Ave. corner 23rd Street Fort Bonifacio Global City Taguig City Metro Manila +62 2 830 2230

Poland

Showroom Warsaw

BSH Sprzęt Gospodarstwa Domowego Sp. z o.o. Aleje Jerozolimskie 183 02-222 Warszawa +48 22 572 4400

Singapore

Showroom Singapore

BSH Home Appliances Pte. Ltd. 11 Bishan Street 21 4th Floor Singapore 573943 +65 6356 1080

South Africa

Showroom Cape Town 17 Church Street Bree Street Studios 8000 Cape Town +27 21 550 9900

Showroom Johannesburg 30 Archimedes Street 2148 Johannesburg +27 10 001 0019

South Korea

Showroom Seoul Fine Appliances Co. Ltd. 3rd Fl. Jinnex Lakeview Bldg. 99, Ogeumno Songpa-gu Seoul 05548 +82 2 6293 9393 (ext. 402)

Spain

Showroom Barcelona BSH Electrodomesticos España S.A. Ricardo Villa, 4 08017 Barcelona +34 9 3206 4144

Sweden

Showroom Stockholm BSH Home Appliances AB Landsvägen 32 169 29 Solna +46 8 734 1370

Switzerland

Showroom Bern BSH Hausgeräte AG Steigerhubelstrasse 3 3008 Bern +41 3 1398 2848

Showroom Crissier BSH Electroménager SA Chemin de Mongevon 4 1023 Crissier +41 2 637 13 00

Showroom Lugano BSH Elettrodomestici SA Via Campagna 30 6934 Bioggio +41 4 3455 4028

Showroom Zurich BSH Hausgeräte AG Fahrweidstr. 80 8954 Geroldswil +41 4 3455 4000

Taiwan

Showroom Taipei BSH Home Appliances Pte. Ltd. 11F No. 80 Zhouzi Street Neihu District Taipeh City 11493 +886 2 8978 0999

Thailand

Showroom Bangkok

BSH Home Appliances Ltd. Ital Thai Tower No. 2034/31-39 2nd Floor New Petchburi Road Bangkapi Huay Kwang Bangkok 10310 +66 2769 7900

Turkey

Showroom Istanbul Istanbul Sapphire Residence, 3206 Eski Büyükdere Caddesi 34330 Levent Istanbul +90 21 2397 2012

United Arab Emirates

Showroom Dubai The Oberoi Centre Office 504 Business Bay PO Box 17312 +9714 8030400

United Kingdom

Showroom Landon 40 Wigmore Street London W1U 2RX +44 344 892 8988

USA

Showroom Chicago

Merchandise Mart 222 Merchandise Mart Plaza, Suite 108 Chicago IL 60654 +1 312 832 3200

Showroom Irvine

BSH Experience & Design Center 17911 Von Karman Suite 100 Irvine CA 92614 +1 94 9224 4700

Showroom Miami LCI Distributors 2005 NW 115 Avenue Miami FL 33172 +1 30 5418 0010

Showroom New York

A&D Building 7th floor 150 East 58th Street New York NY 10155 +1 21 2588 0950

Showroom San Francisco Purcell Murray 185 Park Lane Brisbane CA 94005 +1 80 0892 4040

Vietnam

Showroom Danang Häfele Design Center Danang 248 Nguyen Van Linh Street Thac Gian Ward Thanh Khe District Danang +84 236 3584 988

Showroom Hanoi Häfele Design Center Hanoi 128 Thuy Khue Street Thuy Khue Ward Tay Ho District Hanoi +84 24 3850 0400

Showroom Ho Chi Minh City Häfele Design Center Ho Chi Minh City 46A Nguyen Van Troi Street Ward 15 Phu Nhuan District Ho Chi Minh City +84 28 39 977 300 The difference is Gaggenau.