




Siemens is setting a new benchmark: with iSensoric technology.

Be inspired by the extraordinary and explore exciting new possibilities. Siemens Home Appliances enrich life through innovative technology and stylish design.

iSensoric's network of sensors interacts with smart software to manage your home appliances and make them less dependent on human input. From perfect washing results, to producing the cleanest dishes and delivering long-lasting food freshness, iSensoric delivers maximum efficiency to give you more time, enabling you to leave your daily routine behind.

With uncompromising design, innovation and technology be inspired when power meets intelligence and enjoy outstanding results from Siemens Home Appliances.






Home laundry	6-27
avantgarde	16-19 20-21
Dishwashers	28-37
Full-size (60cm)	
Cooling	38-71
Cooling American fridge freezers Fridge freezers Upright single door fridges Upright single door freezers	44-46 48-54 57-59
American fridge freezers	44-46 48-54 57-59









- Recipe World offers you a wide range of delicious recipes – choose your favourite and send the ideal settings directly to the oven.
- Operate the oven intuitively from wherever you are, for instance to preheat it while you are on your way home
- The coffeeWorld in your Home Connect App provides an additional variety of delicious speciality coffees from around the world.
- The coffeePlaylist enables you to transfer the beverage wishes of all your guests remotely to the appliance at once – the coffee centre will then prepare one after another.

Models shown: HN678GES6B single oven CT636LES6 coffee centre, BI630CNS1B warming drawer



Hobs and Hoods

- Remote monitoring gives you an overview of your
- appliance's current status from wherever you are. • Intuitively change and select settings on your appliances via the Home Connect App.
- Push notifications inform you about your appliances such as when the filters need replacing.
- Access 256 colours to set the ambient lighting of selected hoods with emotionLight Pro.



- Home Connect App allows you to select the kind of dishes you'd like to clean and choose the right dishwashing programme to suit the load.
- Remote controlling lets you select options, and start programmes intuitively, wherever you are.
- With the Tab Counter you can get Push Notifications straight to your mobile, via the Home Connect App, whenever the supply of dishwasher tabs needs to be refilled.



Models shown: I C97FVW60B hood EX975KXW1E hob

Model shown: SN678D06TG built-in dishwasher



Fridge Freezers

- Cameras in the fridge let you check the contents of your fridge from wherever you are, whenever you want*.
- · Remote controlling allows you to intuitively select and activate the ideal setting for your refrigerator.

Model shown: KG36NHI32 fridge freezer *Applies to freestanding fridge freezers only



Washing Machines

• The Easy start function on your washing machine, using the Home Connect App, allows you to answer a few simple questions and then automatically suggests the correct programme for your load.

and Washer Dryers

- Remote monitoring provides you with an easy overview of your appliance's current status from wherever you are.
- Push Notifications inform you when the cycle is finished and, for our i-Dos model, whenever the fill status of detergent or fabric softener is getting low.

Model shown: WM4UH640GB freestanding avantgarde washing machine WT7XH940GB freestanding avantgarde tumble dryer.



Is an appliance Wi-Fi ready? To see which of our appliances come Wi-Fi-enabled so that you can use Home Connect, look out for the Wi-Fi ready icon next to the product description.



Discover even more about Home Connect

To find out about about the exciting possibilities Siemens Home Appliances and Home Connect offers visit: siemens-home.bsh-group.com/uk/home-connect

Home Connect is a service offered by Home Connect GmbH. To use Home Connect, you have to create a user account and

Laundry.
Welcome to a range designed around you.

Smarter thinking, smarter clothes. Siemens Washing Machines, Washer Dryers and Tumble Dryers deliver outstanding results each and every time.

Sleek, streamlined, and stylish, Siemens washing machines and washer dryers not only look great in your home, they perform perfectly too. With state-of-the-art technology Siemens washing machines are extremely energy efficient, easy to use, and most importantly designed to save you time and money. All Siemens tumble dryers feature sensor drying, which provides uniform drying results, and makes over-drying a thing of the past. The Siemens laundry range has been developed to make laundry easier and less of a chore.

Siemens washer dryers combine the innovative functions of the modern washing machines and dryers in one appliance to save effort, time and space. At the touch of a button, with their large display and clear operation, you can conveniently control the variety of cycles from both worlds: washing and drying.





The sensoFresh programme: Experience effective odour removal.

Beautiful memories are too precious to be compromised by bad smells.

You can't prevent your clothes from picking up odours when you're enjoying the moment – but that's no problem for sensoFresh.

The revolutionary sensoFresh System provides the ideal solution for odour removal on almost any type of fabric – without water or detergent. Together, the use of active oxygen and efficient sensor technology provide a highly convenient way to eliminate odours, delivering pleasantly fresh clothes and outstanding hygiene even on delicate or dry-clean only fabrics.

Prepare yourself for a new level of convenience.



Effective odour removal with active oxygen: sensoFresh programme.

Get rid of odours such as kitchen smells without the use of water or detergent using the sensoFresh programme.

sensoFresh provides odour elimination quickly, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the intensity of the odour.

Laundry feature guide.

Reference key:



Model does have this feature



Model does not have this feature

The features included in this feature guide are an overview only. Please ensure that you check the product detail for the exact features of each model.

*For individual product energy efficiency ratings please check the icons next to the product specification

Key functionality – Washing Machines



Energy efficient class A+++* All Siemens washing machines automatically adapt the wash time and energy consumption to the amount of laundry in the machine.



Auto programme Whether normal or delicate items – the automatic programmes adjust the detergent dose and the entire wash cycle to the needs of your laundry to optimum effect.



i-Dos Determines how much detergent is needed for each wash, based on the weight of the laundry and programme used.



sensoFresh programme Get rid of odours such as cigarette smoke or kitchen smells – the sensoFresh programme provides odour elimination in short time, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the intensity of the odour.



Wi-Fi ready With Wi-Fi enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



Capacity Capacity of laundry your machine can hold (kg).



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a quieter machine with an increased life span.



5 Year Warranty A 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.

Washer Dryers



Energy efficient class A* All Siemens washer dryers are rated A for energy efficiency.



Washing capacity The large washing capacity ensures you can wash clothes with fewer loads.



Drying capacity The drying capacity ensures you can dry clothes effectively.



airCondensation uses no additional water in the drying process, making it an extremely energy-efficient appliance. This translates into cheaper energy bills, saving resources.



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a quieter machine with an increased life span.



varioPerfect The choice between speedPerfect and ecoPerfect; varioPerfect allows the setting of certain washes to be changed determined on what is most important to the user; time or energy.

Tumble Dryers



Energy efficient class A++* All Siemens heat pump tumble dryers are at least rated A++ for energy efficiency.



Wi-Fi ready With Wi-Fi enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



Capacity Capacity of laundry your machine can hold (kg)



Drum interior light To give you optimum visibility when loading and unloading your laundry.



Heat pump Heat pump dryers are condensation dryers equipped with a special heat pump technology. In contrast to classic condensation dryers, here energy in the form of heat is not discharged into the environment; instead it is retained for the drying process.



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a quieter machine with an increased life span.



selfCleaning condenser The automatic, selfCleaning condenser system uses water generated during the drying cycle to clean the heat exchanger three to four times during every cycle.



iSensoric technology provides laundry care of the highest standard.

Delicate satin, sportswear, outdoor jackets, white shirts – every wardrobe is full of clothes that vary in fabric and colour. And they all need different types of care.

Supported by information collected from the sensors, the iSensoric Control Unit can identify load volume, distinguish between different types of fabrics, spot excessive degrees of soiling and more – to handle each and every load individually.

This technology opens up endless possibilities. Take the i-Dos feature, which calculates the right amount of detergent for any load, or sensoFresh, the ideal solution for odour removal on almost any type of fabric – without water or detergent, helping to provide the perfect washing result.





Models shown: WM14YH89GB washing machine and WT4HY791GB tumble dryer

Other product features

antiVibratio

Having antiVibration technology built-in to the design of the machine makes the appliance more stable, which in turn makes it quieter.

autoStain removal system (ASR)

Takes the effort out of cleaning tough stains by automatically optimising the wash settings to remove individual stains from your laundry and eradicating the need to pre-wash stained clothes.

autoLoad Plus

Ensures that the correct amount of detergent is used depending on the weight of washing and the maximum weight allowance for certain programmes.

Consumption value indicator

See which programmes use less energy and water with the consumption value indicator.

Drum clean

An automatic alert after 20 washes to run the Drum Clean programme on a 90°C or 60°C wash keeps the appliance clean and odour free.

Drum interior light

To give you optimum visibility when loading and unloading your laundry.

Foam detection system

Detects if too much foam has been created during a wash, if so, it will adjust the drum movement and add an extra rinse cycle if necessary.



5 Year Warranty A 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.

hydroSafe

Ensures you never have to deal with the inconvenience of a leaking connection. Protects against water damage.

Less Ironing option

At the touch of a button 'Less Ironing' can be added to a selected programme, ensuring the machine gently and evenly drains the water and reduces the spin speed, helping to keep clothes crease free.

rapid15

Rinses, washes and spins lightly soiled clothing in just 15 minutes, designed for those with hectic lives this wash cycle will clean clothes when you're in a hurry.

rapid40

Leaving clothes ready to iron in only 40 minutes thanks to the optimised temperature control and customised cool-down phase of the rapid40 programme.

reload

The reload function allows the machine to be paused and the door opened at the next safe opportunity. It's the perfect solution when an extra item needs to be added to the load.

Textile Guard

This programme applies a waterproof treatment to breathable fabrics, prolonging the life of high-quality functional clothing like winter jackets, fleeces and ski suits.



2 Year Warranty For complete peace of mind, all Siemens appliances come with a 2 year warranty as standard.

10 11

Siemens avantgarde:

Where design meets innovation.

Discover our most premium laundry care range.

Discover laundry care appliances that keep up with your lifestyle. With a cutting-edge appearance Siemens avantgarde adds a touch of brilliance to your home – even for everyday tasks like washing and drying laundry. Enjoy outstanding design and exceptional convenience thanks to the inclined ergonomic control panel, intuitive iSelect TFT Display, and an overall outstanding design.



Home connect

With WiFi enabled appliances you can easily control your avantgarde appliances directly from the Home Connect app using your mobile or tablet device. Home Connect allows you to use features such as the Easy start function which helps you to select the best programme for your load based on answering a few simple questions. Home Connect also allows you to track the current status of your appliance and the app can also send push notifications to your phone so you know when the laundry cycle is finished.



iSelect TFT Display

The iSelect TFT Display is intuitive with a smartphone-like user interface, allowing you to select programmes by scrolling through a digital menu. This large clear screen is featured on models WM14U940GB (washing machine) and WT7XH940GB (tumble dryer) to provide clear and precise selection options. These two models with their stand out displays coordinate together beautifully. The new iSelect TFT Display panel helps aid the process of choosing programmes through clear legibility and a user friendly interface.



Get in touch with every feature: multiTouch LED display

The multiTouch LED display featured on the WM4UH640GB (washing machine) allows you to operate every feature of the washing machine and dryer intuitively, without having to press any buttons. What's more, you can receive precise visual and acoustic feedback with different LEDs and sounds.



Drying without obstacles: selfCleaning condenser

selfCleaning condenser prevents the dryer from becoming clogged with lint or fluff. The system cleans out the affected areas several times during the drying programme to keep the dryer's performance high and its energy consumption low.



Your personal washing and drying programme: myFavourite

With the memory function myFavourite, you can start your favourite programme with one touch on the multiTouch LED display. myFavourite remembers your desired combination of programme and possible options so you don't have to set it up again for the next wash or drying cycle. Experience more.



Just add laundry: i-Dos

Saving you time, the i-Dos system automatically determines the exact amount of liquid detergent needed for each of your laundry cycles, depending on the weight of the load and what programme is used - for perfectly clean laundry with minimal use of resources.



Do the laundry at your own speed: myTime

Whether you're in a rush or have plenty of time, you can choose how long your washing or drying takes with myTime. Exclusive to avantgarde, myTime allows you to choose to run the programme from between 20 to 60 minutes, you decide. Now you can fit the laundry into your schedule without compromise.

avantgarde washing machines and tumble dryer







The sensoFresh programme provides odour elimination quickly, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the intensity of the odour.


Experience stunning design with intelligent technology

Introducing the avantgarde design range washing machine. This frontloading automatic washing machine features iSensoric technology, inclined iSelect TFT touch display, Home Connect, sensoFresh programme and autoStain options offering exceptional laundry care with every wash.

iQ 700 WM14U940GB White 1400rpm spin speed

avantgarde Washing machine

- Home Connect manage your appliance from wherever you are Maximum spin speed: 1400rpm
- Noise level washing: 46dB (A) re 1pW • Noise level spinning: 72dB (A) re 1 pW
- 14 special programmes: automatic soft, myTime, shirts, rapid15, sensoFresh, textile guard/outdoor wear, easy care, dark wash, curtain, mixed fabrics, duvet, night wash, drum clean with reminder
- Options: ecoPerfect, speedPerfect, autoStain (16 options), myFavourite, remote start, soaking 10-20-30 mins, less ironing, extra rinse, prewash, variable temperature, spin speed reduction
- varioPerfect change certain washes depending on what is important to you; time or energy
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 62.2cm







Saving you time, the i-Dos system automatically determines the exact amount of liquid detergent needed for each of your laundry cycles, depending on the weight of the load and what programme is used – for perfectly clean laundry with minimal use of resources.

iQ 700 WM4UH640GB White 1400rpm spin speed

avantgarde Washing machine

- Home Connect manage your appliance from wherever you are
- Maximum spin speed: 1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 71dB (A) re 1 pW
- 15 special programmes: mixed fabrics, textile guard re-proofing, automatic soft, duvet, drum clean with reminder, handwash/ wool, delicates
- Options: waterPlus, prewash, night wash, less ironing, extra rinse cycles, i-Dos 1, i-Dos 2, memory, soaking 10-20-30 min, speedPerfect, ecoPerfect_start/reload
- varioPerfect change certain washes depending on what is important to you; time or energy
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 84.5 x 59.8 x 62cm

















You can now choose how long your washing or drying takes with myTime. Choose to run the programme from between 20 to 60 minutes; you decide.

Experience outstanding design, energy efficiency and exceptional drying convenience.

Take advantage of innovative features to effortlessly care for your laundry with avantgarde. This front-loading tumble dryer benefits from iSensoric technology, inclined iSelect TFT touch display, Home Connect and selfCleaning condenser with heat pump to maintain maximum energy efficiency for life.

iQ 700 WT7XH940GB White

avantgarde Tumble dryer

- Home Connect manage your appliance from wherever you are Noise level: 61dB (A) re 1pW
- 15 special programmes: mixed fabrics, wool drying basket, outdoor, towels, blankets, pillows, timed programmme warm, cotton, easy-care, hygiene, lingerie, rapid40, shirts
- Touch control buttons: low heat, buzzer, start/pause, myFavourite, remote start, drying level, fine-tuning for drying level, child lock 3 sec., less ironing 60 mins, less ironing 120 mins, 24 hours time delay
- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- · Container for condensed water
- Dimensions (HxWxD): 84.2 x 59.8 x 64.4cm













Home laundry | Washing machines

Washing machines | Home laundry

Washing machines



Experience exceptional quality and intelligent innovation with our stylish iQ700 i-Dos washing machine.

Our premium iQ700 washing machine features iSensoric technology that takes care of your laundry for you: the intelligent i-Dos dosing system and autoStain removal work together with the quiet iQdrive motor to ensure your clothes receive the perfect wash every time.

White 1400rpm spin speed

i-Dos Washing machine

- Maximum spin speed: 1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level washing : 47db (A) re 1pW
 Noise level spinning: 71dB (A) re 1pW
- 15 programmes: single rinse, easy care, dark wash, curtains, textile guard re-proofing, shirts, mixed fabrics, automatic, automatic soft, automatic intensive, hygiene, rapid15 minute quick wash, drum clean with reminder, handwash/wool, delicates
- Options: waterPlus, prewash, night wash, less ironing, extra rinse cycles, rinse hold
- autoStain removal system with 16 stain options
- varioPerfect change certain washes depending on what is important to you: time or energy
- clearText TFT Display
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

















Just add laundry!

The i-Dos system automatically determines how much detergent is needed for each of your wash loads, based on the weight of the laundry and programme used.

Saving you time, the i-Dos washing machine allows you to simply place your clothes in the drum, select your desired programme and relax. The i-Dos system uses a combination of all the sensors to automatically determine the exact amount of liquid detergent needed for each of your laundry cycles, depending on the weight of the load and what programme is used. With the built-in drawer conveniently holding enough liquid detergent for around 20 washes, not only does this mean you don't have to measure and fill the container for every wash, but as the correct amount of liquid detergent is used every time, your clothes will receive the perfect wash whilst saving you precious time and around 11 litres in detergent per year.* The result, hassle-free laundry and perfectly clean clothes!







Fast and efficient machines with added peace of mind.



For complete peace of mind, all Siemens appliances come with a 2 year warranty as standard. A 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.



Our entire range boast A+++ for energy
Siemens washing machines are extremely energy
efficient, using as little as 0.13kWh/kg, they are rated
at the very top of the European Energy Efficiency
Rating system. All Siemens washing machines
automatically adapt the wash time and the energy
consumption to the amount of laundry in the machine.



The iOdrive

Is the most economical, fastest, quietest and durable motor we have ever built, hence why it comes with a 10-year motor warranty and a 5-year parts and labour warranty. This specially designed motor at the heart of our machines is designed to last longer; meaning you'll never be without clean laundry, as well as being extremely quiet, meaning you can enjoy a conversation without having to compete with your washing machine.

Start cleaning the laundry. While you dirty your clothes.



Siemens Wi-Fi enabled washing machines with Home Connect can't take the loading and unloading away, but they will add exciting features to give you more flexibility and choice when doing your laundry.

Easy Start

The Easy Start feature in your Home Connect App helps you to find the best programme. Just answer a few simple questions, for example about the fabric and colour, and remotely send the recommended settings to your appliance. Go from finding the ideal programme to starting the laundry in just a few seconds.

Remote monitoring

A washing machine you can monitor from wherever you are provides a lot of convenience. With the Home Connect App you always know if the laundry is ready or not, and you don't have to check it several times just to see that it's still running.

Remote Contro

Let your laundry adjust to your timetable. With the Home Connect App you can easily select options and start your washing machine whenever you want, from wherever you are – to have the laundry ready exactly when you need it.

Push notifications

Our i-Dos washing machine automatically adjusts the dosing of detergent and fabric softener in order to deliver optimal results. And now it is getting even more advanced: you can receive Push Notifications whenever the compartments need to be refilled, or your laundry is ready.

















iQ500 WM16YH79GB White 1600rpm spin speed iQ500 WM14YH79GB White 1400rpm spin speed

Washing machines

- Maximum spin speed: 1600rpm/1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level washing: 47db (A) re 1pW
 Noise level spinning: 73dB (A) re 1pW (WM16YH79GB),
- 71dB (A) re 1pW (WM14YH790GB)
- 15 programmes: down, easy care, dark wash, curtains, textile guard re-proofing, shirts, mixed fabrics, automatic, automatic soft, hygiene, rapid15 minute quick wash, drum clean with reminder, handwash/wool, delicates
- Options: waterPlus, prewash, night wash, less ironing, extra rinse cycles, rinse hold
- autoStain removal system with 16 stain options
- varioPerfect change certain washes depending on what is important to you; time or energy
- clearText TFT Display
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

Home laundry | Washing machines Washing machines | Home laundry

Washing machines

Tough on stains, gentle on your washing.

Removing tough stains without the need for specialist products or pre-washing.

Keeping your life uncluttered, our specially designed autoStain removal system (ASR) takes the effort out of cleaning tough stains. Simply load your clothes in the machine, choose a wash programme, select one of the 16 stain treatments and let ASR do the rest. This saves you time and removes the need for specialist products or pre-washing.



It happens to the best of us, a stain on your favourite dress or best shirt is part of life. However, we have a solution that is going to save you time and effort when it comes to removing stubborn stains, autoStain system (ASR available on models WM14YH89GB, WM16YH79GB and WM14YH79GB. 4 stain options available on models WM16W5H0GB and WM14W5H0GB). So next time you need to remove last night's wine from your shirt sleeve or a lipstick smudge on your favourite dress, look no further than your Siemens washing machine.

Whether it is red wine or coffee, dirt or grass, blood or even cosmetics, our autoStain removal system (ASR), automatically optimises the wash settings to remove individual stains from your laundry. The ASR system eradicates the need to pre-wash stained clothes and the use of special detergents, tackling up to 16 different types of stain. The ASR system tailors the wash according to the nature of the stain, creating the perfect balance between the mechanical drum action, water level, wash time and temperature. Saving you time and money on buying specialist products, those unforeseen accidents need not ruin your clothes anymore.

Stain selection is made easy with the large clearText TFT Display screen.

Illustration only Actual washing machine display may vary.













iQ 500 WM14W7H0GB White 1400rpm spin speed

• Maximum spin speed: 1400rpm

- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 71dB (A) re 1pW sensoFresh – effective odour removal
- 15 programmes: easy care, dark wash, textile guard re-proofing, shirts, rapid15 minute quick wash, mixed fabrics, handwash/wool, delicates/silk • Touch control buttons: start/reload, remote start, prewash, extra rinse, less
- ironing, spin speed selection, temperature selection, speedPerfect, ecoPerfect
- varioPerfect change certain washes depending on what is important to you;
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm
- Available September 2018

- Maximum spin speed: 1600rpm/1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 73dB (A) re 1pW (WM16W5H0GB), 71dB (A) re 1pW (WM14W5H0GR)

iQ500 WM16W5H0GB White 1600rpm spin speed

10500 WM14W5H0GB White 1400rpm spin speed

- 15 programmes; easy care, dark wash, curtains, textile guard re-proofing. shirts/blouses, rapid15 minute quick wash, mixed fabrics, hygiene, drum clean with reminder, handwash/wool, delicates/silk
- Touch control buttons: prewash, extra rinse, less ironing, spin speed selection. temperature selection, start/reload, speedPerfect, ecoPerfect, stain selection
- autoStain removal system removing the 4 most stubborn stains
- varioPerfect change certain washes depending on what is important to you;
- time or energy
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

Siemens washing machines take the hassle out of washing

Our machines take full advantage of the latest technology and innovation, designed to make laundry less of a chore.



rapid15

Meets your highest hygiene standards: The drum clean programme

The programme for cleaning the washing machine's drum prevents the formation of odours inside the

What can you do in an hour? Add the laundry to

your list. Need a shirt cleaning an hour before

you're due to leave the house? Don't panic! The

rapid15 programme will save the day. Designed

Combined with the speedy 40 minute drying

your favourite shirt ready by the evening.

for those of us with hectic lives this wash cycle will

clean your clothes when you are in a hurry. rapid15

washes, rinses and spins laundry in just 15 minutes.

programme of our tumble dryers, rapid40 will have



Hygienically clean laundry even at low temperatures: The hygiene programme. The hygiene programme is particularly suitable for delicate textiles that cannot be washed in a hightemperature wash programme.



varioPerfect

Designed to work around your busy schedule. Giving you the choice, varioPerfect allows the setting of certain washes to be changed determined on what is most important to you, time or energy. Decreasing a washing machines cycle time by up to 65%*. speedPerfect is ideal for getting through your laundry quickly without compromising on quality or cleanliness, whereas ecoPerfect lengthens the time of a cycle by reducing the machines energy consumption by up to 50%**.

*Cottons 40°C: Standard programme compared with speedPerfect option.

**EU label standard cottons 60°C programme with ecoPerfect option.











10300 WM14N201GB White 1400rpm spin speed 10300 WM12N201GB White 1200rpm spin speed

- Maximum spin speed: 1400rpm
- Noise level washing: 48dB (A) re 1pW
- Noise level spinning: 73dB (A) re 1pW
- 14 special programmes: sensoFresh, easy care, dark wash, mixed fabrics, textile guard re-proofing, rapid15 minute quick wash, drum clean with reminder, hygiene mix, shirts, wool, delicates/silk

10500 WM14T790GB White 1400rpm spin speed

- Touch control buttons: start/reload, prewash, less ironing, spin speed selection, temperature selection, extra rinses, memory, speedPerfect/ecoPerfect, time delay
- · waterPerfect Plus: water management system
- 24 hours time delay and time remaining indicator
- multiTouch LED display
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

- Maximum spin speed: 1400rpm/1200rpm
- Noise level washing: 55dB (A) re 1pW
- Noise level spinning: 76dB (A) re 1pW
- 15 programmes: rapid60, easy care, dark wash, shirts, textile guard re-proofing, mixed fabrics, hygiene, rapid15 minute quick wash, duvet, drum clean with reminder, rinse/spin/drain, handwash/wool, delicates/silk
- Touch control buttons: less ironing, time delay, temperature selection, start/reload, speedPerfect/ecoPerfect, water & rinse plus, spin speed selection
- varioPerfect change certain washes depending on what is important to you;
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 55cm

Home laundry | Washer dryers Washer dryers | Home laundry

Washer dryers


A breath of fresh air.

There are some things only a washer dryer can do. Being kinder to the environment with every wash, our energy-efficient appliances use no additional water during the drying process.



With state-of-the-art technology built into our appliances Siemens have some of the most energy efficient washer dryers on the market. The airCondensation systems in our washer dryers uses no extra water during the drying process, making it an extremely resource efficient appliance. Using as little as 4.76 kWh of energy and the minimum water to wash and dry a full load of laundry the appliance earns itself an ultra-efficient rating of A.

From dirty to perfectly clean and dry, effortlessly the WD14H422GB can wash and dry up to 4kg of laundry non-stop in a single operation. That's the equivalent of 7 pairs of trousers or 18 shirts, carefully and perfectly washed and dried. Load your wash into the drum, switch on the washer dryer and relax. When it's done remove the clean or cupboard-dry laundry – nothing could be easier, more convenient, whilst also saving you space in your kitchen.





iQ 500 WD14U520GB White 1500rpm spin speed

- Maximum spin speed: 1500rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 71dB (A) re 1pW
- 14 special programmes: myTime, towels, mixed fabrics, textile guard re-proofing, rapid15 minute quick wash, wash & dry 60, drum clean with reminder, refresh, hygiene, handwash/wool, delicates"/silk
- Touch control buttons: start/reload, time delay, spin speed selection, temperature selection, ecoPerfect, speedPerfect, wash & dry, prewash, extra rinse, less ironing, night wash, myFavourite, child lock, night dry, dry only, drying time selection
- waterPerfect Plus: water management system
- autoDry
- 24 hours time delay and time remaining indicator
- multiTouch LED display
- Dimensions (HxWxD): 84.8 x 59.8 x 62cm















iQ 500 WD14H422GB White 1400rpm spin speed


Washer dryer

- Maximum spin speed: 1400rpm
- Noise level washing: 46dB (A) re 1pW
- Noise level spinning: 74dB (A) re 1pW
- 15 special programmes: wash & dry 60, mixed fabrics, textile guard re-proofing, rapid15 minutes quick wash, handwash/wool, delicates/silk, fluff clean, refresh
- Touch control buttons: start/reload, temperature selection, time delay, drying time selection, spin speed selection, options, select
- waterPerfect Plus: water management system
- 24 hours time delay and time remaining indicator • Dimensions (HxWxD): 84.8 x 59.8 x 59cm



iQ 500 WD15G422GB White 1500rpm spin speed

Washer dryer



- Noise level washing : 47dB (A) re 1pW
- Noise level spinning:74dB (A) re 1 pW
- 15 special programmes: prewash, mixed fabrics, textile guard re-proofing, shirts/business, rapid15 minute quick wash, wash & dry 60, fluff clean,
- hygiene care, handwash/wool, delicates/silk Touch control buttons: start/reload, extra rinse, time delay, spin speed selection, temperature selection,
- drying time selection, speedPerfect/ecoPerfect
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 85 x 60 x 59cm













Home laundry | Tumble dryers Tumble dryers | Home laundry

Tumble dryers

Tumble dryers that maintain energy efficiency for life.



High-performance and highly-efficient

Let yourself be fascinated by the state-of-the-art technology of Siemens heat pump dryers. Heat pump dryers are condensation dryers equipped with a special heat pump technology. In contrast to classic condensation dryers, here energy in the form of heat is not discharged into the environment; instead it is retained for the drying process. This is how Siemens heat pump dryers achieve impressive energy values and consume significantly less energy than condensation dryers.

selfCleaning condenser

The absolute highlight of the heat pump dryers is the automatic self-cleaning of the condenser. It is integrated into many Siemens appliances and cleans the condenser automatically – sensorcontrolled and intensively during each drying cycle. The result is a continually lint-free condenser that keeps energy consumption constantly low at all times.

Siemens heat pump dryers can also be set up – like all condensation dryers – flexibly anywhere since the condensed water is collected in a separate container integrated into the appliance.








A maintenance free machine you can count on for years to come. Unlike other dryers, our tumble dryers (WT4HY791GB, WT47W591GB, WT45M231GB) are built with an automatic selfCleaning condenser system, that uses water, collected during the drying cycle, to clean the heat exchanger three to four times during every cycle. Meaning you no longer have to remove and rinse the component after every cycle, as the machine does it for you.

If the heat exchanger is not cleaned regularly to remove this build-up, a machine's energy consumption rate quickly rises and its energy rating can drop from A to B, C and lower. By automatically selfCleaning several times during a cycle our Siemens condenser dryer maintains its A++ energy rating for life. With the selfCleaning condenser system you get a maintenance free machine that maintains peak efficiency and lower energy bills.



The heat exchanger is cleaned automatically several times during the drying cycle.

- 1 Water filtering
- 2 Self-cleaning
- 3 Lint and fluff



iSensoric heat-pump dryer with Home Connect: selfCleaning condenser and easy use from wherever you are via the Home Connect App.

iQ 700 WT4HY791GB

Tumble dryer

- Home Connect manage your appliances from
- Noise level: 64dB (A) re 1pW
- 14 special programmes: cottons, easy-care, wool drying in basket, rapid40, outdoor, hygiene, mixed fabrics, shirts, lingerie, towels, down wear, duvet, timed programme warm, timed programme cold
- Touch control buttons: start/pause, memory 1, memory 2, remote start, less ironing, low heat, options, drying level, 24 hours time delay and time
- · Wool drving basket
- Container for condensed water
- Child lock
- clearText TFT display
- Dimensions (HxWxD): 84.2 x 59.8 x 59.9cm



































IQ500 WT45M231GB White

Tumble dryer

• Noise level: 64dB(A) re 1pW

io 500 WT47W591GB White

- 14 special programmes: cottons, easy-care, wool drying in basket, rapid40, outdoor, down wear, hygiene, timed programme warm, timed programme cold, mixed fabrics, shirts, lingerie, towels, duvets
- Touch control buttons: start/pause, buzzer, low heat, less ironing 60 mins, less ironing 120 mins, drying level, fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and
- revolution drying system • Wool drying basket
- · Container for condensed water
- Dimensions (HxWxD): 84.2 x 59.8 x 65.2cm

Tumble dryer

- Noise level: 64dB (A) re 1pW
- 15 special programmes: cottons, easy-care, wool finish, rapid40. outdoor, timed programme warm, timed programme cold, mixed fabrics, shirts, lingerie, towels
- Touch control buttons: start/pause, low heat, less ironing,
- fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and
- revolution drying system • Container for condensed water
- Dimensions (HxWxD): 84.2 x 59.8 x 59.9cm
- Available from June 2018













Siemens innovation for complete laundry care.

Sensor drying

All Siemens tumble dryers feature sensor drying, which provides uniform drying results, and makes over-drying a thing of the past. Sensors in the drum continually monitor the residual moisture in the laundry. They detect when the load has reached the selected drying level, and move the programme to the final cool-down period.

So your laundry is afforded the utmost protection, while neither energy nor your time is wasted.

The rapid40 drying programme

With this programme, your washing will be perfectly dry in only 40 minutes, thanks to optimised temperature control and a customised cool-down phase.

A lot less ironing

The Less Ironing option extends the anti-crease phase period at the end of the cycle to up to 120 minutes. The gentle tumbling motion of the softDry drum system leads to fewer creases in your laundry so you can spend less time ironing.

When space is an issue - stack

When you're short on space, a Siemens stacking kit provides the answer. It's an ergonomic solution too, because the tumble dryer is mounted at a convenient height for loading and unloading. Choose either the basic kit, or the version that includes a pull-out shelf for putting the laundry on.

io 300 WT45N201GB White

Tumble dryer

- Noise level: 65dB (A) re 1pW
- 15 special programmes: cottons, easy-care, wool finish, rapid40, outdoor, hygiene, timed programme warm, timed programme cold, mixed fabrics, shirts
- Touch control buttons: start/pause, low heat, less ironing, programme length, fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- Standard condense
- · Container for condensed water
- Child lock
- Dimensions (HxWxD): 84.2 x 59.8 x 59.9cm

Home laundry | Specifications Specifications | Home laundry

Freestanding washing machine specifications

APPLIANCE TYPE Design family	avantgarde	avantgarde	iQ 700	MACHINES IQ 700	[O 700	[Q]500
Model number PERFORMANCE AND CONSUMPTION	WM14U940GB	WM4UH640GB	WM14YH89GB	WM16YH79GB	WM14YH79GB	WM14W7H0GB
Energy efficiency class	A+++	A+++	A+++	A+++	A+++	A+++
10% more economical than the standard value of 196kWh p.a. 30% more economical than the standard value of 196kWh p.a.	<u>-</u>		-	-	-	-
40% more economical than the standard value of 196kWh p.a.		_	_	=	_	-
50% more economical than the standard value of 196kWh p.a.	-	0.0	-	-	-	-
Capacity cotton (kg) Maximum spin speed (rpm)	10.0 1400	9.0 1400	9.0 1400	9.0 1600	9.0 1400	9.0 1400
Moisture content % on dry load after max. spin	53	53	53	44	44	53
Washing performance class Spin drying performance class	A B	A B	A B	A A	A A	A B
Energy consumption annual (kWh/annum)	143	98	152	152	152	152
Ø Energy consumption 40 °C cotton programme – partial load (kWh) Ø Energy consumption 60 °C cotton programme –full load (kWh)	0.55	0.33	0.42	0.42	0.42	0.42
Ø Energy consumption 60 °C cotton programme – partial load (kWh)	0.82	0.55	0.92 0.60	0.92 0.60	0.92 0.60	0.92 0.60
Water consumption annual (I/annum)	11600	11220	11220	11220	11220	11220
Average washing time cotton 40°C – partial load (min) Average washing time cotton 60°C – full load (min)	360 360	300 315	285 285	285 285	285 285	285 285
Average washing time cotton 60°C – partial load (min)	390	315	285	285	285	285
Drum volume (litres)	70	65	65	65	65	65
Noise level washing (dB [A] re 1 pW) Noise level spinning (dB [A] re 1 pW)	46 72	47 71	47 71	47 73	47 71	47 71
PROGRAMMES/FUNCTIONS	72	71	71	73	71	71
Standard Programmes	_	_	_	_	_	_
Cottons Easy-care / Wool programme	= /=	=	= / =	=		-
Delicates/silk						
Rinse / Spin	= /=	= /=	= / =	= /=	=/=	= /=
Empty Specialist programmes		•		•	-	-
Automatic programmes				•		-
i-dos 1 and i-dos 2	-	_		-	-	-
autoStain removal system (ASR) Memory	-	_	-	-	-	-
MyTime			-	-	-	-
rapid15 / rapid15/30 / rapid60 sensoFresh	■/-/-	-1-1-	-111-	_/ ■ /-	-/=/-	■/-/-
Textile guard / Outdoor wear		-		•	-	-
Easy Care Dark / Dark Wash						
Curtains Mixed fabrics		-			-	-
Lingerie	-	=	-	=	-	-
Hygiene		_		•		•
Duvet Night wash		-	-	-	-	_
Down	= =	=	-			_
Drum clean with reminder Shirts					-	-
Options	_			•	_	_
ecoPerfect				•		
speedPerfect Less Ironing						-
Extra Rinse / Pre wash	=/=	= /=	=/=	<u> </u>	= /=	=/=
Variable temperature						
Variable spin Spin speed reduction		-	-	_	-	
KEY FEATURES						
Home Connect i-Dos intelligent dosing system		-		_	•	_
varioPerfect	-		-	•	-	-
iQDrive						
antiVibration design Consumption Indicator						-
waterPerfect Plus		-		-		
autoStain removal system	-	_				-
ADDITIONAL FEATURES clearText TFT display	iSelect	_				_
Touch LED Display	-		-	-	-	LED
Jog dial with integrated on/off control wave drum	Touch control	-		-		-
Time delay		-	24 hours	24 hours	24 hours	24 hours
Time remaining						
hydroSensor autoLoad/autoLoad plus			■	-/ =	■	■
Reload facility				-/ -		= / -
Drum interior light						
Child lock Easy clean detergent drawer				-	-	
Water protection system	hydroSafe	hydroSafe	hydroSafe	hydroSafe	hydroSafe	Multiple water
		,,,,,,		,,,,,,,		protection
TECHNICAL INFORMATION Dimensions of the product: H x W x D exc door (cm)	84.8 x 59.8 x 62.2	84.5 x 59.8 x 62	84.8 x 59.8 x 59			
Height for building under (cm)	85.00	85.00	85.00	85.00	85.00	84.8 X 59.8 X 59 85.00
Depth with door open (90°)	114.2	114.2	108.5	108.5	108.5	106.3
Height-adjustable by (cm) Appl depth incl. wall distance (cm)	1.20 62.2	1.20	1.20 59	1.20 59	1.20 59	1.20 59
Length electrical supply cord (cm)	210.0	210.0	160.0	160.0	160.0	160.3
Length of drain hose (cm)	120.0	120.0	150.0	150.0	150.0	150.0
Display Cabinet colour	Touch control White	TOLEDO LED Touch White	TFT White	TFT White	TFT White	LED White
	Black/chrome	Black/chrome	Black/chrome	Black/chrome	Black/chrome	Black/chrome
Door colour						
EAN code	4242003822647	4242003787090	4242003826768	4242003826744	4242003826751	
			4242003826768 WX975600	4242003826744 WX975600	4242003826751 WX975600	WX975600

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption based on 220 standard wash cycles.

Design family	WM16WEHOCP	iQ 500	WASHING MACHINES	iQ300	iQ300
Model number PERFORMANCE AND CONSUMPTION	WM16W5H0GB	WM14W5H0GB	WM14T790GB	WM14N201GB	WM12N201GB
Energy efficiency class	A+++	A+++	A+++	A+++	A+++
10% more economical than the standard value of 196kWh p.a. 30% more economical than the standard value of 196kWh p.a.	-	-	-	-	
40% more economical than the standard value of 196kWh p.a.	-	_	-	_	_
50% more economical than the standard value of 196kWh p.a.	-	-	-	-	-
Capacity cotton (kg) Maximum spin speed (rpm)	9.0 1600	9.0 1400	9.0 1400	8.0 1400	8.0 1200
Moisture content % on dry load after max. spin	44	53	53	53	53
Washing performance class	A	A	A	A	A
Spin drying performance class Energy consumption annual (kWh/annum)	A 152	B 152	B 152	B 176	B 176
Ø Energy consumption 40 °C cotton programme – partial load (kWh)	0.42	0.42	0.42	0.56	0.56
Ø Energy consumption 60 °C cotton programme –full load (kWh)	0.92	0.92	0.92	0.94	0.94
Ø Energy consumption 60 °C cotton programme − partial load (kWh)	0.60	0.60	0.60	0.78	0.78
Water consumption annual (l/annum) Average washing time cotton 40°C – partial load (min)	11220 285	11220 285	11220 285	9900 200	9900 200
Average washing time cotton 40°C – partial load (min)	285	285	285	200	200
Average washing time cotton 60°C – partial load (min)	285	285	285	200	200
Orum volume (litres)	65	65	63	55	55
Noise level washing (dB [A] re 1 pW) Noise level spinning (dB [A] re 1 pW)	47 73	47 71	48 73	55 76	55 76
PROGRAMMES/FUNCTIONS	73	71	75	70	70
itandard Programmes					
Cottons (Wool programme	-	.	- / -	=	= /=
asy-care / Wool programme Delicates/silk			= / =	= / =	= /=
inse / Spin		I /	= / =	<u> </u>	=/=
mpty		•			•
pecialist programmes Automatic programmes	_	_		_	
-dos 1 and i-dos 2		-	-	_	
autoStain removal system (ASR)			-	-	-
Memory	-	-	•	-	-
MyTime				_ _/■/■	
rapid15 / rapid15/30 / rapid60 sensoFresh			-/-/-	-/=/=	-/-/-
Textile guard / Outdoor wear				•	
Easy Care Dark / Dark Wash					
Curtains Africa de falla de la companya della companya de la companya de la companya della compa		-	-		
Mixed fabrics	-	_	-		
Hygiene			-		
Duvet	-	-	-		
Night wash	-	-	-	-	-
Down Drum clean with reminder	-	-	-	-	-
Shirts			-	-	-
Options					
ecoPerfect		-		-	-
speedPerfect Less Ironina		-	-	-	-
Extra Rinse / Pre wash				<u> </u>	<u> </u>
Variable temperature					
Variable spin Spin speed reduction		•	-	•	
KEY FEATURES	-	_	-	_	_
Home Connect			-	-	-
-Dos intelligent dosing system	-	-	-	-	-
arioPerfect QDrive		-	-	-	
ntiVibration design					
Consumption Indicator				-	-
vaterPerfect Plus				-	-
utoStain removal system ADDITIONAL FEATURES			-	-	_
learText TFT display	-	-	-	-	-
ouch LED Display	LED	LED	Toledo LED	LED	LED
og dial with integrated on/off control	•			-	-
vave drum ime delay	24 hours	24 hours	24 hours	24 hours	24 hours
ime remaining	24 Hours	24 110015	24 110015	24 110015	24 110015
ydroSensor				-	-
utoLoad/autoLoad plus	1	■ /-	-/ ■	-1-	-1-
Reload facility Drum interior light		-	-	-	-
Child lock	-	-	-		
asy clean detergent drawer					
Vater protection system	Multiple water	Multiple water	Multiple water	Multiple water	Multiple water
ECHNICAL INFORMATION	protection	protection	protection	protection	protection
TECHNICAL INFORMATION Dimensions of the product: H x W x D exc door (cm)	84.8 x 59.8 x 59	84.8 x 59.8 x 59	84.8 x 59.8 x 59	84.8 x 59.8 x 55	84.8 x 59.8 x 55
Height for building under (cm)	85.00	85.00	85.00	85.00	85.00
Depth with door open (90°)	106.3	106.3	106.30	101.70	101.70
Height-adjustable by (cm)	1.20	1.20	1.20	1.20	1.20
ppl depth incl. wall distance (cm) ength electrical supply cord (cm)	59 160.0	59 160.0	59 160.0	55 210.0	55 210.0
ength of drain hose (cm)	150.0	150.0	150.0	150.0	150.0
isplay	LED	LED	Toledo LED	LED	LED
abinet colour	White	White	White	White	White
Noor colour AN code	Black/chrome 4242003823880	Black/chrome 4242003823897	Silver/black grey 4242003826676	Silver/black grey 4242003826041	Silver/black grey 4242003826058
PTIONAL ACCESSORIES	1272003023000	747400304307/	7272003020070	7272003020041	7272003020030
loor fixing kit	WX975600	WX975600	WX975600	WX975600	WX975600
xtension to water inlet	WZ10130	WZ10130	WZ10130	WZ10130	WZ10130

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption based on 220 standard wash cycles.

Home laundry | Specifications Specifications | Home laundry

Freestanding washer dryer specifications

APPLIANCE TYPE	677 3000	WASHER DRYERS	
Design family	IQ 500	iQ 500	iQ 500
Model number PERFORMANCE AND CONSUMPTION	WD14H422GB	WD14U520GB	WD15G422GB
Energy efficiency class	A	A	A
Capacity cotton – washing (kg)	7.0	10.0	7.0
Capacity cotton – drying (kg)	4.0	6.0	4.0
Maximum spin speed (rpm)	1400	1400	1500
Washing performance class	A	A	A
Energy consumption – wash and dry, full wash load (kWh)	4.76	6.82	4.76
Energy consumption – wash only (kWh)	0.66	1.22	0.73
Total annual energy consumption – washing and drying, 200 full loads (kWh)	952	1364	1088
Total annual energy consumption – washing only, 200 full loads (kWh)	132	244	166
Water consumption – wash and dry, full wash load (litres)	57	125	103
Total annual water consumption – washing and drying, 200 full loads (litres)	11400	25000	23600
Total annual water consumption – washing only, 200 full loads (litres)	10000	13800	14200
Average washing time cotton 60°C – Full load (min)	300	315	420
Average washing/drying time cotton 60°C – Full load (min)	585	630	810
Drum volume (litres)	56	70	56
Noise level washing / spinning / drying (dB [A] re 1 pW)	46 / 74 / 61	47 / 71 / 61	47 74 59
PROGRAMMES/FUNCTIONS			
Standard Programmes		_	
Cottons			
Easy-care			
Wool programme Delicates(Silk			_
Delicates/Silk Rinse		- :	
Spin		-	
Empty		-	
Specialist programmes			
Automatic drying			
Wash and dry 60	-		- i
MyTime	-		-
Memory	_		-
Night Wash/Night Dry	-		-
Drum clean with reminder	-		-
Towels	-		-
autoStain removal system (ASR)	_	_	-
rapid15			
Textile guard / Outdoor wear	■/-	■/-	■1-
Refresh			
Mixed fabrics			
Hygiene care	<u>-</u>		
Shirts			
Fluff removal programme			
Options			
ecoPerfect speedPerfect			
Less Ironing		<u> </u>	
Extra Rinse	-		•
Prewash	-		Cottons
Variable temperature			
Variable spin			
KEY FEATURES			
varioPerfect			
autoStain removal system	-	-	-
iQDrive			
airCondensation technology		-	
autoDry function	•		
selfCleaning condenser			-
ADDITIONAL FEATURES		_	
optiWave drum			
Wave drum	-	241	-
Time delay	24 hours	24 hours	24 hours
Time remaining		-/	<u> </u>
autoLoad / autoLoad plus Reload facility		■ / -	<u> </u>
Drum interior light	<u>-</u>		-
Child lock	-	-	-
Easy clean detergent drawer			
Water protection system	hydroSecure	Multiple water protection	hydroSecure
TECHNICAL INFORMATION	., 2. 2000010	The protection	., 2.250000
Dimensions of the product: H x W x D exc. door (cm)	84.8 x 59.8 x 59	84.8 x 59.8 x 62	85 x 60 x 59
Depth with open door 90° (cm)	108.50	115	108
Adjustable feet	Front	Front	Front
Maximum adjustability feet (cm)	1.2	1.2	1.2
Length electrical supply cord (cm)	210	210	210
Display	LED	Toledo LED	LED
Cabinet colour	White	White	White
Door colour	Silver/black	Chrome/black grey	Grey/black
EAN code	4242003828762	4242003825907	4242003818404
OPTIONAL ACCESSORIES	WW/OZZ 122	HD/0777111	
Floor fixing kit	WX975600	WX975600	-
Extension to water inlet	WZ10130	WZ10130	<u>-</u>
Platform with pull-out drawer	WZ20490	-	

[■] Yes, model has this feature. — Feature not available for this model.


The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton. Annual consumption based on 160 drying cycles.

Freestanding tumble dryer specifications

APPLIANCE TYPE Design family	avantgarde	iQ 700	TUMBLE DRYERS	iQ 300	iQ 300
Model number	WT7XH940GB	WT4HY791GB	WT47W591GB	WT45M231GB	WT45N201G
	W17XH94UGB	WI4H1791GB	W147W591GB	W145W251GB	W145N2UTG
PERFORMANCE AND CONSUMPTION					
Energy efficiency class	A+++	A++	A++	A++	В
Capacity cotton (kg)	9.0	9.0	8.0	8.0	8.0
Energy consumption annual (kWh)	194	259	233	224	560
nergy consumption standard cotton programme – Full load (kWh)	1.52	2.06	1.93	1.80	4.63
Energy consumption standard cotton programme – Half load (kWh)	0.93	1.24	1.08	1.07	2.61
Programme Time standard cotton programme – Full load (mins)	218	166	138	203	137
Programme Time standard cotton programme – Half load (mins)	140	108	92	126	79
Condensation efficiency class	В	A	A	В	В
Condensation efficiency for standard cotton programme – Full and partial load	84%	91%	91%	83%	88%
Power consumption in off mode (W)	0.5	0.1	0.1	0.1	0.1
Duration of left on mode (mins)	30	30	30	0	0
Orum volume (litres)	112	112	112	112	112
Noise level (dB [A] re 1 pW)	61	64	64	64	65
PROGRAMMES/FUNCTIONS					
itandard Programmes					
Cottons			-		
asy-care					
Vool finish		_	-		
Vool/shoe drying option (basket)					_
Dark wash		-		_	_
	-	_		_	_
apid40					
Outdoor		-		-	-
Duvet				-	-
illows			-	-	-
own wear	-	_		_	_
Hygiene				_	
fimed programmes	-				
Mixed fabrics					
hirts	-				
ingerie					
				-	-
owels				-	
Blankets		-		-	-
nyTime		-	-	-	_
liring	-	-	-	_	-
Options					
Memory	-		-	_	_
Buzzer				_	_
Low heat option					
Less Ironing					
KEY FEATURES			_	_	
Home Connect			_	_	-
		-	_		
QDrive		_	_	-	_
ctiveAir technology					
leat pump					-
elf-cleaning condenser					_
asyClean filter	-	-	-	_	-
sensor drying with revolution drying system					
nntiVibration design					
ADDITIONAL FEATURES			_	_	_
oftDry drum					
	120	120	120	120	120
nti-crease cycle (mins)					
ime delay (hours)	24 hours	24 hours	24 hours	24 hours	24 hours
ime remaining					
rum interior light					
Vater container full/blocked filter warning indicator	I /	. / .	= / =	= /=	I
Child lock					
ECHNICAL INFORMATION					
Dimensions of the product: H x W x D exc. door (cm)	84.2 x 59.8 x 64.4	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 5
Depth with open door 90° (cm)	107	108.6	109.1	109.1	109.1
Maximum adjustability feet (cm)	1.5	1.5	1.5	1.5	1.5
ength electrical supply cord (cm)	145		145		
		145		145	145
visplay	TFT	TFT	LED	LED	LED
abinet colour	White	White	White	White	White
Ooor colour	Chrome/black grey	Chrome/black grey	Chrome/black grey	Silver/black grey	Silver/black gr
oor hinge	Right- hand	Right-hand	Right-hand	Right-hand	Right-hand
AN code	4242003827895	4242003832455	4242003833537	4242003834480	42420038324
PTIONAL ACCESSORIES					005052
tacking kit with pull out shelf		WZ20400	WZ20400	WZ20400	WZ20400
tacking kit	-	WZ11410	WTZ11400	WZ11410	WZ11410
latform with pull out shelf	-	WZ20500	WZ20500	WZ20500	WZ20500
Vool drying basket	WZ20600	Included	Included	WZ20600	WZ20600
ondenser drain kit	Included	Included	Included	Included	Included

[■] Yes, model has this feature. - Feature not available for this model.

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton. Annual consumption based on 160 drying cycles.



As you'd expect, Siemens dishwashers take full advantage of the latest technologies.

Designed to fit in around your busy lifestyle our dishwashers feature efficient, time saving and environmentally conscious programmes that are going to make your dishes shine. With sleek and stylish design, both inside and out, Siemens dishwashers are designed to complement your home.



Dishwashers Model shown: SN278I36TE 60cm dishwasher

Welcome to a new era of dishwashing with brilliantShine.

Innovative features for inspiring results.

Our brilliantShine system combines our low temperature glass care programme with our advanced water softening technology and Zeolith® drying to ensure your glassware is taken care of. Straight from dishwasher to table, Shine&Dry gives you streak-free, shining glasses. Harnessing the power of Zeolith® at its best, the special drying cycle also works just as well on plastics, pots and pans. Saving you time, you no longer need to give glasses an extra towel dry to smarten them up, allowing you to spend more time with your guests.

That's what the new brilliantShine system with Zeolith® Drying is made for: creating the perfect conditions to start every day with a highlight, and sparkling glasses that you can be proud of.

Experience three perfectly synchronised, innovative features in just one washing cycle – for a brilliant shine directly out of your dishwasher. Refine your everyday life with limitless sparkling highlights.*

There are three factors in dishwashing that influence the shine of your glassware: temperature, cycle time, and the use of detergent.

The new brilliantShine system offers three intelligent solutions that take care of these factors:

- Zeolith® drying uses a Zeolite mineral that absorbs moisture and converts it into a gentle heat
- The Shine&Dry option swills all residues of detergent with extra rinsing water, resulting in streak free, shining glassware
- The Glass 40°C programme ensures that your glassware is not exposed to excessive temperatures or spray pressures, and keeps the cycle time shorter

*Depending on the detergent, the properties of the glassware, and the way it is placed in the dishwasher, the cleaning and drying results may vary slightly.



Dishwashers feature guide.

Reference key:



Model does have this feature



Model does not have this feature

The features included in this feature guide are an overview only. Please ensure that you check the product detail for the exact features of each model.

*For individual product energy efficiency ratings please check the icons next to the

Key functionality



Energy efficiency class* All Siemens freestanding dishwashers are rated at least A++ for energy efficiency.



Wi-Fi ready With Wi-Fi-enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



Automatic programme Through autoProgramme and interaction with smart sensors, the iSensoric control unit operates the entire dishwashing process to deliver immaculate results in minimum time and with the most efficient use of energy.



Noise At just 42dB, you will barely hear our dishwashers running, leaving you to relax in peace. Perfect for open plan living.



TFT Display Siemens dishwashers with clearText TFT Display allow you to see programme information easily in high resolution with clear text and icons, making the use of your dishwasher even easier.



varioDrawer Pro By adding a third shelf for cutlery, varioDrawer Pro removes the need for a cutlery basket and creates more space.



varioFlex Pro basket Creating extra space for pots and pans by adjusting slats to suit different loads, the inside of the dishwasher is constantly adaptable.



Water Consumption Indicates the average water consumption per cycle of each dishwasher based on the Eco 50 programme using cold fill water.



Zeolith® is a naturally occurring mineral that converts moisture to heat. This heat produced naturally by the Zeolith® is used for the drying cycle. No additional energy is therefore required to heat up the contents of the dishwasher for the drying process.

Other product features

dosageAssist

Quickly and evenly dissolves dishwasher tablets throughout the entire machine, leaving no mess to clean at the end of the cycle.

duoPower

Benefitting from 2 spray arms under the top basket as opposed to just one, duoPower ensures that dishes in all areas of the dishwasher receive the best possible clean. (Feature available on slimline models)

Heat exchanger

Heat generated from the wash pre-heats water for later in the cycle, thereby saving energy.

Cuts off the water supply from the tap if a leak is detected, even if the dishwasher isn't in use. Precision protection for your kitchen.

hydroSensor

Makes sure that the optimum temperature is used depending on how dirty the dishes are, meaning that dishes are perfectly clean the first time round.

Hygiene Plus

The Hygiene Plus setting eradicates 99.9% of germs by super heating the final rinse. Ideal for chopping boards and food containers, Hygiene Plus helps to keep your family fit and healthy.

By monitoring that the optimum amount of water is flowing through the dishwasher throughout the cycle, loadSensor helps to ensure that dishes are cleaned thoroughly.

Designed for use with a dishwasher cleaning detergent, the Machine Care programme offers an easy way to give your dishwasher a deep clean.



iSensoric technology provides perfectly sparkling dishwashing results every time.

Doing the dishes is now easier than ever before with iSensoric. From soiled pots and pans to delicate plates every item gets the right care and treatment. Thanks to interaction between intelligent software and innovative sensors, many Siemens dishwashers are able to control the entire washing and drying process and automatically adjust water consumption, water temperature and cycle time to each load.

For example, autoProgramme sensors give brilliant results at the push of a button. As soon as one of the auto programmes is activated, the aqua sensor automatically measures the cloudiness of the water to precisely adapt the amount of water needed for optimal cleaning. In interaction with other intelligent sensors, the iSensoric control unit steers the whole washing and drying process to deliver brilliant results every time.



Model shown: SN278I36TE dishwasher

Other product features

Conveniently allows the user to raise and lower the height of the top basket to create more or less space, even when the dishwasher is loaded.

Thanks to the real-time clock display, it's now possible to set the exact time that you want your dishes to be ready by.

Shine&Dry

Straight from dishwasher to table, Shine&Dry gives you streak-free shining glasses.

varioSpeed Plus

Use the varioSpeed Plus button to run the dishwasher significantly faster without compromising on wash quality.

Wine glass holder

This accessory cleans up to four long stemmed wine glasses safely and securely. The innovative lock mechanism ensures glasses are stable in the basket, yet with minimal contact areas to avoid any water pooling or streaks.

32

Freestanding 60cm dishwashers

Innovative technology for super clean glasses every time.

Great moments start with small details. Such as brilliantly dry and shiny glasses directly out of your dishwasher without any special effort or additional polishing all whilst using minimal water and energy.



Add an extra sparkle


Our brilliantShine system combines our low temperature glass care programme with our advanced water softening technology and Zeolith® drying to ensure your glassware is taken care of. Straight from dishwasher to table, Shine&Dry gives you streak-free, shining glasses. Harnessing the power of Zeolith® at its best, the special drying cycle also works just as well on plastics, pots and pans. Saving you time, you no longer need to give glasses an extra towel dry to smarten them up.



Zeolith®

Using advanced drying technologies Siemens dishwashers keep energy consumption to a minimum. Zeolith®, a form of zeolite mineral has the astonishing ability to absorb moisture and convert it to heat.

What does this mean for you? The heat produced naturally by the Zeolith® is used for the drying cycle. No additional energy is therefore required to heat up the contents of your dishwasher for the drying process (as with a standard drying system). This results in perfect drying, with less energy usage than models without Zeolith® technology.



glasses being put under stress.





Stunning design and intelligent technology, our iQ700 dishwasher features the brilliantShine system with Zeolith® drying, giving you brilliantly dry and shiny glasses directly out of your dishwasher.

The Zeolith® mineral is stored in the depths of the

dishwasher; this regenerates itself and keeps working

for the entire lifetime of the machine. Combine this

with the economy 50°C programme to get brilliant

Keeping your energy consumption to a minimum, Siemens iQ700 dishwashers use Zeolith®, to create the heat needed for drying dishes. This combined with the high resolution clearText TFT colour display, varioSpeed Plus for faster washing, and the convenient varioDrawer Pro, gives you a dishwasher that is easy to use and designed to perform.

Q 700 SN278I36TE

Stainless steel

600mm















Freestanding 60cm dishwasher



- 5 additional options: Remote Start, intensiveZone, varioSpeed Plus, Hygiene Plus, Shine&Dry
- Machine Care programme
- Time remaining indicator • Dimensions (HxWxD): 84.5 x 60 x 60cm
- 5 year warranty
- Interior blue emotionLight

Added extras designed to make life easier.

With cutting-edge technology, Siemens dishwashers give you more than just clean dishes. Functional and specialised programmes offer a targeted wash to suit your load.



varioDrawer Pro

The varioDrawer Pro adds a third shelf for cutlery and removes the need for a cutlery basket, creating more space. Knives, forks and spoons are placed on their side, leaving them easier to remove when emptying the dishwasher. Convenient blue touchpoints also indicate all the adjustment options available, such as lowering the side sections to accommodate bulkier items like espresso cups and ladles. Perfect for the extra-large dinner party, you can fit more in, making the after dinner clean up quick and simple.



varioFlex Pro basket system


The varioFlex Pro basket system is designed to hold larger plates and allows you to create extra space for pots and pans with ease. Blue touchpoints inside the baskets indicate all the adjustment options available at a glance. It's never been as easy to adjust the slats to suit each load, making the inside of your dishwasher constantly adaptable. varioFlex Pro baskets ensure your dishwasher fits in with your lifestyle, no matter how much it may change day after day. Enjoy fewer washes and more flexibility.



ноте

Wi-Fi Home Connect

Connect your Wi-Fi ready dishwasher with the Home Connect App to easily select programmes and options to start your dishwasher from wherever you are, whenever you want. Thanks to this, you can have the dishes ready exactly when you need them. When the dishes are clean and dry, the Home Connect App sends you a push notification to let you know.





clearText TFT Display with real-time clock

For those that lead busy lives, it's important to plan and manage your time effectively. Thanks to the realtime clock display, it's now possible to set the exact time that you want your dishes to be ready.









iQ500 SN258W06TG White

600mm

Freestanding 60cm dishwasher

- 8 programmes: Intensive 70°C, Auto 45-65°C, Eco 50 °C, Silence 50 °C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse
- 4 additional options: Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry
- Machine Care programme • Time remaining indicator
- Interior blue emotionLight
- Dimensions (HxWxD): 84.5 x 60 x 60cm
- 5 year warranty

Freestanding 60cm dishwasher

- 8 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse
- 4 additional options: Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry
- Machine Care programme
- Time remaining indicator
- Interior blue emotionLight
- Dimensions (HxWxD): 84.5 x 45 x 60cm

Freestanding slimline 45cm dishwasher

Slimline dishwashers. Small on stature, big on features.

The less space available, the more valuable that space becomes. The 45cm dishwasher from Siemens helps you use space efficiently, whilst offering the most innovative Siemens technology, advanced operating convenience and optimum performance.

duoPower

Although the 45cm slimline series dishwasher may be small, it is still intelligent when it comes to powerful cleaning. Benefitting from 2 spray arms under the top basket as opposed to just one, duoPower ensures that your dishes receive the best possible clean, with 2 duoPower arms working doubly hard to reach every inch of the basket.



Energy efficient

Siemens dishwashers are designed to thoroughly clean dishes, but quietly, whilst using the minimum of water and energy. Our 45cm slimline model also features the varioDrawer Pro cutlery tray, giving you nothing but outstanding results. With Siemens, dishes have nowhere to hide.



Resource efficiency

Using only 9.5 litres of water to wash 10 standard place settings in one cycle, our iQ500 45cm slimline dishwasher is extremely resource efficient too.





When space is at a premium, our iQ500 slimline dishwasher conveys an elegant impression of absolute quality and intelligent innovation.

Experience the brilliance of optimally cleaned and dried dishes with our iQ500 slimline dishwasher. With innovative technologies and functions that also meet the highest demands for performance, convenience, and energy efficiency.

iQ 500 SR256I00TE

Stainless steel

Freestanding slimline 45cm dishwasher

- 10 place settings
- 6 programmes: Intensive 70°C. Auto 45-65°C.
- Glass 40°C, Economy 50°C, Silence 50°C, 1 hour 65°C • 3 additional options: intensiveZone, varioSpeed Plus, extraDry
- Machine care programme
- varioDrawer Pro
- Blue interior emotionLight
- Dimensions (HxWxD): 84.5 x 45 x 60cm
- 5 year warranty



450mm













Freestanding dishwasher specifications

APPLIANCE TYPE		REESTANDING 60CM DISHWASHER		SLIMLINE 45CM
Design family	iQ 700	iQ 500	iQ 500	iQ 500
Model number	SN278I36TE	SN258I06TG	SN258W06TG	SR256I00TE
Colour	Stainless steel	Stainless steel	White	Stainless steel
PERFORMANCE				
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50
Energy efficiency class	A+++ - 10%	A+++	A+++	A++
Total annual energy consumption ¹ (kWh)	211	237	237	211
Total annual water consumption ¹ (litres)	2100	2660	2660	2660
Energy consumption ² (kWh)	0.73	0.83	0.83	0.75
Water consumption ² (litres)	7.5	9.5	9.5	9.5
Number of place settings	13	14	14	
· · · ·				10
Cleaning performance class	A	A	A	A
Drying efficiency class	A	A	A	A
Noise level (dB [A] re 1 pW)	42 (40 in Silence programme)	42 (40 in Silence programme)	42 (40 in Silence programme)	44 (41 in Silence programn
Total cycle time of reference programme (minutes)	225	195	195	195
PROGRAMMES/FUNCTIONS				
Number of programmes	8	8	8	6
Number of options ³	6	5	5	4
Number of different wash temperatures	6	6	6	5
Duration of Quick Wash programme (minutes)	35	29	29	29
List of programmes	Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60 °C, Glass 40°C, Quick 45°C, Pre-rinse	Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50 °C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse	Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse	Intensive 70°C, Auto 45-65 Eco 50°C, Glass 40°C, 1 ho Silence
Additional options	Remote Start, intensiveZone, varioSpeed Plus, Hygiene Plus, Shine&Dry	Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry	Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry	intensiveZone, varioSpeed I extraDry
Machine care program	•	•		
FLEXIBLE DESIGN ELEMENTS				
Basket type	varioFlex Pro	varioFlex Pro	varioFlex Pro	varioFlex Pro
varioDrawer	varioDrawer Pro	varioDrawer Pro	varioDrawer Pro	varioDrawer Pro
Adjustable upper basket	rackMatic™ 3-stage	rackMatic™ 3-stage	rackMatic™ 3-stage	rackMatic™ 3-stage
Foldable racks upper/lower	6/8	6/8	6/8	3/4
argest loadable dish upper basket (cm)	21	21	21	19
Largest loadable dish lower basket (cm)	31	31	31	30
Cup shelves upper/lower	2/2	2/2	2/2	1/1
Cutlery shelves upper basket	-	-	-	_
INNOVATIONS AND TECHNOLOGY				
clearText TFT Display				_
Home Connect Wi-Fi connectivity				_
Drying system	Zeolith	Zeolith	Zeolith	hydroDry/ecoDry
iQdrive motor	200141	2001111		II) diobily/ceobily
•	-			-
dosageAssist detergent dispenser				
Water protection system	hydroSafe 24 hour	hydroSafe 24 hour	hydroSafe 24 hour	hydroSafe 24 hour
Glasscare protection				•
aquaSensor			•	
duoPower spray arm	-	_	_	
DESIGN FEATURES				
Start delay time max (hours)	24	24	24	24
Time remaining indicator				
Safety features	Door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock
-	DOOT TOCK	· ·	Control parier lock, door lock	Control parier lock
Blue interior emotionLight				
Self-cleaning filter system				-
TECHNICAL SPECIFICATIONS				
Maximum adjustability feet (cm)	2	2	2	2
Depth with open door 90° (cm)	115.5	115.5	115.5	115.5
Removable work top		•		
Height of the product with worktop (cm)	84.5	84.5	84.5	84.5
Height of the product without worktop (cm)	81.5	81.5	81.5	81.5
Width of the product (cm)	60	60	60	45
		60	60	60
Penth of the product (cm)				
	60	175	175	175
ength of electrical supply cord (cm)	175	175		140/190
Length of electrical supply cord (cm) Length inlet/outlet hose (cm)	175 140/190	140/190	140/190	
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg)	175 140/190 57/59	140/190 56/58	56/58	44/46
Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴	175 140/190 57/59	140/190 56/58	56/58	•
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴	175 140/190 57/59	140/190 56/58	56/58	
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH)	175 140/190 57/59	140/190 56/58	56/58	•
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C)	175 140/190 57/59	140/190 56/58 	56/58 50° 60	50°
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C) Internal construction	175 140/190 57/59 50° 60	140/190 56/58 50° 60 Stainless steel	56/58 50° 60 Stainless steel	50°
Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C) Internal construction Accessories supplied	175 140/190 57/59 50° 60 Stainless steel	140/190 56/58 50° 60 Stainless steel Large item spray head, wine glass holder	56/58 50° 60 Stainless steel Large item spray head, wine glass holder	50° 60 Stainless steel
ength of electrical supply cord (cm) ength inlet/outlet hose (cm) let weight/gross weight (kg) Vater softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C) internal construction accessories supplied Optional accessories (see below)	175 140/190 57/59 ■ 50° 60 Stainless steel - \$272010, \$273100, \$273300	140/190 56/58 50° 60 Stainless steel Large item spray head, wine glass holder SZ72010, SZ73100, SZ73300	56/58 50° 60 Stainless steel Large item spray head, wine glass holder SZ72010, SZ73100, SZ73300	50° 60 Stainless steel –
ength of electrical supply cord (cm) ength inlet/outlet hose (cm) let weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C) nternal construction	175 140/190 57/59 50° 60 Stainless steel	140/190 56/58 50° 60 Stainless steel Large item spray head, wine glass holder	56/58 50° 60 Stainless steel Large item spray head, wine glass holder	50°

¹ Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode.

²The consumption per cleaning cycle of the "Eco 50" programme using cold water fill. ³ Includes Machine Care programme where included

4 We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmollitre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute.

Inlet valve connected directly to 34" screwed joint.

Key to accessories

SZ73300 - Wine glass holder SZ73100 – Cutlery basket

SZ73145 – Slimline cutlery basket

Cooling. Super efficient, super stylish.

Elegant, functional and packed with technology, your new Siemens fridge freezer is going to become a talking point in your kitchen.

Whether you want an American-style fridge freezer that has the wow-factor, a freestanding appliance or a side by side option that is going to save you space, Siemens has a wide range of products to choose from. Our energy efficient appliances are packed with food preservation and flexible storage solutions that are designed to support your busy lifestyle. With a stylish design that fits into any modern home our high spec fridge freezers are no longer just a place to store your favourite foods.






Experience intelligent cool.

hyperFresh Plus. Fresh for up to twice as long.

The hyperFresh Plus drawer doesn't just store fruit and vegetables, it provides them with the right conditions to keep them fresh for up to twice as long. Whether it's fruit or vegetables, simply switch the control and the humidity will be adjusted for optimum storage of your food.








hyperFresh. Enjoy freshness longer.

The hyperFresh drawer offers freshness for longer thanks to the rippled bottom which allows cool air to circulate around your fruit and vegetables easily. As a result, you can see the quality and feel the freshness.







hyperFresh Premium. Fresh for up to three times longer.

Enjoy fresher food for up to three times longer thanks to hyperFresh Premium. Simply select the kind of fruit and vegetables you want to store with the new control and let the drawer regulate how much humidity your food receives. With the drawer, fish and meat can also be stored at the perfect temperature.





hyperFresh 0°C drawers. Perfectly fresh for fish and meat: available in all hyperFresh models.

The two hyperFresh 0°C drawers are especially designed for the cooling needs of fish and meat. Keep them fresher in ideal conditions near 0°C for up to two times longer. The separate compartments also avoid unpleasant smells to transfer and both boxes can be easily pulled out with one hand to make room for other foods and drinks, cooling them down quicker and providing refreshing drinks sooner.



Cooling feature guide.

Reference key:



Model does have this feature



Model does not have this feature

The features included in this feature guide are an overview only. Please ensure that you check the product detail for the exact features of each model.

*For individual product energy efficiency ratings please check the icons next to the product specification

Key functionality

The key functionality shown applies to all cooling products. Please note, each type of cooling product will have their own separate icons. Product types: American Fridge Freezers, Fridge Freezers, single door fridges and single door freezers.



Energy efficient cooling* Nearly every cooling appliance in the new Siemens built-in range is up to 20% more energy efficient than its equivalent A-rated appliance.



Wi-Fi ready With Wi-Fi enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



hyperFresh premium The "dry" zone and "dewpoint" zone within these drawers determine how much humidity food receives. Storing foods at their optimum humidity can help them last up to 3 times as long. This creates less food wastage, meaning fewer trips to the supermarket and cutting down on food bills.



hyperFresh plus Be in control with the innovative humidity control, food can last twice as long in the specialist drawer. Not only does this keep in nutrients and minerals that help to create a delicious meal, but as food lasts for longer fewer trips to the supermarket are required – saving you time, effort and money.



hyperFresh Keep food fresh in this fruit and vegetable drawer with rippled bottom which allows cool air to circulate around your food easily.



iceDispenser These models are able to dispense ice when needed thanks to a plumbed water connection. Depending on model, ice is available as cubes or crushed.



LED Illumination Integrated seamlessly into the top or the side walls of our cooling appliances, LED lighting is very efficient and gives maximum illumination of your fridge and freezer.



multiAirflow System Airflow works with the electronics to optimise the air circulation within the fridge and freezer compartments to ensure even cooling throughout the appliance. This means wherever you place your groceries it will cool them quickly no matter where they are placed. The back wall of the appliance has open vents which work with the cooling circuit to draw cold air into each compartment.



noFrost Intelligent noFrost technology completely stops the build-up of frost and ice – for life. Not only a time saver, noFrost also ensures that the cavity space within is not compromised by frost build-up.



Telescopic rails Easy to access drawers with telescopic rails. Powerful enough to take the weight of drawers and their contents, telescopic rails provide convenience when preparing meals.



touchControl Control all functions of the fridge freezer with a gentle touch using the clearly arranged touchControl panel.



waterDispenser Models with a waterDispenser are able to dispense water thanks to a plumbed water connection. For fresh and cool drinking water whenever you need it.



Wine rack A wine rack is available on some models which is the perfect place to store wine of all varieties and make the best use of space in your fridge.



5 Year Warranty Available on our range of American style side by side fridge freezers, the 5 year warranty covers parts and labour. Also available on our range of freestanding appliances.



iSensoric technology provides a perfect condition for long-lasting food freshness.

Keeping food fresh for longer is now even easier thanks to fridge-freezers with iSensoric, fitted with intelligent sensors and software. The sensors work together in different constellations to maintain the ideal climate and adapt conditions to the food stored inside.

With hyperFresh technology, you can enjoy whatever comes up in your life as it provides the ideal environment to keep your food fresh. Meanwhile, noFrost freezers contain sensors that provide constant information factors such as ambient temperature and the number of door openings to define defrosting cycles. For the freezer compartment, this means you will never have to defrost again.





Model shown: KG39FSB45 freestanding fridge freezer

Other product features

airFresh filter

Shelves separate food, the airFresh filter separates smells, ensuring that the fridge smells fresh at all times.

antiFingerprint

Keeps the fridge looking sleek and spotless on the outside, adding to the overall ambiance of the kitchen.

oiaBox

The bigBox has the capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright, ideal for the holidays and entertaining alike.

Condenser technology

Fully integrated on both sides of the appliance, models with latest condenser technology offer flexibility and convenience when positioning your fridge as no distance is needed between the wall or the furniture for ventilation, offering a Perfect Fit solution. Valuable space can be kept when building the appliance into a cabinet and you don't need to worry about condensation damaging the kitchen furniture. The condenser is also more silent and maintenance free.

Easy access shelving zone – single door freezers Creates additional space whilst delivering the design of an American fridge freezer interior compartment.

easyLif

Easily adjustable door trays and glass shelves that can be moved even when full. Now that's convenience.

flexiShelf

Extra height, extra storage space, extra length, flexiShelf gives you the flexibility within your fridge, depending on your needs.

LED electronic displays

Allows the user precision control over the temperature, ideal to accommodate different types of foods or quantity within the fridge/freezer.

superCool

Ensures that warmer food entering the fridge does not increase the fridge temperature, which can affect other food.

superFreeze

superFreezing makes sure that warmer food added to the freezer doesn't raise the freezer temperature, stopping food partially defrosting.

Wrap around evaporator

This new technology creates more space in the freezer cavity, allowing for more innovations like bigBox for large food items, plus removable glass drawers.

42 43

Cooling | American fridge freezers American fridge freezers | Cooling

American fridge freezers



hyperFresh plus

Be in control with the innovative humidity control, food can last twice as long in the specialist drawer. Not only does this keep in nutrients and minerals that help to create a delicious meal, but as food lasts for longer fewer trips to the supermarket are required – saving you time, effort and money.



Our stylish iQ700 American fridge freezer with innovative indoor electronics and intelligent no Frost technology.

Experience a truly stunning finish to this black glass American-style fridge freezer with touchControl electronic controls that seamlessly blend into the front panel. With beautiful design also comes more space for your fresh and frozen food finished with bright LED illumination.

















Q 700 KA92NLB35G Black

American fridge freezer

- Noise level: 43dB
- Net fridge and freezer capacity: 592 litres
- Annual energy consumption: 385kWh
- 4 safety-glass shelves and 2 freezer shelves superCool function
- superFreeze function

- hyperFresh plus adjustable humidity keeps fruit and vegetables fresh up to 2 x longer
- bigBox capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright
- iceTwister for ice cubes on demand
- Dimensions (HxWxD): 175.6 x 91.2 x 73.2cm











Get more from your appliance with Home

Cooling appliances with Home Connect offer you the ability to control your appliances the app offers hints and tips on how to store different types of food. With Home Connect you can also access a range of Siemens style recipes. The iQ500 KG36NH132 Home Connect model also features an internal fridge camera that can be linked to your Home Connect app via your mobile so you can see what's available in your fridge without actually being at home, helping you plan ahead. To learn more siemens-home.bsh-group. com/uk/home-connect

10700 KA92DAI20G Stainless steel antiFingerprint

American fridge freezer

- Noise level: 43dB
- Net fridge and freezer capacity: 541 litres
- Annual energy consumption: 443kWh
- 4 safety-glass shelves and 2 freezer shelves superCool function
- superFreeze function

- hyperFresh plus adjustable humidity keeps fruit and
- bigBox capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright
- Dimensions (HxWxD): 175.6 x 91.2 x 73.2cm















10700 KA90DVI20G Stainless steel antiFingerprint

American fridge freezer

- Noise level: 43dB
- Net fridge and freezer capacity: 533 litres
- Annual energy consumption: 436kWh
- 4 safety-glass shelves and 4 freezer shelves
- superCool function
- superFreeze function

- hyperFresh plus adjustable humidity keeps fruit and vegetables fresh
- Dimensions (HxWxD): 177 x 91 x 72cm

Cooling | American fridge freezers Cooling

American fridge freezers





















IQ300 KA90IVI20G Stainless steel antiFingerprint

American fridge freezer

- Noise level: 43dB
- Net fridge and freezer capacity: 523 litres
- Annual energy consumption: 432kWh
- 4 safety-glass shelves and 2 freezer shelves
- superCool function
- superFreeze function

- 4L water tank built-in to shelf manual fill, no plumbing required
- Dimensions (HxWxD): 177 x 91 x 72cm

















iQ300 KA90NVI20G Stainless steel antiFingerprint

American fridge freezer

- Noise level: 44dB
- Net fridge and freezer capacity: 573 litres
- Annual energy consumption: 475kWh
- 4 safety-glass shelves and 4 freezer shelves
- superCool function
- superFreeze function
- Dimensions (HxWxD): 177 x 91 x 72cm

with iSensoric.

The unique quality that distinguishes the iSensoric technology is the connection of all the sensors.

Fresher food for longer

1 freshSense

Fresh food, guaranteed for longer. With conventional fridges, varying surrounding temperatures and the continuous opening of the refrigerator door lead to temperature changes inside the appliance. To ensure this does not affect your food, iSensoric immediately reacts. The freshSense sensors activate the moment a change in temperature is registered, for example when products are stored away, and compensates for this change in an instant. Therefore the temperature always remains within the optimum range and your food stays fresh and delicious for longer.

2 noFrost technology

Defrosting the freezer is now done automatically. Siemens fridge freezers and freezers with iSensoric are equipped with intelligent sensor-controlled technology to save the hassle of defrosting the freezer. An air-circulation system guides the humidity to the outside of the refrigerator into an external evaporation tray, and sensors measure the degree of humidity and any frost production – ensuring the appliance is periodically defrosted without the need to turn off the appliance or empty it out. Also, ice no longer forms on the inside of the refrigerator, and the appliance's energy consumption remains consistently low.

3 touchControl

Total control at your fingertips. Thanks to the highly sensitive sensors, even the slightest touch of the touchControl display is registered and all the functions of the fridge freezer – such as temperature, alarm and holiday mode – can be immediately set. Furthermore, the touchControl display is also the communications hub for iSensoric, as this is where the data is collected from the various sensors for controlling other functions. For more convenience, the freezer and fridge can be controlled separately thanks to their independent cooling circuits.

4 Inverter motor

The intelligent inverter technology is a clever combination of the inverter motor and iSensoric. The sensors register every slight change in temperature or humidity inside the refrigerator, for example when the door is opened or warm food is stored. This information is then passed to the inverter motor, which adapts its need for energy accordingly. This means you can cool food intelligently and energyefficiently, and thanks to the high-quality inverter motor, incredibly quietly.



Freestanding fridge freezers





hyperFresh premium The 0°C drawer is especially designed for the storage needs of fish and meat. Keep them fresher in ideal conditions near 0°C for up to twice as long.



Discover our iQ700 fridge freezer with innovative technology and trend-setting design.

The iQ700 fridge freezer with hyperFresh premium is certain to keep your food fresher for longer in style. Complete with in-door touchControl and flexible storage solutions, this fridge offers more room for storing food correctly and conveniently.

iQ 700 KG39FPI35 Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 256 litres
- Freezer capacity: 87 litres
- Noise level: 41dB (A) re 1 pw
- Latest Condenser Technology
- Exterior digital LCD electronic display • 4 safety-glass shelves of which 3 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- with automatic deactivation • LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm

• superCool and superFreeze function



















iQ700 KG39FSB45 Black glass

Freestanding fridge freezer

- Fridge capacity: 256 litres
- Freezer capacity: 87 litres
- Noise level: 38dB (A) re 1 pw
- Latest Condenser Technology
- Exterior digital LCD electronic display • 4 safety-glass shelves of which 3 are height adjustable

• 3 transparent freezer drawers

- Bottle rack
- superCool and superFreeze function • LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm

Freestanding fridge freezer

- Fridge capacity: 279 litres
- Freezer capacity: 87 litres • Noise level: 39dB (A) re 1pw
- Latest Condenser Technology
- Exterior digital LCD electronic display
- 5 safety-glass shelves of which 3 are height adjustable

10500 KG39NLB35 Black glass

• 3 transparent freezer drawers

- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm







10500 KG36NHI32 Stainless steel antiFingerprint

10500 KG36NAI45 Stainless steel antiFingerprint

Freestanding fridge freezer

- Cameras in the fridge: remote
- monitoring and control • Fridge capacity: 234 litres
- Freezer capacity: 86 litres
- Noise level: 42dB (A) re 1pw
- Exterior digital electronic display
- Bottle rack
- superCool and superFreeze function

• Dimensions (HxWxD): 187 x 60 x 65cm

• LED lights

• 4 safety-glass shelves of which 2 are height adjustable

• 3 transparent freezer drawers

- Exterior digital LCD electronic display • 4 safety-glass shelves of which 2 are height adjustable

Freestanding fridge freezer

• Fridge capacity: 237 litres

• Freezer capacity: 87 litres

- Noise level: 36dB (A) re 1pw Latest Condenser Technology
- Bottle rack
 - superCool and superFreeze function

 - coolBox

• 3 transparent freezer drawers

- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm

A...

Freestanding fridge freezers



iQ500 KG36NAW35G White

Freestanding fridge freezer

- Fridge capacity: 237 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1pw
- Latest Condenser Technology
- Exterior digital LCD electronic display
- 2 are height adjustable
- 4 safety-glass shelves of which

iQ500 KG36NAB35G Black

- Freestanding fridge freezer
- Fridge capacity: 237 litres
- Freezer capacity: 87 litres

2 are height adjustable

- Noise level: 39dB (A) re 1pw
- Latest Condenser Technology
- · Exterior digital LCD electronic display
- 4 safety-glass shelves of which
- 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm



iQ300 KG49NXI30 Stainless steel antiFingerprint

Freestanding fridge freezer Freestanding fridge freezer

- Fridge capacity: 330 litres • Freezer capacity: 105 litres
- Noise level: 40dB

4 are height adjustable

- Latest Condenser Technology • Exterior digital LED electronic display
- 5 safety-glass shelves, of which
- 3 transparent freezer drawers

• 3 transparent freezer drawers

• superCool and superFreeze function

• Dimensions (HxWxD): 186 x 60 x 66cm

• Bottle rack

• LED lights

- Bottle rack
- superCool and superFreeze function • Dimensions (HxWxD): 203 x 70 x 67cm
- Fridge capacity: 279 litres • Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology
- 5 safety-glass shelves, of which

- Bottle rack
- LED lights
- 3 are height adjustable
- 3 transparent freezer drawers
- superCool and superFreeze function
- Exterior digital LED electronic display

iQ300 KG39NXI35 Stainless steel antiFingerprint

• Dimensions (HxWxD): 203 x 60 x 66cm





10300 KG39NXB35G Black steel antiFingerprint

10300 KG39NVI35G Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 279 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology
- Exterior digital LED electronic display • 5 safety-glass shelves, of which 3 are height adjustable

Bottle rack

- 3 transparent freezer drawers superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm
- Noise level: 39dB
- Latest Condenser Technology

Freestanding fridge freezer

• Fridge capacity: 279 litres

• Freezer capacity: 87 litres

- Interior digital LED electronic display • 5 safety-glass shelves, of which 3 are height adjustable
- 3 transparent freezer drawers Bottle rack

 - superCool and superFreeze function
 - LED lights
 - Dimensions (HxWxD): 203 x 60 x 66cm







10300 KG39NVW35G White

10300 KG36DVI30G Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 279 litres
- Freezer capacity: 87 litres
- Noise level: 39dB
- Latest Condenser Technology
- Interior digital LED electronic display
- 5 safety-glass shelves, of which
- 3 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm

Freestanding fridge freezer Water dispenser with 2.5L removable

- water tank and Brita filter
- Fridge capacity: 233 litres
- Freezer capacity: 86 litres
- Noise level: 42dB (A) re 1pw • Interior digital electronic display

- 4 safety-glass shelves of which 2 are height adjustable • 3 transparent freezer drawers
- Bottle rack • superFreeze function
 - LED lights

 - Dimensions (HxWxD): 186 x 60 x 65cm

Freestanding fridge freezers







IQ300 KG36NVI35G Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 237 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw
- Interior digital electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- Latest Condenser Technology

- 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm

Freestanding fridge freezer

- Fridge capacity: 237 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology
- Interior digital electronic display

iQ300 KG36NVW35G White

- 4 safety-glass shelves, of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm







iQ300 KG34NVW35G White **IQ300** KG34NVI35G Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 214 litres
- Freezer capacity: 105 litres • Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology
- Interior digital LED electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle holder

- superCool and superFreeze function • Dimensions (HxWxD): 186 x 60 x 66cm
- Fridge capacity: 214 litres
- Freezer capacity: 105 litres

Freestanding fridge freezer

- Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology • Interior digital LED electronic display
- 4 safety-glass shelves, of which
- 3 transparent freezer drawers

- 2 are height adjustable

- Bottle holder
- superCool and superFreeze function

• LED lights • Dimensions (HxWxD): 186 x 60 x 66cm

10300 KG34NVX3AG Black steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 214 litres
- Freezer capacity: 105 litres
- Noise level: 39dB (A) re 1 pw
- Latest Condenser Technology
- Interior digital LED electronic display
- 4 safety-glass shelves, of which 2 are height adjustable

• 3 transparent freezer drawers

- Bottle holder
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm

Freestanding fridge freezer

• Fridge capacity: 192 litres

- 3 safety-glass shelves, of which 2 are height adjustable
- Interior digital LED electronic display
- Latest Condenser Technology

10300 KG33NNL30G Stainless steel antiFingerprint

• Freezer capacity: 87 litres • superFreeze function • Noise level: 42dB (A) re 1 pw

• LED lights

• 3 freezer drawers

• Dimensions (HxWxD): 176 x 60 x 66cm







IQ300 KG33NNW30G White

Freestanding fridge freezer

- Fridge capacity: 192 litres
- Freezer capacity: 87 litres
- Noise level: 42dB (A) re 1 pw
- Latest Condenser Technology

2 are height adjustable

- Interior digital LED electronic display
- 3 safety-glass shelves, of which

3 freezer drawers

- superFreeze function
- LED lights
- Dimensions (HxWxD): 176 x 60 x 66cm
- - 5 safety-glass shelves, of which
- Interior digital LED electronic display

2 are height adjustable

Freestanding fridge freezer

• Fridge capacity: 249 litres

• Noise level: 39dB (A) re 1 pw

iQ300 KG39VVW31G White

- Freezer capacity: 94 litres
- · Bottle rack superFreeze function
- lowFrost
 - LED lights

• 3 transparent freezer drawers

• Dimensions (HxWxD): 201 x 60 x 65cm

Cooling | Freestanding fridge freezers Cooling

Freestanding fridge freezers



IQ300 KG36VVI32G Stainless steel antiFingerprint

- Freestanding fridge freezer
- Freezer capacity: 94 litres
- Noise level: 39dB (A) re 1pw
- Interior digital LED electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- Fridge capacity: 214 litres
- 3 transparent freezer drawers Bottle rack
- superFreeze function lowFrost
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

iQ300 KG36VVW33G White

Freestanding fridge freezer

- Fridge capacity: 214 litres
- Freezer capacity: 94 litres
- Noise level: 39dB (A) re 1pw
- Interior digital LED electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- lowFrost
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm









iQ300 KG33VVI31G Stainless steel antiFingerprint

Freestanding fridge freezer

- Fridge capacity: 193 litres
- Freezer capacity: 94 litres • Noise level: 39dB (A) re 1pw
- Interior digital LED electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- IowFrost
- Dimensions (HxWxD): 176 x 60 x 65cm

iQ300 KG33VVW31G White

Freestanding fridge freezer

- Fridge capacity: 193 litres
- Freezer capacity: 94 litres
- Noise level: 39dB (A) re 1pw
- 4 safety-glass shelves, of which 2 are height adjustable
- · 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- Interior digital LED electronic display IowFrost
 - LED lights
 - Dimensions (HxWxD): 176 x 60 x 65cm



The perfect fit for your kitchen.

Whether you would like to save space or create a seamless look for your kitchen, there are a range of versatile cooling products in the Siemens range to choose from. Some of the Siemens range for 2018 feature our Latest Condenser Technology* which means space around the appliance is not required for ventilation purposes, making these products perfect should they need to be fitted into tight spaces or form part of an overall sleek built-in look.



No distance

This means that a 60cm refrigeration appliance will fit perfectly into that exact niche and the special door hinges mean the door will open within that space. So it's easy to update your current model with an efficient Siemens fridge freezer.

Tried and tested

All Siemens fridges and freezers are built to last. And rigorous testing ensures that our products meet all the requirements of our customers. Every single one of our appliances is tested before it leaves the factory. For 24 hours a day, components are tested continuously to the maximum tolerance possible for the equivalent lifetime of the appliance.

Our doors are weighted and then opened and closed by the handle 200,000 times during testing to ensure they are robust (200,000 times is equivalent to opening and closing the door 27 times per day for 20 years). Materials are not only tested for suitability and longevity, we also look at how they sound and feel when we use them.

^{*}Please check individual product descriptions and look for "Latest Condenser Technology" in the product description to see if this feature is included

Upright single door fridges | Cooling Cooling

Upright single door fridges



Fresh water and ice on tap.

Plumbed in water at the touch of a button dispensing refreshing ice-cool water and ice both day and night, Siemens puts you in control of your fridge freezer.

Fresh water and ice both day and night

Providing you with chilled, filtered water and crushed or cubed ice at the touch of a button, the water and ice dispenser built into iQ700 Siemens fridge and freezer is a convenient time saver. Serving you with a refreshing drink whenever you want, the ice dispenser can produce up to 140 ice cubes per day. With LED down lighting on our premium model, the ice and water dispenser is not only luxuriously convenient; it is also classically designed.

Electronic controls

With easy to use electronic controls Siemens fridge freezers never leave you in the dark. The electronic display allows you to precisely set and change the temperature of your fridge and freezer and select certain modes, such as Holiday Mode, putting the power of your new fridge freezer at your finger tips.

Stunning on the outside, beautiful on the inside

With a streamline design on the outside, Siemens fridge freezers are just as elegant inside. Superbly designed, with conveniently placed LED lighting, easyLift door shelves, a flexiShelf that folds down if you need additional shelf storage or neatly folds away if you don't. The bigBox in the freezer is perfect for stacking several pizzas or those pre-filled dessert glasses you need chilling for your dinner party; there's a place for everything.



Model shown: GS36DBI2VG



Model shown: KS36WBI3P





You never need to defrost the freezer again Who has time to defrost the freezer? Those with a Siemens noFrost freezer do, because there simply is no need to ever de-ice. Appliances with this feature have an air circulation system to remove humidity to stop frost and ice building up on the freezer walls. So you can enjoy fresher food, no more soggy packaging and a hassle free freezer.

iQ 700 KS36FPI4P Stainless steel antiFingerprint

Freestanding fridge

- Fridge capacity: 300 litres
- Noise level: 38dB (A) re 1pw
- touchControl digital display
- 5 safety-glass shelves, of which 3 are height adjustable
- Door shelves in fridge door:
- 1 large and 2 small
- 1 dairy compartment in door
- flexShelf easy to pull down if required,
- Dimensions (HxWxD): 186 x 60 x 65cm































10700 KS36WBI3P Stainless steel antiFingerprint

Single door upright fridge

- Fridge capacity: 300 litres
- Noise level: 41dB (A) re 1pw
- touchControl with digital display • 5 safety-glass shelves, of which
- 3 are height adjustable
- 1 dairy compartment in door • Dimensions (HxWxD): 186 x 60 x 65cm

• Door shelves in fridge door:

1 large and 2 small

- Fridge capacity: 346 litres
 - Noise level: 39dB (A) re 1pw

Single door upright fridge

- touchControl with digital display
- 7 safety-glass shelves, of which 5 are height adjustable
- Door shelves in fridge door: 2 large and 2 small
- 1 dairy compartment in door
- Integrated water dispenser
- LED lights
- Dimensions (HxWxD): 187 x 60 x 65cm

Upright single door fridges | Cooling **Cooling |** Upright single door fridges

Upright single door fridges













io 500 KS36VBW3P White

Single door upright fridge

- Fridge capacity: 346 litres • Noise level: 39dB (A) re 1pw
- Indoor touchControl electronics with digital display
- 7 safety-glass shelves, of which
- 4 are height adjustable
- Bottle rack
- Door shelves in fridge door:
- 2 large and 2 small
- 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

Single door upright fridge

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw
- LED electronic display
- 7 safety-glass shelves, of which
- 4 are height adjustable
- Bottle rack
- Door shelves in fridge door: 2 large and 2 small

iQ500 KS36VAI4P Stainless steel antiFingerprint

- 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm









iQ500 KS36VAX3P Black steel antiFingerprint

Single door upright fridge

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw LED electronic display
- 7 safety-glass shelves, of which 4 are height adjustable
- Bottle rack

iQ300 KS36VVW3P White

Single door upright fridge

- Fridge capacity: 346 litres • Noise level: 39dB (A) re 1pw
- LED display
- 7 safety-glass shelves, of which 5 are height adjustable
- 2 large and 2 small

- Bottle rack
- Door shelves in fridge door:
- 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

100





io 300 KS36VVI3VG Stainless steel antiFingerprint

Single door upright fridge

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw
- LED display
- 7 safety-glass shelves, of which 5 are height adjustable
- Bottle rack

• Door shelves in fridge door:

- 2 large and 2 small • 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

Single door upright fridge

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw • LED display
- 7 safety-glass shelves, of which 5 are height adjustable
- Bottle rack
- Door shelves in fridge door: 2 large and 2 small
- 1 dairy compartment in door
- LED lights

10300 KS36VVX3PG Black steel antiFingerprint

• Dimensions (HxWxD): 186 x 60 x 65cm





io 300 KS29VVW3P White

Single door upright fridge

- Fridge capacity: 290 litres
- Noise level: 39dB (A) re 1pw • LED display
- 6 safety-glass shelves, of which
- 4 are height adjustable
- Door shelves in fridge door: 1 large and 2 small
- 1 dairy compartment in door
- LED lights
- Bottle rack
- Dimensions (HxWxD): 161 x 60 x 65cm

• Door shelves in fridge door:

• 1 dairy compartment in door

• Dimensions (HxWxD): 186 x 60 x 65cm

2 large and 2 small

• LED lights

Upright single door freezers



Discover our iQ700 single door upright freezer with innovative technology and trend-setting design.

With noFrost technology and a multiAirflow system this elegant and stylish freezer will fit in with any contemporary kitchen. With 5 freezer drawers this appliances provides you with plenty of space for storing and keeping foods constantly cool.

iQ 700 GS36DBI2VG Stainless steel antiFingerprint

Single door upright freezer

- Freezer capacity: 210 litres • Noise level: 42dB (A) re 1pw
- LED lights
- Number of freezer flaps: 2
- 5 transparent freezer drawers
- Indoor iceDispenser with tap connection cubes and crushed ice any time
- LED electronic display
- 4 star freezer rating
- Dimensions (HxWxD): 187 x 60 x 65cm

















iQ500 GS36NBW3PG White

Single door upright freezer

- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw
- LED lights
- Easy Access open shelving zone • 4 transparent freezer drawers
- iceTwister for ice cubes on demand
- LED electronic display
- 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm

Single door upright freezer

- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw
- LED lights
- 4 transparent freezer drawers
- iceTwister for ice cubes on demand
- 4 star freezer rating
- Easy Access open shelving zone

- LED electronic display

• Dimensions (HxWxD): 186 x 60 x 65cm





GS36NAI3P Stainless steel antiFingerprint

Single door upright freezer

- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw • LED lights
- Easy Access open shelving zone • 4 transparent freezer drawers

• iceTwister for ice cubes on demand • LED electronic display

- 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm

Single door upright freezer

- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw • LED lights
- · Easy Access open shelving zone • 4 transparent freezer drawers

iQ500 GS36NAW3P White

- LED electronic display • 4 star freezer rating
 - Dimensions (HxWxD): 186 x 60 x 65cm

• iceTwister for ice cubes on demand



io 500 GS58NAW41 White

io 300 GS36NVI3PG Stainless steel antiFingerprint

Single door upright freezer

- Freezer capacity: 360 litres
- Noise level: 41dB (A) re 1pw
- LED lights • Number of freezer flaps: 3
- 5 transparent freezer drawers
- LED electronic display
- 4 star freezer rating
- Dimensions (HxWxD): 191 x 70 x 78cm
- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw
- · Easy Access open shelving zone

Single door upright freezer

- 4 transparent freezer drawers
- 1 ice cube tray with lid

• LED display

- 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm

Upright single door freezers













iQ300 GS36NVW3PG White

GS36NVX3PG Black steel antiFingerprint

Single door upright freezer

- Freezer capacity: 242 litres
- Noise level: 42dB (A) re 1pw
- Easy Access open shelving zone • 4 transparent freezer drawers
- LED display
 - 4 star freezer rating
 - Dimensions (HxWxD): 186 x 60 x 65cm

Single door upright freezer

- Freezer capacity: 242 litres
- LED display
- Noise level: 42dB (A) re 1pw • 4 star freezer rating
- Easy Access open shelving zone
- 4 transparent freezer drawers
- Dimensions (HxWxD): 186 x 60 x 65cm







iQ300 GS29NVW3PG White

Single door upright freezer

- Freezer capacity: 200 litres
- Noise level: 42dB (A) re 1pw
- Easy Access open shelving zone • 4 transparent freezer drawers
- LED display
- 1 ice cube tray with lid
- 4 star freezer rating
- Dimensions (HxWxD): 161 x 60 x 65cm

Create the perfect pair

For extra internal space pair a Siemens upright fridge alongside a Siemens upright freezer like the KS36WBI3P (fridge) and the GS36DBI2VG (freezer) shown above, to re-create the style of an American fridge freezer with our new easy access shelving zone.

Freestanding American fridge freezer specifications

APPLIANCE TYPE				AMERICAN FRIDGE FREEZER		
Design family		iQ 700	iQ 700	iQ 500	iQ 300	iQ 300
Model number	Stainless steel antiFingerprint	_	KA92DAI20G	KA90DVI20G	KA90IVI20G	KA90NVI20G
	Black	KA92NLB35G	-	-	_	-
PERFORMANCE AND CONS	UMPTION					
Energy efficiency class		A++	A+	A+	A+	A+
Annual energy consumption	ı¹ (kWh)	385	443	432	475	436
Total unit net capacity (litres		592	541	523	573	533
Refrigerator net capacity (lit	res)	375	368	360	373	370
Freezer net capacity (litres)		217	173	163	200	163
Noise level (dB)		43	43	43	44	43
DESIGN FEATURES						
Colour of side panels		Chrome inox-metallic	Chrome inox-metallic	Grey	Grey	Grey
Type of vertical handle		Integrated	Bar	Bar	Bar	Bar
Door hinge		Left & right	Left & right	Left & right	Left & right	Left & right
Light						
Number of compressors		1	1	1	1	1
Number of cooling circuits		2	2	1	1	1
Number of evaporators		2	2	1	1	1
FOOD FRESHNESS SYSTEM	1					
Range of temperature (°C)		-		-	-	-
Humidity control drawer				-	-	-
Antibacterial air filter			-			
multiAirflow System			-		•	
Temperature adjustable			•		•	
Food preservation contained	rs	Vegetable / salad drawer	Vegetable / salad drawer	2 x Vegetable /	2 x Vegetable /	2 x Vegetable
		hyperFresh Plus box	hyperFresh Plus box	salad drawer	salad drawer	salad drawer
KEY FEATURES - FRIDGE SI	ECTION					
Bottle rack			•	_	_	_
Fully extendable glass shelv	es for easy reach			_	_	_
No. of temperature zones		1	1	1	1	1
Can holder						_
Number of glass safety shel	VPS	4	4	4	4	4
Number of adjustable shelve		3	3	-	1	1
Drawers with telescopic rail:			•	_		_
Number of door bins	,	3	3	1	1	1
easyLift flexible shelf in doo	r			_	<u> </u>	-
Thermometer		Digital	Digital	Digital	Digital	Digital
Fast cooling switch		Digital	Digital	Digital	Digital	Digital
Included accessories		1 x egg trays	2 x egg trays	3 x egg trays	4 x egg trays	4 x egg trays
KEY FEATURES – FREEZER	SECTION	i x egg tiays	2 x egg trays	3 x egg trays	4 x egg trays	4 x egg trays
Number of drawers (includi		2	2	2	2	2
Shelf material	ig bigBox)	Glass	Glass			
Frost build up		noFrost	noFrost	noFrost	noFrost	noFrost
superFreeze switch		IIOFIOSE	HOFIOSE	IIOFIOSI.	IIOFIOSE	HOFIOSE
Shelf adjustability		-	-	-	-	-
	makas			-		_
Automatic motor-driven ice-			-	-		_
Water filter replacement ind	Icator	- Analos		- Digital	- Digital	- Digital
Thermometer		Analog	Digital	Digital	Digital	Digital
Water tank		- -	to only Countries	Annual Company	- 	- -
Type of control		touchControl	touchControl	touchControl	touchControl	touchControl
Dispenser		Ice	Crushed ice, ice cubes, water, water filter	Crushed ice, ice cubes, water	Ice, water	_
Included accessories		2 v ice meet				
iriciuded accessories		2 x ice pack	2 x ice pack 1 x connection hose	1 x connection hose	-	_
FUNCTIONS			i a connection nose			
FUNCTIONS		2150	11.60	2150	2150	2152
Electronic display	-1	2 x LED	1 x LCD	2 x LED	2 x LED	2 x LED
Warning / malfunction signa	d .	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audib
Home Connect	471011	-		-	-	-
DIMENSIONS AND INSTALL	ATION					
Climate class ²		SN-T	SN-T	SN-T	SN-T	SN-T
		175.6	175.6	177.0	177.0	177.0
Height of the product (cm)		91.2	91.2	91.0	91.0	91.0
Width of the product (cm)						
Height of the product (cm) Width of the product (cm) Depth of the product (cm) Depth with open door 90° (73.2 115.8	73.2 115.8	72.0 119.3	72.0 119.3	72.0 119.3

¹Actual energy consumption will depend on how the appliance is used and where it is located.

Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone N = designed to operate in ambient temperature of +16°C to 32°C. Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C. Climate zone T = designed to operate in ambient temperature of +18°C to 38°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Cooling | Specifications | Cooling

Freestanding fridge freezer specifications

APPLIANCE TYPE				REEZERS	
Design family		iQ 700	[Q] 700	™ 500	iQ 500
Model number	Stainless steel antiFingerprint	KG39FPI35	-	-	KG36NHI32
	Black glass	-	KG39FSB45	KG39NLB35	-
	White	-	-	-	_
	Black	-	-	-	-
	Black steel antiFingerprint	-	-	-	-
PERFORMANCE AND CONSUMP	TION				
Energy efficiency class		A++	A+++	A++	A++
Annual energy consumption ¹ (kV	Vh)	270	180	273	258
Refrigerator net capacity (litres)		256	256	279	234
Freezer net capacity (litres)		87	87	87	86
Noise level (dB [A] re 1 pW)		41	38	39	42
DESIGN FEATURES					
Design of handle		External Bar	Integrated vertical	Integrated vertical	External bar
Reversible door, hinged on right		•	•		-
LED Top light / LED Side lights		= / =	I / I	= / =	- / ■
Number of compressors		1	1	1	1
Number of cooling circuits		3	3	2	2
Number of temperature zones fr	idge	3	3	2	2
Electronic temperature display fr		External Digital LCD	External Digital LCD	External Digital LCD	Exterior Digital
OOD FRESHNESS SYSTEM		3	j i		<u> </u>
multiAirflow system			=	-	
superCool switch with automatic	cut off	-	-		
hyperFresh Premium humidity co		-	-	_	-
hyperFresh Plus humidity control		<u>-</u>			
hyperFresh humidity controlled of		_		-	
hyperFresh Premium temperatur		-	-	_	
hyperFresh Plus temperature con					
71 1				-	
hyperFresh temperature controll	ed Crillier drawers			_	
freshBox drawer		-	-	=	
KEY FEATURES – FRIDGE SECTION	JN	2.4.2	0.40	0.40	2.42
Range of temperature (°C)		0, 4-8	0, 4-8	0, 4-8	0, 4-8
Bottle rack				•	
Number of shelves in fridge (safe	ety glass)	4	4	5	4
Number of adjustable shelves		3	3	3	2
Number of door shelves		3	3	4	3
Temperature control and display		Exterior / Digital LCD	Exterior / Digital LCD	Exterior / Digital LCD	Exterior / Digital
Number of shelves in door (inclu	ding easyLift)	3	3	4	3
Capacity of water tank (litres)		-	_	-	-
Water filter with indicator		-	_	-	-
Home Connect / built-in cameras		■/-	■ / -	■/-	■/■
ncluded accessories		3 x egg trays	3 x egg trays	3 x egg trays	2 x egg trays
KEY FEATURES – FREEZER SECT	ION				
Frost build up		noFrost	noFrost	noFrost	noFrost
Thaw water drainage system		-	-	-	-
Storage period in event of power	failure (h)	16	16	16	16
superFreeze switch			•		
Number of freezer drawers / incli	uding bigBox	3	3	3	3
Included accessories		2 x ice packs,	2 x ice packs,	2 x ice packs,	2 x ice cube trays
meraded decessories		1 x ice cube tray inc.	1 x ice cube tray inc.	1 x ice cube tray inc.	2 x ice cabe days
		anti-spill lid	anti-spill lid	anti-spill lid	
FUNCTIONS					
Warning signal/malfunction		Visual and audible	Visual and audible	Visual and audible	Visual and audible
			_		
Door open indicator freezer					
•					
Holiday mode					-
Holiday mode Sabbath mode	N N		:		-
doliday mode abbath mode DIMENSIONS AND INSTALLATIO	DN	-:	:	-:	-
loliday mode labbath mode DIMENSIONS AND INSTALLATIC Limate class ²	DN	SN-T	SN-T	SN-T	- - SN-T
Holiday mode Gabbath mode DIMENSIONS AND INSTALLATIC Climate class ² Connection rating (W)	N .	SN-T 100	SN-T 100	SN-T 100	- - SN-T 160
Holiday mode Sabbath mode SIMENSIONS AND INSTALLATIO Limate class ² Connection rating (W) Total unit net capacity (litres)		SN-T 100 343	SN-T 100 343	SN-T 100 366	- - SN-T 160 349
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Fotal unit net capacity (litres) Refrigerator gross capacity (litres)		SN-T 100 343 285	SN-T 100 343 285	SN-T 100 366 290	- - SN-T 160 349 234
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIC Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres))	SN-T 100 343 285 110	SN-T 100 343 285 110	SN-T 100 366 290 110	- - SN-T 160 349 234 86
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) TyperFresh compartment net cap)	SN-T 100 343 285 110	SN-T 100 343 285 110 81	SN-T 100 366 290 110 21	- - SN-T 160 349 234 86 23
Holiday mode Sabbath mode SilmENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) reezer gross capacity (litres) ryperFresh compartment net cap releight of the product (cm))	SN-T 100 343 285 110 81 203.0	SN-T 100 343 285 110 81 203.0	SN-T 100 366 290 110 21 203.0	- SN-T 160 349 234 86 23 187.0
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIC Climate class ² Connection rating (W) Fotal unit net capacity (litres) Refrigerator gross capacity (litres) reezer gross capacity (litres) reezer gross capacity (litres) HolyperFresh compartment net capacity fit the product (cm) Width of the product (cm)) pacity (litres)	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 366 290 110 21 203.0 60.0	- - 160 349 234 86 23 187.0 60.0
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) Height of the product (cm) Width of the product (cm)) pacity (litres)	SN-T 100 343 285 110 81 203.0	SN-T 100 343 285 110 81 203.0	SN-T 100 366 290 110 21 203.0	SN-T 160 349 234 86 23 187.0
Holiday mode Sabbath mode DIMENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) hyperFresh compartment net cap Height of the product (cm) Will fit into a 60 / 70cm niche – in Depth of the product (cm)) pacity (litres)	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 366 290 110 21 203.0 60.0	- - 160 349 234 86 23 187.0 60.0
Door open indicator freezer Holiday mode DIMENSIONS AND INSTALLATIO Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) hyperFresh compartment net cap Height of the product (cm) Width of the product (cm) Width of the product (cm) Depth of the product (cm) Depth with open door 90° (cm)) pacity (litres)	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 343 285 110 81 203.0 60.0	SN-T 100 366 290 110 21 203.0 60.0	SN-T 160 349 234 86 23 187.0 60.0

Yes, model has this feature. — Feature not available for this model.

'Actual energy consumption will depend on how the appliance is used and where it is located.

'Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.

Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.

Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Freestanding fridge freezer specifications

APPLIANCE TYPE			FREEZERS	
Design family	iQ 500	iQ 500	iQ300	iQ 300
Model number Stainless steel antiFingerprint	KG36NAI45	_	KG49NXI30	KG39NXI35
Black glass	-	-	-	-
White	-	KG36NAW35G	-	_
Black	-	KG36NAB35G	-	_
Black steel antiFingerprint	_	_	-	KG39NXB35G
PERFORMANCE AND CONSUMPTION				11053117105550
Energy efficiency class	A+++	A++	A++	A++
Annual energy consumption¹ (kWh)				
	173	260	303	273
Refrigerator net capacity (litres)	237	237	330	279
Freezer net capacity (litres)	87	87	105	87
Noise level (dB [A] re 1 pW)	36	39	40	39
DESIGN FEATURES				
Design of handle	External bar	External bar	External bar	Integrated vertical
Reversible door, hinged on right				
LED Top light / LED Side lights	I /	I /	I / -	I /-
Number of compressors	1	1	1	1
Number of cooling circuits	2	2	2	2
Number of temperature zones fridge	2	2	2	2
Electronic temperature display fridge/freezer	External Digital LCD	External Digital LCD	Exterior Digital LED	Exterior Digital LED
FOOD FRESHNESS SYSTEM				
multiAirflow system			•	
superCool switch with automatic cut off			•	
hyperFresh Premium humidity controlled drawer	-	-	-	-
hyperFresh Plus humidity controlled drawer			-	_
hyperFresh humidity controlled drawer	-	_		
hyperFresh Premium temperature controlled drawers	_	_	_	_
hyperFresh Plus temperature controlled chiller drawers			-	_
hyperFresh temperature controlled chiller drawers	-		_	
freshBox drawer		_		
KEY FEATURES – FRIDGE SECTION		_	_	_
	2.4.2	0.40	2.4.2	2.4.2
Range of temperature (°C)	0, 4-8	0, 4-8	0, 4-8	0, 4-8
Bottle rack			•	
Number of shelves in fridge (safety glass)	4	4	5	5
Number of adjustable shelves	2	2	4	3
Number of door shelves	3	3	4	4
Temperature control and display	Exterior / LCD	Exterior Digital LED	Exterior Digital LED	Exterior Digital LED
Number of shelves in door (including easyLift)	3	3	4	4
Capacity of water tank (litres)		_	_	
Water filter with indicator		_		_
			_	
Home Connect / built-in cameras	■/-	■/-	_	
Included accessories	3 x egg trays	3 x egg trays	3 x egg trays	3 x egg trays
KEY FEATURES – FREEZER SECTION				
Frost build up	noFrost	noFrost	noFrost	noFrost
Thaw water drainage system	-	-	-	_
Storage period in event of power failure (h)	16	16	20	16
superFreeze switch				
Number of freezer drawers / including bigBox	3	3	3	3
Included accessories	2 x ice packs,	2 x ice packs,	1 x ice cube tray inc.	1 x ice cube tray inc.
included accessories	1 x ice cube tray inc.	2 x ice packs, 1 x ice cube tray inc.	anti-spill lid	anti-spill lid
	anti-spill lid	anti-spill lid	and Spin na	and spill lid
FUNCTIONS				
	Visual and audible	Visual and audible	Visual and audible	Visual and audible
Warning signal/malfunction Door open indicator freezer				
·			-	
Holiday mode			-	-
Sabbath mode			-	-
DIMENSIONS AND INSTALLATION				
Climate class ²	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	100	100	100	100
Total unit net capacity (litres)	324	324	435	366
Refrigerator gross capacity (litres)	247	247	338	290
Freezer gross capacity (litres)	110	110	128	110
hyperFresh compartment net capacity (litres)	21	21	28	
				24
Height of the product (cm)	186.0	186.0	203.0	203.0
Width of the product (cm)	60.0	60.0	70.0	60.0
Will fit into a 60 / 70cm niche – ideal for replacement	■/-	■1-	- / ■	■ / -
Depth of the product (cm)	66.0	66.0	67.0	66.0
		121.0	131.0	121.0
Depth with open door 90° (cm)	121.0	121.0	131.0	121.0
Depth with open door 90° (cm) Optional accessories	121.0 KS39ZAL00 – joining strip	KS39ZAW00/ KS39ZAL00 –	KS39ZAL00 – joining strip	KS39ZAL00 – joining str

Yes, model has this feature. - Feature not available for this model.

Actual energy consumption will depend on how the appliance is used and where it is located.

Actual energy consumption will depend on how the appliance is used and where it is located.

Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.

Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Cooling | Specifications Specifications | Cooling

Freestanding fridge freezer specifications

APPLIANCE TYPE Design family	fQ 300	iQ300	FREEZERS IQ 300	iQ 300
Model number Stainless steel antiFingerprint	KG39NVI35G	KG36DVI30G	KG36NVI35G	KG34NVI35G
Black glass	- KG39NVI33G	-	KG36NVI33G	KG54NVI55G -
White	KG39NVW35G		KG36NVW35G	KG34NVW35G
Black	KGS9NVWS5G		KGSONVWSSG	NG54NVW55G
	_		-	
Black steel antiFingerprint PERFORMANCE AND CONSUMPTION	-		-	KG34NVX3AG
Energy efficiency class	A++	A++	A++	A++
Annual energy consumption¹ (kWh)	273	239	260	267
Refrigerator net capacity (litres)	279	233	237	214
Freezer net capacity (litres)	87	86	87	105
Noise level (dB [A] re 1 pW)	39	42	39	39
DESIGN FEATURES				
Design of handle	Integrated vertical	External bar	Integrated vertical	Integrated vertical
Reversible door, hinged on right			•	
LED Top light / LED Side lights	■/-	■ / -	■/-	■ / -
Number of compressors	1	1	1	1
Number of cooling circuits	2	1	2	2
Number of temperature zones fridge	2	1	2	2
Electronic temperature display fridge/freezer	Digital LED	Digital LED	Digital LED	Digital LED
FOOD FRESHNESS SYSTEM				
multiAirflow system				
superCool switch with automatic cut off	-	-		-
hyperFresh Premium humidity controlled drawer	_		-	_
hyperFresh Plus humidity controlled drawer				_
hyperFresh humidity controlled drawer	-		-	-
			-	
hyperFresh Premium temperature controlled drawers	-		-	-
hyperFresh Plus temperature controlled chiller drawers	-		-	-
hyperFresh temperature controlled chiller drawers	•			
freshBox drawer	-	_	-	-
KEY FEATURES – FRIDGE SECTION				
Range of temperature (°C)	0, 4-8	4-8	0, 4-8	0, 4-8
Bottle rack		•		
Number of shelves in fridge (safety glass)	5	4	4	4
Number of adjustable shelves	3	2	2	2
Number of door shelves	4	3	3	3
Temperature control and display	Interior / Digital LED			
Number of shelves in door (including easyLift)	4	3	3	3
Capacity of water tank (litres)	-	2.5	-	_
Water filter with indicator	_	•	_	_
Home Connect / built-in cameras	_	_	_	_
Included accessories	3 x egg trays	1 x egg tray	3 x egg trays	3 x egg trays
KEY FEATURES – FREEZER SECTION	5 x egg trays	1 x egg tray	5 x egg trays	J X egg trays
Frost build up	noFrost	noFrost	noFrost	noFrost
·	noriost -	-	HOPTOSE	- HOPTOSE
Thaw water drainage system			-	
Storage period in event of power failure (h)	16	16	16	16
superFreeze switch	•			•
Number of freezer drawers / including bigBox	3	3	3	3
Included accessories	1 x ice cube tray inc.	1 x ice cube tray	1 x ice cube tray inc.	1 x ice cube tray inc
	anti-spill lid		anti-spill lid	anti-spill lid
FUNCTIONS				
Warning signal/malfunction	Visual and audible	Visual and audible	Visual and audible	Visual and audible
Door open indicator freezer		•		
Holiday mode	-	-	-	-
Sabbath mode	-	_	-	-
DIMENSIONS AND INSTALLATION				
Climate class ²	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	100	160	100	100
Total unit net capacity (litres)	400	319	324	319
Refrigerator gross capacity (litres)	290	239	247	222
Freezer gross capacity (litres)	110	110	110	128
		110		
hyperFresh compartment net capacity (litres)	24	106.2	24	24
Halinda of the mandrust (con)	203.0	186.0	186.0	186.0
		60.0	60.0	60.0
Width of the product (cm)	60.0			
Width of the product (cm) Will fit into a 60 / 70cm niche – ideal for replacement	■/-	■1-	■/-	■1-
Width of the product (cm) Will fit into a 60 / 70cm niche – ideal for replacement		■ / – 65.0	■ / – 66.0	65.0
Height of the product (cm) Width of the product (cm) Will fit into a 60 / 70cm niche – ideal for replacement Depth of the product (cm) Depth with open door 90° (cm)	■/-			
Width of the product (cm) Will fit into a 60 / 70cm niche – ideal for replacement Depth of the product (cm)	■ / - 66.0	65.0	66.0	65.0

¹Actual energy consumption will depend on how the appliance is used and where it is located.

²Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.

Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.

Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Freestanding fridge freezer specifications

APPLIANCE TYPE		- FRIDGE F	FREEZERS	
Design family	iQ300	iQ300	[Q]300	iQ 300
Model number Stainless steel antiFingerprint	KG33NNL30G	-	KG36VVI32G	KG33VVI31G
Black glass	-	_	-	-
White	KG33NNW30G	KG39VVW31G	KG36VVW33G	KG33VVW31G
Black	-	-	-	-
Black steel antiFingerprint	-	-	-	-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A++	A++	A++	A++
Annual energy consumption¹ (kWh)	228	237	226	219
Refrigerator net capacity (litres)	192	249	214	193
Freezer net capacity (litres)	87	94	94	94
Noise level (dB [A] re 1 pW)	42	39	39	39
DESIGN FEATURES				
Design of handle	Horizontal integrated	Integrated vertical	Integrated vertical	Integrated vertical
Reversible door, hinged on right				
LED Top light / LED Side lights	■ /-	■ /-	■/- 1	■ /-
Number of compressors	1	1	1	1
Number of cooling circuits Number of temperature zones fridge	1	1	l l	1
Electronic temperature display fridge/freezer	Digital LED	Digital LED	Digital LED	Digital LED
FOOD FRESHNESS SYSTEM	Digital LED	Digital LED	DIGITAL	Digital EED
multiAirflow system		-	-	_
superCool switch with automatic cut off	-	-	_	_
hyperFresh Premium humidity controlled drawer	-	_	_	_
hyperFresh Plus humidity controlled drawer	_	_	-	
hyperFresh humidity controlled drawer	-		•	
hyperFresh Premium temperature controlled drawers	_	-	-	-
hyperFresh Plus temperature controlled chiller drawers	-	_	-	_
hyperFresh temperature controlled chiller drawers	-	_	-	_
freshBox drawer		_	_	_
KEY FEATURES – FRIDGE SECTION				
Range of temperature (°C)	4-8	4-8	4-8	4-8
Bottle rack	-	•		
Number of shelves in fridge (safety glass)	3	5	4	4
Number of adjustable shelves	2	2	2	2
Number of door shelves	3	4	3	3
Temperature control and display	Interior / Digital LED			
Number of shelves in door (including easyLift)	3	4	3	3
Capacity of water tank (litres)	-	-	-	-
Water filter with indicator	-	-	-	-
Home Connect / built-in cameras	-	-	-	_
Included accessories	3 x egg trays			
KEY FEATURES – FREEZER SECTION				
Frost build up	noFrost	Manual / lowFrost	Manual / lowFrost	Manual / lowFrost
Thaw water drainage system	-	•	•	
Storage period in event of power failure (h)	19	23	23	23
superFreeze switch	•	•	•	
Number of freezer drawers / including bigBox	3	3	3	3
Included accessories	-	1 x ice cube tray inc.	1 x ice cube tray inc.	1 x ice cube tray inc.
FUNCTIONS		anti–spill lid	anti–spill lid	anti–spill lid
FUNCTIONS Warning circulturation	Visual and sudible	-		_
Warning signal/malfunction	Visual and audible		-	
Door open indicator freezer	•	-	-	
Holiday mode Sabbath mode	-	<u>-</u>		<u> </u>
DIMENSIONS AND INSTALLATION				
Climate class ²	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	100	90	90	90
Total unit net capacity (litres)	279	343	308	287
Refrigerator gross capacity (litres)	196	252	217	196
Freezer gross capacity (litres)	110	95	95	95
hyperFresh compartment net capacity (litres)	-	-	-	-
			186.0	176.0
71 1 71 1	176.0	201.0		1,70.0
Height of the product (cm)	176.0 60.0	201.0	60.0	60.0
Height of the product (cm) Width of the product (cm)	60.0	60.0	60.0 ■ / -	60.0
Height of the product (cm) Width of the product (cm) Will fit into a 60 / 700m niche – ideal for replacement	60.0 ■ / –	60.0 ■ / –	■1-	■1-
Height of the product (cm) Width of the product (cm) Will fit into a 60 / 700m niche – ideal for replacement Depth of the product (cm)	60.0 ■ / – 66.0	60.0 1 / - 65.0	■ / – 65.0	■ / – 65.0
Height of the product (cm) Width of the product (cm) Will fit into a 60 / 700m niche – ideal for replacement	60.0 ■ / –	60.0 ■ / –	■1-	■/-

[■] Yes, model has this feature. — Feature not available for this model.

¹Actual energy consumption will depend on how the appliance is used and where it is located.
²Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Cooling | Specifications Specifications | Cooling

Freestanding upright fridge specifications

APPLIANCE TYPE			SINGLE DOOR L	JPRIGHT FRIDGES	
Design family		iQ 700	iQ 700	iQ 700	iQ 500
Model number	Stainless steel antiFingerprint	KS36FPI4P	KS36FPI3P	KS36WBI3P	_
	White	-	-	-	KS36VBW3P
	Black steel antiFingerprint	-	_	-	_
PERFORMANCE AND CO	NSUMPTION				
Energy efficiency class		A+++	A++	A++	A++
Annual energy consumpt	ion¹ (kWh)	127	127	112	112
Refrigerator net capacity	(litres)	300	300	346	346
Freezer net capacity (litre	es)	_	_	-	_
Noise level (dB [A] re 1 p\	W)	38	41	39	39
DESIGN FEATURES	•				
Colour of side panels: Sta	inless steel model / White model	Chrome inox metallic / –	Chrome inox metallic / –	Chrome inox metallic / –	– / White
Design of handle		External bar	External bar	External bar	External bar
Reversible door, hinged o	on left or right	Reversible / left	Reversible / left	- / left	Reversible / left
LED light		•		, ieit	Neversible / Tere
Number of compressors		1	1	1	1
Number of cooling circuit	te	1	1	1	1
Number of temperature z		2	2	2	
Number of temperature 2	iones mage	Z			
FOOD FRESHNESS SYSTE	EM -				_
		4-8	4-8	4-8	4-8
Range of temperature (°C	-)	· · ·			
activeCooling					<u> </u>
Antibacterial air filter			-		
Temperature adjustable			_	-	-
71	perature controlled drawers	-	•	-	-
	ture controlled chiller drawers		-	•	-
hyperFresh temperature of			-	-	-
hyperFresh Premium hum		•	•	-	-
hyperFresh Plus humidity		_	_		•
hyperFresh humidity cont	trolled drawer	-	_	-	_
KEY FEATURES – FRIDGE	SECTION]
Bottle rack		_	_	-	
Extendable glass shelves	for easy reach	3	3	4	5
No. of temperature zones	S	2	2	1	1
Shelves for bottles		-	_	-	_
Can holder		-	-	-	-
Number of glass safety sh	nelves	5	5	7	7
Number of adjustable she	elves	3	3	5	4
Drawers with telescopic r	rails	Full extension	Full extension	-	_
Number of door shelves		4	4	5	5
easyLift flexible shelf in d	loor				
Number of shelves in doc		4	4	5	5
Dispenser				Water	_
Thermometer fridge secti	ion	Interior Digital	Interior Digital	Interior digital	Exterior Digital
Fast cooling switch		Interior Bigital	Interior Bigital	- Interior digital	Exterior Digital
Included accessories		3 x egg trays			
KEY FEATURES – FREEZE	ER COMPARTMENT	5 x egg trays	3 x egg trays	5 x egg trays	3 x egg trays
Included accessories	ER COMPARTMENT		_	Water filter	
Optional accessories FUNCTIONS		KS39ZAL00 – joining strip	KS39ZAL00 – joining strip	KS39ZAL00 – joining strip	KS39ZAW00 – joining strip
Electronic display		LED display	LED display	LED display	LED display
Warning/malfunction sign	nal	•			
DIMENSIONS AND INSTA					
Climate class ²		SN-ST	SN-ST	SN-T	SN-T
Connection rating (W)		90	90	90	90
Height of the product (cn	n)	186.0	186.0	187.0	186.0
Width of the product (cm		60.0	60.0	60.0	60.0
Depth of the product (cm		65.0	65.0	65.0	65.0
Depth of the product (cm		120.0	120.0	120.0	120.0
Deput Willi open after 90	, (CIII)	120.0	120.0	120.0	120.0

[■] Yes, model has this feature. — Feature not available for this model.

Actual energy consumption will depend on how the appliance is used and where it is located.
^Climate zone SN = designed to operate in ambient temperature of $\pm 10^{\circ}$ C to 32° C.
Climate zone S = designed to operate in ambient temperature of $\pm 16^{\circ}$ C to 32° C.
Climate zone ST = designed to operate in ambient temperature of $\pm 18^{\circ}$ C to $\pm 38^{\circ}$ C.
Climate zone T = designed to operate in ambient temperature of $\pm 18^{\circ}$ C to $\pm 38^{\circ}$ C.

Freestanding upright fridge specifications

APPLIANCE TYPE			SINGLE DOOR UPRIGHT FRIDGES	
Design family		iQ 500	iQ300	iQ 300
Model number Stainless steel	antiFingerprint	KS36VAI4P	KS36VVI3VG	_
	White	-	KS36VVW3P	KS29VVW3P
	antiFingerprint	KS36VAX3P	KS36VVX3PG	-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class		A+++	A++	A++
Annual energy consumption¹ (kWh)		112	112	107
Refrigerator net capacity (litres)		346	346	290
Freezer net capacity (litres)		-	_	_
Noise level (dB [A] re 1 pW)		39	39	39
DESIGN FEATURES				
Colour of side panels: Stainless steel model / White	e model Chro	ome inox metallic / –	Chrome inox metallic / –	– / White
Design of handle		External bar	External bar	External bar
Reversible door, hinged on left or right		Reversible / left	Reversible / left	Reversible / left
LED light				
Number of compressors		1	1	1
Number of cooling circuits		1	1	1
Number of temperature zones fridge		-	-	-
Number of evaporators		-	-	-
FOOD FRESHNESS SYSTEM				
Range of temperature (°C)		4–8	4–8	4–8
activeCooling				
Antibacterial air filter				
Temperature adjustable		_	_	_
hyperFresh Premium temperature controlled draw	vers	_	_	_
hyperFresh Plus temperature controlled chiller dra		_	_	_
hyperFresh temperature controlled chiller drawers		_	_	_
hyperFresh Premium humidity controlled drawer		_	_	_
hyperFresh Plus humidity controlled drawer		-	_	_
hyperFresh humidity controlled drawer			•	
KEY FEATURES – FRIDGE SECTION			_	
Bottle rack		_		
Extendable glass shelves for easy reach		5	6	5
No. of temperature zones		1	1	1
· · · · · · · · · · · · · · · · · · ·				_
Shelves for hottles				
Shelves for bottles			-	
Can holder		-	-	-
Can holder Number of glass safety shelves		7	- 7	– 6
Can holder Number of glass safety shelves Number of adjustable shelves		-	- 7 5	- 6 4
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails		- 7 4 -	- 7 5 -	- 6 4 -
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves		- 7 4 - 5	- 7 5 - 5	- 6 4 - 4
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door		- 7 4 - 5	- 7 5 - 5 -	- 6 4 - 4 -
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift)		- 7 4 - 5	- 7 5 - 5	- 6 4 - 4
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser		- 7 4 5 5	- 7 5 - 5 - 5	- 6 4 - 4 - 4
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section		- 7 4 - 5 ■ 5 - Interior Digital	- 7 7 5 5 - 5 5 - Interior Digital	- 6 4 - 4 -
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch		- 7 4 - 5 - 5 - Interior Digital	- 7 5 - 5 - 5 - 5 - Interior Digital	
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories		- 7 4 - 5 ■ 5 - Interior Digital	- 7 7 5 5 - 5 5 - Interior Digital	- 6 4 - 4 - 4
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT		- 7 4 - 5 - 5 - Interior Digital	- 7 5 - 5 - 5 - 5 - Interior Digital	
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES - FREEZER COMPARTMENT Included accessories		7 4 - 5 5 - Interior Digital 3 x egg trays	- 7 5 - 5 - 5 - 5 - 1 Interior Digital 3 x egg trays	- 6 4 - 4 - 4 - 4 - 4 - Interior Digital - 3 x egg trays
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories	KS39	- 7 4 - 5 - 5 - Interior Digital	- 7 5 - 5 - 5 - 5 - Interior Digital	- 6 4 - 4 - 4 - Interior Digital
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT	K\$39	7 4 - 5 5 - Interior Digital 3 x egg trays	- 7 5 - 5 - 5 - 5 - 1 Interior Digital 3 x egg trays	- 6 4 - 4 - 4 - 4 - 4 - 1 Interior Digital - 3 x egg trays
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS	KS39	7 4 - 5 5 - Interior Digital 3 x egg trays	- 7 5 - 5 - 5 - 5 - 1 Interior Digital 3 x egg trays	- 6 4 - 4 - 4 - 4 - 4 - 1 Interior Digital - 3 x egg trays
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories	KS39	- 7 4 - 5 5 - 5 - Interior Digital - 3 x egg trays - ZALOO – joining strip	- 7 5 - 5 - 5 - 5 - 1 Interior Digital 3 x egg trays - KS39ZAW00 / KS39ZAL00 – joining strip	
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS Electronic display	KS39	- 7 4 - 5 5 - Interior Digital 3 x egg trays - ZAL00 – joining strip		- 6 4 - 4 - 4 4 - Interior Digital - 3 x egg trays - KS39ZAW00 – joining strip
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal	KS39	- 7 4 - 5 5 - Interior Digital 3 x egg trays - ZAL00 – joining strip		- 6 4 - 4 - 4 4 - Interior Digital - 3 x egg trays - KS39ZAW00 – joining strip
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES - FREEZER COMPARTMENT Included accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION	KS39	7 4	- 7	- 6 4 - 4 - 4 - 4 - 1 Interior Digital - 3 x egg trays - KS39ZAW00 – joining strip
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES - FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS Electronic display Warming/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W)	KS39	- 7 4 4 - 5 5 - Interior Digital 3 x egg trays - ZAL00 – joining strip	- 7 5 5 - 5 5 - 5 - Interior Digital 3 x egg trays - KS39ZAW00 / KS39ZAL00 – joining strip LED display	- 6 4 - 4 - 4 - 1 Interior Digital - 3 x egg trays - KS39ZAW00 – joining strip LED display - SN-T
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES – FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Height of the product (cm)	KS39	- 7 4 - 5 5 - Interior Digital 3 x egg trays - ZAL00 – joining strip LED display - SN-T 90 186.0	- 7 5 5 5 5 5 1 - 1 - 5 5 1 - 5 5 1 - 7 5 Interior Digital 3 x egg trays - KS39ZAW00 / KS39ZAL00 – joining strip LED display SN-T 90 186.0	- 6 4 - 4 - 4 - 4 4 - 1 Interior Digital - 3 x egg trays - KS39ZAW00 – joining strip LED display - SN-T 90 161.0
Can holder Number of glass safety shelves Number of adjustable shelves Drawers with telescopic rails Number of door shelves easyLift flexible shelf in door Number of shelves in door (including easyLift) Dispenser Thermometer fridge section Fast cooling switch Included accessories KEY FEATURES - FREEZER COMPARTMENT Included accessories Optional accessories FUNCTIONS Electronic display Warming/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W)	KS39	- 7 4 - 5 5 - S - Interior Digital - 3 x egg trays - ZAL00 – joining strip LED display - SN-T 90		

Actual energy consumption will depend on how the appliance is used and where it is located.
^Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Cooling | Specifications | Cooling

Freestanding upright freezer specifications

	9 1	9		
APPLIANCE TYPE			SINGLE DOOR UPRIGHT FREEZERS	
Design family		iQ 700	iQ 500	iQ 500
Model number	Stainless steel antiFingerprint	GS36DBI2VG	-	-
	White	-	GS36NBW3PG	GS58NAW41
	Black steel antiFingerprint	-	-	-
PERFORMANCE AND CON	ISUMPTION			
Energy efficiency class		A+	A++	A+++
Annual energy consumption	on¹ (kWh)	279	234	201
Refrigerator net capacity (I	litres)	-	_	-
Freezer net capacity (litres))	210	242	360
Noise level (dB [A] re 1 pW	()	42	42	41
DESIGN FEATURES				
Colour of side panels: Stair	nless steel model / White model	Chrome inox metallic / –	- / White	- / White
Design of handle		External bar	External bar	External bar
Reversible door, hinged on	left or right	Right	Reversible / right	Reversible / right
LED light	<u> </u>	•		•
Number of compressors		1	1	1
Number of cooling circuits		1	1	1
Number of temperature zo		_	_	-
Number of evaporators		-	_	-
FOOD FRESHNESS SYSTEM	М			
Range of temperature (°C)		-	-	-
multiAirflow System		-		
Antibacterial air filter				-
Temperature adjustable		-		
	erature controlled drawers		_	_
	re controlled chiller drawers		_	_
hyperFresh temperature co			_	_
hyperFresh Premium humi			_	_
hyperFresh Plus humidity o			_	_
hyperFresh humidity contr			_	_
KEY FEATURES – FREEZER				
Number of freezer drawers	,	5	4	5
Number of freezer flaps	7 melading bigbox	2	_	3
Total number of freezer co	mnartments	7	7	8
Shelf material	input tricits	Glass	Glass	Glass
Frost build up in freezer		noFrost	noFrost	noFrost
superFreeze switch		IIIOTOSE	III III III III III III III III III II	I I I I I I I I I I I I I I I I I I I
Shelf adjustability			<u> </u>	-
Storage period in event of	nower failure (hours)	17	25	25
Automatic motor–driven ic		•	-	_
Water filter replacement in		<u>-</u>	_	
Water tank	idicator		_	_
Type of control			_	_
Dispenser		Crushed ice, ice cubes		_
Thermometer		Interior digital	Exterior digital	Interior digital
Included accessories				
included accessories		3 x ice packs	3 x ice packs 1 x twist ice cube tray	3 x ice packs 1 x twist ice cube tray
Optional accessories		KS39ZAL00 – joining strip	KS39ZAW00 – joining strip	KS39ZAW00 – joining strip
FUNCTIONS			100 11 1	
Electronic display		LED display	LED display	LED display
Warning/malfunction signa				
DIMENSIONS AND INSTAL	LLATION			
Climate class ²		SN-T	SN-T	SN-T
Connection rating (W)		90	90	90
Height of the product (cm))	187.0	186.0	191.0
Width of the product (cm)		60.0	60.0	70.0
Depth of the product (cm)		65.0	65.0	78.0
Depth with open door 90°	(cm)	120.0	120.0	142.0

Depth with open door 90° (cm)

Yes, model has this feature. — Feature not available for this model.

'Actual energy consumption will depend on how the appliance is used and where it is located.

2Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.

Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.

Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Freestanding upright freezer specifications

APPLIANCE TYPE		SINGLE DOOR UPRIGHT FREEZERS	
Design family	iQ 500	iQ 300	iQ 300
Model number Stainless steel antiFingerp		GS36NVI3PG	-
	hite GS36NAW3P	GS36NVW3PG	GS29NVW3PG
Black steel antiFingerp		GS36NVX3PG	-
PERFORMANCE AND CONSUMPTION	3330177031	3330117/313	
Energy efficiency class	A++	A++	A++
Annual energy consumption ¹ (kWh)	234	234	211
Refrigerator net capacity (litres)	234		_
Freezer net capacity (litres)	242	242	200
Noise level (dB [A] re 1 pW)	42	42	42
DESIGN FEATURES	42	42	42
	Characteristics (Displayers of Isaly	Characteristics of Black at all leads	/ NA/Inia n
Colour of side panels: Stainless steel model / White model	Chrome inox metallic / Black steel look	Chrome inox metallic / Black steel look	- / White
Design of handle	External bar	External bar	External bar
Reversible door, hinged on left or right	Reversible / right	Reversible / right	Reversible / right
LED light		-	-
Number of compressors	1	1	1
Number of cooling circuits	1	1	1
Number of temperature zones fridge	-	-	-
Number of evaporators	-	-	1
FOOD FRESHNESS SYSTEM			
Range of temperature (°C)	-	-	-
multiAirflow System			
Antibacterial air filter	_	_	_
Temperature adjustable			
hyperFresh Premium temperature controlled drawers	-	_	-
hyperFresh Plus temperature controlled chiller drawers	-	_	-
hyperFresh temperature controlled chiller drawers	-	_	_
hyperFresh Premium humidity controlled drawer	_	_	_
hyperFresh Plus humidity controlled drawer	_	_	_
hyperFresh humidity controlled drawer	_	_	_
KEY FEATURES – FREEZER SECTION	_	_	_
Number of freezer drawers / including bigBox	4	4	4
	_	_	_
Number of freezer flanc		_	
Number of freezer flaps Total number of freezer compartments		7	6
Total number of freezer compartments	7	7	6
Total number of freezer compartments Shelf material	7 Glass	Glass	Glass
Total number of freezer compartments Shelf material Frost build up in freezer	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours)	7 Glass noFrost - 25	Glass noFrost - 25	Glass noFrost 25
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker	7 Glass noFrost - 25 -	Glass noFrost - 25	Glass noFrost — — — 25 —
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker Water filter replacement indicator	7 Glass noFrost - 25	Glass noFrost - 25	Glass noFrost 25
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker Water filter replacement indicator Water tank	7 Glass noFrost 25	Glass noFrost - 25	Glass noFrost — — — 25 —
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker Water filter replacement indicator Water tank Type of control	7 Glass noFrost - 25 -	Glass noFrost - 25	Glass noFrost — — — 25 —
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser	7 Glass noFrost 25	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker Water filter replacement indicator Water tank Type of control	7 Glass noFrost 25	Glass noFrost - 25	Glass noFrost — — — 25 —
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor–driven ice–maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer	7 Glass noFrost 25	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser	7 Glass noFrost	Glass noFrost - 25 - 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill lid KS39ZAW00 / KS39ZAX00 -	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories	7 Glass noFrost 25 Interior digital 3 x ice packs 1 x twist ice cube tray	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor—driven ice—maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories FUNCTIONS Electronic display	7 Glass noFrost 25 Interior digital 3 x ice packs 1 x twist ice cube tray KS39ZAW00 / KS39ZAL00 / KS39ZAX00 − joining strip	Glass noFrost 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill lid KS39ZAW00 / KS39ZAX00 – joining strip	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor—driven ice—maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION	7 Glass noFrost	Glass noFrost - 25 - 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill lid KS39ZAW00 / KS39ZAX00 – joining strip	Glass noFrost 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill I KS39ZAW00 – joining strip
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ²	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor—driven ice—maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W)	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Height of the product (cm)	7 Glass noFrost	Glass noFrost 25	Glass noFrost 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill I KS39ZAW00 – joining strip SN-T 90 161.0
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor—driven ice—maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W)	7 Glass noFrost	Glass noFrost	Glass noFrost
Total number of freezer compartments Shelf material Frost build up in freezer superFreeze switch Shelf adjustability Storage period in event of power failure (hours) Automatic motor-driven ice-maker Water filter replacement indicator Water tank Type of control Dispenser Thermometer Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunction signal DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Height of the product (cm)	7 Glass noFrost	Glass noFrost 25	Glass noFrost 25 Interior digital 2 x ice packs 1 x ice cube tray with anti-spill li KS39ZAW00 – joining strip

'Actual energy consumption will depend on how the appliance is used and where it is located.


2Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.

Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.

Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Customer services Customer services



Purchasing a Siemens appliance gives you access to our expert customer service team for the lifetime of your appliance. With 2 year and 5 year manufacturer's warranties on offer*, multi-award winning products to choose from and assistance from an outstanding customer service department, you can be assured that the appliance you are buying will offer peace of mind.

Expert advice

Siemens customer service staff are full of knowledge and expertise, whether you have a question about your Siemens appliance, want to order replacement spare parts or require an engineer to repair your appliance. With engineers based locally across the country**, no one is better suited to help, and all Siemens repairs are analysed in advance so that we bring the correct replacement spare parts likely to be needed on the first visit***.

Original replacement spare parts Order replacement parts online and access exploded diagrams to help you locate the correct part. As a manufacturer we only use original spare parts and we keep a comprehensive range of parts available for up to ten years to ensure the quality of your appliance. You can also browse appliance diagrams online to locate and purchase the parts you need.

You can order accessories and cleaning products quickly and easily via our Siemens online shop. The Siemens shop has an extensive selection of accessories to help you get the most out of your Siemens appliance. With our range of tested and approved cleaning and care products you can keep your appliance looking great and working at its optimum performance. You can quickly order accessories and cleaning products by

telephone on 0344 892 8999 (option 2) or

by visiting our online shop at www.siemens-

home.bsh-group.com/uk/shop.

Accessories and cleaning products

Arrange a Siemens engineer visit Need to arrange an engineer visit? No problem. Simply call our customer service team to discuss the problem with your appliance and if needed we will arrange a home appointment with an engineer at a time and date that's convenient for you. Siemens appliances are built to the highest standards but if you do require an engineer to repair your appliance, we are here to help, whether your appliance is inside or outside the manufacturer's warranty period. You can book an appointment by telephone on 0344 892 8999 (option 1) or you can book online.

Our engineers are employed and trained by Siemens and are based locally around the country**.

No one knows our appliances better, and all repairs are analysed in advance by our technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit***.

Our advisors provide expert assistance

- · Product information before and after purchase
- Tips on functions and operation
- User related gueries
- Help with Siemens promotions

Telephone:

UK: 0344 892 8999 (options 3 and 4)

For product support available 24 hours

- a day visit our website for:
- Product information
- Downloadable brochures Videos
- Instruction manuals
- FAQs

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

Covers the cost of a replacement motor[†]

and is available on selected washing

machines and washer dryers. Please keep a proof of purchase if you own

an applicable appliance to register the

10 year Anti-Rust Warranty for

Covers rusting throughout the inner

out. This warranty can be registered

during the 2 year and 5 year Siemens

all home appliances to ensure you can

cavity of all dishwashers from the inside

iQdrive motor warranty.

dishwashers

Accessories and cleaning products We stock an extensive selection of accessories and cleaning products to help you make the most of your Siemens appliance.

- Original accessories for Siemens appliances
- Tested and approved cleaning and care products
- Quickly and easily order your accessories and cleaning products by telephone or via our online shop

Telephone:

UK: 0344 892 8999 (option 2) IRL: 01450 2655

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

Replacement spare parts

As the manufacturer, we only use original spare parts to ensure the quality of your appliance.

- Comprehensive range of parts kept available for up to 10 years
- Original spare parts
- Browse appliance diagrams online to locate and purchase the parts you need

Telephone:

UK: 0344 892 8999 (option 2) IRL: 01450 2655

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

Arrange an engineer visit

Siemens appliances are built to the highest standards but if you do require an engineer to repair your appliance, we are here to help, whether your appliance is inside or outside the manufacturer's warranty period. Our engineers are employed and trained by Siemens and are based locally around the country**.

No one knows our appliances better, and all repairs are analysed in advance by our technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the

• Arrange an engineer appointment at a time and date that's convenient for you

UK: 0344 892 8999 (option 1) IRL: 01450 2655

www.siemens-home.bsh-group.com/uk www.siemens-home.bsh-group.com/ie****

Register your manufacturer's warranty 10 year iQdrive Motor warranty

2 year warranty Telephone: UK: 0800 519 2116

IRL: 01230 0344

Or register online:

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

5 year warranty (selected appliances only) The extended warranty covers, at no extra cost; parts, labour and call out charges.

To register telephone:

UK: 0344 892 8999 (option 5)

IRL: 01450 2655

Or register online:

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

A full copy of our warranty terms and conditions is available on request, or can be viewed via the Siemens website.

Register ~ my appliance Siemens recommends that you register

registration process.

be easily contacted in the event of an important product update. For more information about registering appliances of all brands, please visit:

www.registermyappliance.org.uk

Brochures

24-hour hotline or visit our website.

Call us on: UK: 0344 892 8999 (option 3) IRL: 01450 2655

Lines are open 24 hours a day. Our specialist advisors are available Monday to Friday 08:00am to 20:00pm, Saturday 09:00am to 17:00pm and Sunday 09:00am to 16:00pm. Calls are charged at the basic rate, please check with your telephone service for exact charges.

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

Order your brochures or download PDF copies from our website.



- The 5 year manufacturer's warranty is available on selected appliance models only.
- ** In certain areas we may use an approved service partner.
- *** This process may vary where approved service partners are used by us.
- ****Online booking not available in the Republic of Ireland.
- † iQdrive warranty covers the cost of a replacement motor only. All labour and call-out charges outside of the 5 year warranty are not covered. A full copy of our warranty terms and conditions is available on request, or can be viewed via the Siemens website. Calls to 0344 numbers are charged at the basic rate, please check with your telephone service provider for exact charges.

Siemens, a division of BSH Home Appliances Ltd, Grand Union House, Old Wolverton Road, Wolverton, Milton Keynes, MK12 5PT Tel: 0344 892 9040

siemens-home.bsh-group.com/uk

BSH Home Appliances Ltd, M50 Business Park, Ballymount, Dublin 12

Tel: 1890 626041

siemens-home.bsh-group.com/ie

BSH Group is a Trademark Licensee of Siemens AG

This brochure is current as from the publication date and supersedes all previous brochures for these products. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd.

This brochure should not be regarded as an infallible guide nor as an offer of sale for a particular product.

Due to variables in the reproduction process, colours of actual products may vary slightly from those depicted. We recommend a visit to a Siemens dealer to confirm that specifications and colours are to your satisfaction.

Valid from April 2018

